

Conductive Polymer Hybrid Aluminum Electrolytic Capacitors for Automotive Body & Chassis and Infotainment

Simple Product Catalog

Part Number	Size (φxDxL) [mm]	Rated Volt. [Vdc]	Capacitance	Temp Lower [°C]	Temp Upper [°C]	ESR(max) [Ω]	Rated Ripple (max)[mArms]	Endurance [hr]	Applications	Qualification
RCHV1221M1JDC8002	φ6.3x5.8	6.3	220 uF	-55	105	0.045	1600	5000	(C)Auto. (Body, Info.)	AEC-Q200
RCHV1331M1JDE7002	φ6.3x7.7	6.3	330 uF	-55	105	0.024	2300	5000	(C)Auto. (Body, Info.)	AEC-Q200
RCHV1561M1JEH0002	φ8x10	6.3	560 uF	-55	105	0.022	2500	5000	(C)Auto. (Body, Info.)	AEC-Q200
RCHV1821M1JFH0002X	φ10x10	6.3	820 uF	-55	105	0.018	2600	5000	(C)Auto. (Body, Info.)	AEC-Q200
RCHV1101M1LDC8002	φ6.3x5.8	10	100 uF	-55	105	0.045	1600	5000	(C)Auto. (Body, Info.)	AEC-Q200
RCHV1221M1LDE7002	φ6.3x7.7	10	220 uF	-55	105	0.024	2300	5000	(C)Auto. (Body, Info.)	AEC-Q200
RCHV1331M1LEH0002	φ8x10	10	330 uF	-55	105	0.022	2500	5000	(C)Auto. (Body, Info.)	AEC-Q200
RCHV1471M1LFH0002X	φ10x10	10	470 uF	-55	105	0.018	2600	5000	(C)Auto. (Body, Info.)	AEC-Q200
RCHV1470M1ECC8002	φ5x5.8	16	47 uF	-55	105	0.08	900	5000	(C)Auto. (Body, Info.)	AEC-Q200
RCHV1820M1EDC8002	φ6.3x5.8	16	82 uF	-55	105	0.045	1600	5000	(C)Auto. (Body, Info.)	AEC-Q200
RCHV1151M1EDE7002	φ6.3x7.7	16	150 uF	-55	105	0.027	2200	5000	(C)Auto. (Body, Info.)	AEC-Q200
RCHV1271M1EEH0002	φ8x10	16	270 uF	-55	105	0.022	2500	5000	(C)Auto. (Body, Info.)	AEC-Q200
RCHV1471M1EFH0002X	φ10x10	16	470 uF	-55	105	0.018	2600	5000	(C)Auto. (Body, Info.)	AEC-Q200
RCHV1330M1TCC8002	φ5x5.8	25	33 uF	-55	105	0.08	900	5000	(C)Auto. (Body, Info.)	AEC-Q200
RCHV1560M1TDC8002	φ6.3x5.8	25	56 uF	-55	105	0.05	1300	5000	(C)Auto. (Body, Info.)	AEC-Q200
RCHV1101M1TDE7002	φ6.3x7.7	25	100 uF	-55	105	0.03	2000	5000	(C)Auto. (Body, Info.)	AEC-Q200
RCHV1151M1TEF7002	φ8x8.7	25	150 uF	-55	105	0.027	2100	5000	(C)Auto. (Body, Info.)	AEC-Q200
RCHV1221M1TEH0002	φ8x10	25	220 uF	-55	105	0.027	2300	5000	(C)Auto. (Body, Info.)	AEC-Q200
RCHV1271M1TFF7002	φ10x8.7	25	270 uF	-55	105	0.025	2400	5000	(C)Auto. (Body, Info.)	AEC-Q200
RCHV1331M1TFH0002X	φ10x10	25	330 uF	-55	105	0.02	2500	5000	(C)Auto. (Body, Info.)	AEC-Q200
RCHV1561M1TFK5002X	φ10x12.5	25	560 uF	-55	105	0.018	3500	5000	(C)Auto. (Body, Info.)	AEC-Q200
RCHV1821M1TGL5005	φ12.5x13.5	25	820 uF	-55	105	0.015	4500	5000	(C)Auto. (Body, Info.)	AEC-Q200
RCHV1220M1GCC8002	φ5x5.8	35	22 uF	-55	105	0.1	900	5000	(C)Auto. (Body, Info.)	AEC-Q200
RCHV1470M1GDC8002	φ6.3x5.8	35	47 uF	-55	105	0.06	1300	5000	(C)Auto. (Body, Info.)	AEC-Q200
RCHV1680M1GDE7002	φ6.3x7.7	35	68 uF	-55	105	0.035	2000	5000	(C)Auto. (Body, Info.)	AEC-Q200
RCHV1101M1GEF7002	φ8x8.7	35	100 uF	-55	105	0.03	2100	5000	(C)Auto. (Body, Info.)	AEC-Q200
RCHV1151M1GEH0002	φ8x10	35	150 uF	-55	105	0.027	2300	5000	(C)Auto. (Body, Info.)	AEC-Q200
RCHV1221M1GFF7002	φ10x8.7	35	220 uF	-55	105	0.025	2400	5000	(C)Auto. (Body, Info.)	AEC-Q200
RCHV1271M1GFH0002X	φ10x10	35	270 uF	-55	105	0.02	2500	5000	(C)Auto. (Body, Info.)	AEC-Q200
RCHV1391M1GFK5002X	φ10x12.5	35	390 uF	-55	105	0.018	3500	5000	(C)Auto. (Body, Info.)	AEC-Q200
RCHV1561M1IGGL5005	φ12.5x13.5	35	560 uF	-55	105	0.015	4500	5000	(C)Auto. (Body, Info.)	AEC-Q200
RCHV1100M1UCC8002	φ5x5.8	50	10 uF	-55	105	0.12	750	5000	(C)Auto. (Body, Info.)	AEC-Q200
RCHV1220M1UDC8002	φ6.3x5.8	50	22 uF	-55	105	0.08	1100	5000	(C)Auto. (Body, Info.)	AEC-Q200
RCHV1330M1UDE7002	φ6.3x7.7	50	33 uF	-55	105	0.04	1600	5000	(C)Auto. (Body, Info.)	AEC-Q200
RCHV1470M1UEF7002	φ8x8.7	50	47 uF	-55	105	0.035	1700	5000	(C)Auto. (Body, Info.)	AEC-Q200
RCHV1680M1UEH0002	φ8x10	50	68 uF	-55	105	0.03	1800	5000	(C)Auto. (Body, Info.)	AEC-Q200
RCHV1820M1UFF7002	φ10x8.7	50	82 uF	-55	105	0.028	1900	5000	(C)Auto. (Body, Info.)	AEC-Q200
RCHV1101M1UFH0002X	φ10x10	50	100 uF	-55	105	0.028	2000	5000	(C)Auto. (Body, Info.)	AEC-Q200
RCHV1151M1UFK5002X	φ10x12.5	50	150 uF	-55	105	0.024	3000	5000	(C)Auto. (Body, Info.)	AEC-Q200
RCHV1331M1UGL5005	φ12.5x13.5	50	330 uF	-55	105	0.02	4000	5000	(C)Auto. (Body, Info.)	AEC-Q200
RCHV1100M4EDC8002	φ6.3x5.8	63	10 uF	-55	105	0.12	1000	5000	(C)Auto. (Body, Info.)	AEC-Q200
RCHV1220M4EDE7002	φ6.3x7.7	63	22 uF	-55	105	0.08	1500	5000	(C)Auto. (Body, Info.)	AEC-Q200
RCHV1270M4EEF7002	φ8x8.7	63	27 uF	-55	105	0.05	1600	5000	(C)Auto. (Body, Info.)	AEC-Q200
RCHV1330M4EEH0002	φ8x10	63	33 uF	-55	105	0.04	1600	5000	(C)Auto. (Body, Info.)	AEC-Q200
RCHV1470M4EFF7002	φ10x8.7	63	47 uF	-55	105	0.035	1700	5000	(C)Auto. (Body, Info.)	AEC-Q200
RCHV1560M4EFH0002X	φ10x10	63	56 uF	-55	105	0.03	1800	5000	(C)Auto. (Body, Info.)	AEC-Q200
RCHV1101M4EFK5002X	φ10x12.5	63	100 uF	-55	105	0.026	2500	5000	(C)Auto. (Body, Info.)	AEC-Q200
RCHV1121M4EGL5005	φ12.5x13.5	63	120 uF	-55	105	0.022	3500	5000	(C)Auto. (Body, Info.)	AEC-Q200
RCHV1220M1REH0002	φ8x10	80	22 uF	-55	105	0.045	1550	5000	(C)Auto. (Body, Info.)	AEC-Q200
RCHV1330M1RFH0002X	φ10x10	80	33 uF	-55	105	0.036	1700	5000	(C)Auto. (Body, Info.)	AEC-Q200
RCHV1221M1JDC8002E	φ6.3x5.8	6.3	220 uF	-55	105	0.045	1600	10000	(C)Auto. (Body, Info.)	AEC-Q200
RCHV1331M1JDE7002E	φ6.3x7.7	6.3	330 uF	-55	105	0.024	2300	10000	(C)Auto. (Body, Info.)	AEC-Q200
RCHV1561M1JEH0002E	φ8x10	6.3	560 uF	-55	105	0.022	2500	10000	(C)Auto. (Body, Info.)	AEC-Q200
RCHV1821M1JFH0002EX	φ10x10	6.3	820 uF	-55	105	0.018	2600	10000	(C)Auto. (Body, Info.)	AEC-Q200
RCHV1101M1LDC8002E	φ6.3x5.8	10	100 uF	-55	105	0.045	1600	10000	(C)Auto. (Body, Info.)	AEC-Q200
RCHV1221M1LDE7002E	φ6.3x7.7	10	220 uF	-55	105	0.024	2300	10000	(C)Auto. (Body, Info.)	AEC-Q200
RCHV1331M1LEH0002E	φ8x10	10	330 uF	-55	105	0.022	2500	10000	(C)Auto. (Body, Info.)	AEC-Q200
RCHV1471M1LFH0002EX	φ10x10	10	470 uF	-55	105	0.018	2600	10000	(C)Auto. (Body, Info.)	AEC-Q200
RCHV1470M1ECC8002E	φ5x5.8	16	47 uF	-55	105	0.08	900	10000	(C)Auto. (Body, Info.)	AEC-Q200
RCHV1820M1EDC8002E	φ6.3x5.8	16	82 uF	-55	105	0.045	1600	10000	(C)Auto. (Body, Info.)	AEC-Q200
RCHV1151M1EDE7002E	φ6.3x7.7	16	150 uF	-55	105	0.027	2200	10000	(C)Auto. (Body, Info.)	AEC-Q200
RCHV1271M1EEH0002E	φ8x10	16	270 uF	-55	105	0.022	2500	10000	(C)Auto. (Body, Info.)	AEC-Q200
RCHV1471M1EFH0002EX	φ10x10	16	470 uF	-55	105	0.018	2600	10000	(C)Auto. (Body, Info.)	AEC-Q200
RCHV1330M1TCC8002E	φ5x5.8	25	33 uF	-55	105	0.08	900	10000	(C)Auto. (Body, Info.)	AEC-Q200
RCHV1560M1TDC8002E	φ6.3x5.8	25	56 uF	-55	105	0.05	1300	10000	(C)Auto. (Body, Info.)	AEC-Q200
RCHV1101M1TDE7002E	φ6.3x7.7	25	100 uF	-55	105	0.03	2000	10000	(C)Auto. (Body, Info.)	AEC-Q200

This catalog contains the typical specification only due to the limitation of space. When you consider the purchase of our products, please check our specification. For details of each product (characteristics graph, reliability information, precautions for use, and so on), see our Web site (<http://www.ty-top.com/>).

Feb. 2025

TAIYO YUDEN

Part Number	Size (φDxL) [mm]	Rated Volt. [Vdc]	Capacitance	Temp Lower [°C]	Temp Upper [°C]	ESR(max) [Ω]	Rated Ripple (max)[mArms]	Endurance [hr]	Applications	Qualification
RCHV1151M1TEF7002E	φ8x8.7	25	150 uF	-55	105	0.027	2100	10000	(C)Auto. (Body, Info.)	AEC-Q200
RCHV1221M1TEH0002E	φ8x10	25	220 uF	-55	105	0.027	2300	10000	(C)Auto. (Body, Info.)	AEC-Q200
RCHV1271M1TFF7002E	φ10x8.7	25	270 uF	-55	105	0.025	2400	10000	(C)Auto. (Body, Info.)	AEC-Q200
RCHV1331M1TFH0002EX	φ10x10	25	330 uF	-55	105	0.02	2500	10000	(C)Auto. (Body, Info.)	AEC-Q200
RCHV1561M1TFK5002EX	φ10x12.5	25	560 uF	-55	105	0.018	3500	10000	(C)Auto. (Body, Info.)	AEC-Q200
RCHV1821M1TGL5005E	φ12.5x13.5	25	820 uF	-55	105	0.015	4500	10000	(C)Auto. (Body, Info.)	AEC-Q200
RCHV1220M1GCC8002E	φ5x5.8	35	22 uF	-55	105	0.1	900	10000	(C)Auto. (Body, Info.)	AEC-Q200
RCHV1470M1GDC8002E	φ6.3x5.8	35	47 uF	-55	105	0.06	1300	10000	(C)Auto. (Body, Info.)	AEC-Q200
RCHV1680M1GDE7002E	φ6.3x7.7	35	68 uF	-55	105	0.035	2000	10000	(C)Auto. (Body, Info.)	AEC-Q200
RCHV1101M1GEF7002E	φ8x8.7	35	100 uF	-55	105	0.03	2100	10000	(C)Auto. (Body, Info.)	AEC-Q200
RCHV1151M1GEH0002E	φ8x10	35	150 uF	-55	105	0.027	2300	10000	(C)Auto. (Body, Info.)	AEC-Q200
RCHV1221M1GFF7002E	φ10x8.7	35	220 uF	-55	105	0.025	2400	10000	(C)Auto. (Body, Info.)	AEC-Q200
RCHV1271M1GFH0002EX	φ10x10	35	270 uF	-55	105	0.02	2500	10000	(C)Auto. (Body, Info.)	AEC-Q200
RCHV1391M1GFK5002EX	φ10x12.5	35	390 uF	-55	105	0.018	3500	10000	(C)Auto. (Body, Info.)	AEC-Q200
RCHV1561M1GGL5005E	φ12.5x13.5	35	560 uF	-55	105	0.015	4500	10000	(C)Auto. (Body, Info.)	AEC-Q200
RCHV1100M1UCC8002E	φ5x5.8	50	10 uF	-55	105	0.12	750	10000	(C)Auto. (Body, Info.)	AEC-Q200
RCHV1220M1UDC8002E	φ6.3x5.8	50	22 uF	-55	105	0.08	1100	10000	(C)Auto. (Body, Info.)	AEC-Q200
RCHV1330M1UDE7002E	φ6.3x7.7	50	33 uF	-55	105	0.04	1600	10000	(C)Auto. (Body, Info.)	AEC-Q200
RCHV1470M1UEF7002E	φ8x8.7	50	47 uF	-55	105	0.035	1700	10000	(C)Auto. (Body, Info.)	AEC-Q200
RCHV1680M1UEH0002E	φ8x10	50	68 uF	-55	105	0.03	1800	10000	(C)Auto. (Body, Info.)	AEC-Q200
RCHV1820M1UEF7002E	φ10x8.7	50	82 uF	-55	105	0.028	1900	10000	(C)Auto. (Body, Info.)	AEC-Q200
RCHV1101M1UFH0002EX	φ10x10	50	100 uF	-55	105	0.028	2000	10000	(C)Auto. (Body, Info.)	AEC-Q200
RCHV1151M1UFK5002EX	φ10x12.5	50	150 uF	-55	105	0.024	3000	10000	(C)Auto. (Body, Info.)	AEC-Q200
RCHV1331M1UGL5005E	φ12.5x13.5	50	330 uF	-55	105	0.02	4000	10000	(C)Auto. (Body, Info.)	AEC-Q200
RCHV1100M4EDC8002E	φ6.3x5.8	63	10 uF	-55	105	0.12	1000	10000	(C)Auto. (Body, Info.)	AEC-Q200
RCHV1220M4EDE7002E	φ6.3x7.7	63	22 uF	-55	105	0.08	1500	10000	(C)Auto. (Body, Info.)	AEC-Q200
RCHV1270M4EEF7002E	φ8x8.7	63	27 uF	-55	105	0.05	1600	10000	(C)Auto. (Body, Info.)	AEC-Q200
RCHV1330M4EEH0002E	φ8x10	63	33 uF	-55	105	0.04	1600	10000	(C)Auto. (Body, Info.)	AEC-Q200
RCHV1470M4EFF7002E	φ10x8.7	63	47 uF	-55	105	0.035	1700	10000	(C)Auto. (Body, Info.)	AEC-Q200
RCHV1560M4EFH0002EX	φ10x10	63	56 uF	-55	105	0.03	1800	10000	(C)Auto. (Body, Info.)	AEC-Q200
RCHV1101M4EFK5002EX	φ10x12.5	63	100 uF	-55	105	0.026	2500	10000	(C)Auto. (Body, Info.)	AEC-Q200
RCHV1121M4EGL5005E	φ12.5x13.5	63	120 uF	-55	105	0.022	3500	10000	(C)Auto. (Body, Info.)	AEC-Q200
RCHV1220M1REH0002E	φ8x10	80	22 uF	-55	105	0.045	1550	10000	(C)Auto. (Body, Info.)	AEC-Q200
RCHV1330M1RFH0002EX	φ10x10	80	33 uF	-55	105	0.036	1700	10000	(C)Auto. (Body, Info.)	AEC-Q200
RCHT1221M1JDC8002	φ6.3x5.8	6.3	220 uF	-55	105	0.045	1600	5000	(C)Auto. (Body, Info.)	AEC-Q200
RCHT1331M1JDE7002	φ6.3x7.7	6.3	330 uF	-55	105	0.024	2300	5000	(C)Auto. (Body, Info.)	AEC-Q200
RCHT1561M1JEH0002	φ8x10	6.3	560 uF	-55	105	0.022	2500	5000	(C)Auto. (Body, Info.)	AEC-Q200
RCHT1821M1JFH0002X	φ10x10	6.3	820 uF	-55	105	0.018	2600	5000	(C)Auto. (Body, Info.)	AEC-Q200
RCHT1101M1LDC8002	φ6.3x5.8	10	100 uF	-55	105	0.045	1600	5000	(C)Auto. (Body, Info.)	AEC-Q200
RCHT1221M1LDE7002	φ6.3x7.7	10	220 uF	-55	105	0.024	2300	5000	(C)Auto. (Body, Info.)	AEC-Q200
RCHT1331M1LEH0002	φ8x10	10	330 uF	-55	105	0.022	2500	5000	(C)Auto. (Body, Info.)	AEC-Q200
RCHT1471M1LFH0002X	φ10x10	10	470 uF	-55	105	0.018	2600	5000	(C)Auto. (Body, Info.)	AEC-Q200
RCHT1820M1EDC8002	φ6.3x5.8	16	82 uF	-55	105	0.045	1600	5000	(C)Auto. (Body, Info.)	AEC-Q200
RCHT1151M1EDE7002	φ6.3x7.7	16	150 uF	-55	105	0.027	2200	5000	(C)Auto. (Body, Info.)	AEC-Q200
RCHT1271M1EEH0002	φ8x10	16	270 uF	-55	105	0.022	2500	5000	(C)Auto. (Body, Info.)	AEC-Q200
RCHT1471M1EFH0002X	φ10x10	16	470 uF	-55	105	0.018	2600	5000	(C)Auto. (Body, Info.)	AEC-Q200
RCHT1560M1TDC8002	φ6.3x5.8	25	56 uF	-55	105	0.05	1300	5000	(C)Auto. (Body, Info.)	AEC-Q200
RCHT1101M1TDE7002	φ6.3x7.7	25	100 uF	-55	105	0.03	2000	5000	(C)Auto. (Body, Info.)	AEC-Q200
RCHT1221M1TEH0002	φ8x10	25	220 uF	-55	105	0.027	2300	5000	(C)Auto. (Body, Info.)	AEC-Q200
RCHT1331M1TFH0002X	φ10x10	25	330 uF	-55	105	0.02	2500	5000	(C)Auto. (Body, Info.)	AEC-Q200
RCHT1561M1TFK5002X	φ10x12.5	25	560 uF	-55	105	0.018	3500	5000	(C)Auto. (Body, Info.)	AEC-Q200
RCHT1821M1TGL5005	φ12.5x13.5	25	820 uF	-55	105	0.015	4500	5000	(C)Auto. (Body, Info.)	AEC-Q200
RCHT1470M1GDC8002	φ6.3x5.8	35	47 uF	-55	105	0.06	1300	5000	(C)Auto. (Body, Info.)	AEC-Q200
RCHT1680M1GDE7002	φ6.3x7.7	35	68 uF	-55	105	0.035	2000	5000	(C)Auto. (Body, Info.)	AEC-Q200
RCHT1151M1GEH0002	φ8x10	35	150 uF	-55	105	0.027	2300	5000	(C)Auto. (Body, Info.)	AEC-Q200
RCHT1271M1GFH0002X	φ10x10	35	270 uF	-55	105	0.02	2500	5000	(C)Auto. (Body, Info.)	AEC-Q200
RCHT1391M1GFK5002X	φ10x12.5	35	390 uF	-55	105	0.018	3500	5000	(C)Auto. (Body, Info.)	AEC-Q200
RCHT1561M1GGL5005	φ12.5x13.5	35	560 uF	-55	105	0.015	4500	5000	(C)Auto. (Body, Info.)	AEC-Q200
RCHT1220M1UDC8002	φ6.3x5.8	50	22 uF	-55	105	0.08	1100	5000	(C)Auto. (Body, Info.)	AEC-Q200
RCHT1330M1UDE7002	φ6.3x7.7	50	33 uF	-55	105	0.04	1600	5000	(C)Auto. (Body, Info.)	AEC-Q200
RCHT1680M1UEH0002	φ8x10	50	68 uF	-55	105	0.03	1800	5000	(C)Auto. (Body, Info.)	AEC-Q200
RCHT1101M1UFH0002X	φ10x10	50	100 uF	-55	105	0.028	2000	5000	(C)Auto. (Body, Info.)	AEC-Q200
RCHT1151M1UFK5002X	φ10x12.5	50	150 uF	-55	105	0.024	3000	5000	(C)Auto. (Body, Info.)	AEC-Q200
RCHT1331M1UGL5005	φ12.5x13.5	50	330 uF	-55	105	0.02	4000	5000	(C)Auto. (Body, Info.)	AEC-Q200
RCHT1100M4EDC8002	φ6.3x5.8	63	10 uF	-55	105	0.12	1000	5000	(C)Auto. (Body, Info.)	AEC-Q200
RCHT1220M4EDE7002	φ6.3x7.7	63	22 uF	-55	105	0.08	1500	5000	(C)Auto. (Body, Info.)	AEC-Q200
RCHT1330M4EEH0002	φ8x10	63	33 uF	-55	105	0.04	1600	5000	(C)Auto. (Body, Info.)	AEC-Q200
RCHT1560M4EFH0002X	φ10x10	63	56 uF	-55	105	0.03	1800	5000	(C)Auto. (Body, Info.)	AEC-Q200

Part Number	Size (φDxL) [mm]	Rated Volt. [Vdc]	Capacitance	Temp Lower [°C]	Temp Upper [°C]	ESR(max) [Ω]	Rated Ripple (max)[mA _{rms}]	Endurance [hr]	Applications	Qualification
RCHT1101M4EFK5002X	φ10x12.5	63	100 uF	-55	105	0.026	2500	5000	(C)Auto. (Body, Info.)	AEC-Q200
RCHT1121M4EGL5005	φ12.5x13.5	63	120 uF	-55	105	0.022	3500	5000	(C)Auto. (Body, Info.)	AEC-Q200
RCHT1220M1REH0002	φ8x10	80	22 uF	-55	105	0.045	1550	5000	(C)Auto. (Body, Info.)	AEC-Q200
RCHT1330M1RFH0002X	φ10x10	80	33 uF	-55	105	0.036	1700	5000	(C)Auto. (Body, Info.)	AEC-Q200
RCHT1221M1JDC8002E	φ6.3x5.8	6.3	220 uF	-55	105	0.045	1600	10000	(C)Auto. (Body, Info.)	AEC-Q200
RCHT1331M1JDE7002E	φ6.3x7.7	6.3	330 uF	-55	105	0.024	2300	10000	(C)Auto. (Body, Info.)	AEC-Q200
RCHT1561M1JEH0002E	φ8x10	6.3	560 uF	-55	105	0.022	2500	10000	(C)Auto. (Body, Info.)	AEC-Q200
RCHT1821M1JFH0002EX	φ10x10	6.3	820 uF	-55	105	0.018	2600	10000	(C)Auto. (Body, Info.)	AEC-Q200
RCHT1101M1LDC8002E	φ6.3x5.8	10	100 uF	-55	105	0.045	1600	10000	(C)Auto. (Body, Info.)	AEC-Q200
RCHT1221M1LDE7002E	φ6.3x7.7	10	220 uF	-55	105	0.024	2300	10000	(C)Auto. (Body, Info.)	AEC-Q200
RCHT1331M1LEH0002E	φ8x10	10	330 uF	-55	105	0.022	2500	10000	(C)Auto. (Body, Info.)	AEC-Q200
RCHT1471M1LFH0002EX	φ10x10	10	470 uF	-55	105	0.018	2600	10000	(C)Auto. (Body, Info.)	AEC-Q200
RCHT1820M1EDC8002E	φ6.3x5.8	16	82 uF	-55	105	0.045	1600	10000	(C)Auto. (Body, Info.)	AEC-Q200
RCHT1151M1EDE7002E	φ6.3x7.7	16	150 uF	-55	105	0.027	2200	10000	(C)Auto. (Body, Info.)	AEC-Q200
RCHT1271M1EEH0002E	φ8x10	16	270 uF	-55	105	0.022	2500	10000	(C)Auto. (Body, Info.)	AEC-Q200
RCHT1471M1EFH0002EX	φ10x10	16	470 uF	-55	105	0.018	2600	10000	(C)Auto. (Body, Info.)	AEC-Q200
RCHT1560M1TDC8002E	φ6.3x5.8	25	56 uF	-55	105	0.05	1300	10000	(C)Auto. (Body, Info.)	AEC-Q200
RCHT1101M1TDE7002E	φ6.3x7.7	25	100 uF	-55	105	0.03	2000	10000	(C)Auto. (Body, Info.)	AEC-Q200
RCHT1221M1TEH0002E	φ8x10	25	220 uF	-55	105	0.027	2300	10000	(C)Auto. (Body, Info.)	AEC-Q200
RCHT1331M1TFH0002EX	φ10x10	25	330 uF	-55	105	0.02	2500	10000	(C)Auto. (Body, Info.)	AEC-Q200
RCHT1561M1TFK5002EX	φ10x12.5	25	560 uF	-55	105	0.018	3500	10000	(C)Auto. (Body, Info.)	AEC-Q200
RCHT1821M1TGL5005E	φ12.5x13.5	25	820 uF	-55	105	0.015	4500	10000	(C)Auto. (Body, Info.)	AEC-Q200
RCHT1470M1GDC8002E	φ6.3x5.8	35	47 uF	-55	105	0.06	1300	10000	(C)Auto. (Body, Info.)	AEC-Q200
RCHT1680M1GDE7002E	φ6.3x7.7	35	68 uF	-55	105	0.035	2000	10000	(C)Auto. (Body, Info.)	AEC-Q200
RCHT1151M1GEH0002E	φ8x10	35	150 uF	-55	105	0.027	2300	10000	(C)Auto. (Body, Info.)	AEC-Q200
RCHT1271M1GFH0002EX	φ10x10	35	270 uF	-55	105	0.02	2500	10000	(C)Auto. (Body, Info.)	AEC-Q200
RCHT1391M1GFK5002EX	φ10x12.5	35	390 uF	-55	105	0.018	3500	10000	(C)Auto. (Body, Info.)	AEC-Q200
RCHT1561M1GGL5005E	φ12.5x13.5	35	560 uF	-55	105	0.015	4500	10000	(C)Auto. (Body, Info.)	AEC-Q200
RCHT1220M1UDC8002E	φ6.3x5.8	50	22 uF	-55	105	0.08	1100	10000	(C)Auto. (Body, Info.)	AEC-Q200
RCHT1330M1UDE7002E	φ6.3x7.7	50	33 uF	-55	105	0.04	1600	10000	(C)Auto. (Body, Info.)	AEC-Q200
RCHT1680M1UEH0002E	φ8x10	50	68 uF	-55	105	0.03	1800	10000	(C)Auto. (Body, Info.)	AEC-Q200
RCHT1101M1UFH0002EX	φ10x10	50	100 uF	-55	105	0.028	2000	10000	(C)Auto. (Body, Info.)	AEC-Q200
RCHT1151M1UFK5002EX	φ10x12.5	50	150 uF	-55	105	0.024	3000	10000	(C)Auto. (Body, Info.)	AEC-Q200
RCHT1331M1UGL5005E	φ12.5x13.5	50	330 uF	-55	105	0.02	4000	10000	(C)Auto. (Body, Info.)	AEC-Q200
RCHT1100M4EDC8002E	φ6.3x5.8	63	10 uF	-55	105	0.12	1000	10000	(C)Auto. (Body, Info.)	AEC-Q200
RCHT1220M4EDE7002E	φ6.3x7.7	63	22 uF	-55	105	0.08	1500	10000	(C)Auto. (Body, Info.)	AEC-Q200
RCHT1330M4EEH0002E	φ8x10	63	33 uF	-55	105	0.04	1600	10000	(C)Auto. (Body, Info.)	AEC-Q200
RCHT1560M4EFH0002EX	φ10x10	63	56 uF	-55	105	0.03	1800	10000	(C)Auto. (Body, Info.)	AEC-Q200
RCHT1101M4EFK5002EX	φ10x12.5	63	100 uF	-55	105	0.026	2500	10000	(C)Auto. (Body, Info.)	AEC-Q200
RCHT1121M4EGL5005E	φ12.5x13.5	63	120 uF	-55	105	0.022	3500	10000	(C)Auto. (Body, Info.)	AEC-Q200
RCHT1220M1REH0002E	φ8x10	80	22 uF	-55	105	0.045	1550	10000	(C)Auto. (Body, Info.)	AEC-Q200
RCHT1330M1RFH0002EX	φ10x10	80	33 uF	-55	105	0.036	1700	10000	(C)Auto. (Body, Info.)	AEC-Q200
RCHVK221M1JDC8002E	φ6.3x5.8	6.3	220 uF	-55	125	0.045	950	4000	(C)Auto. (Body, Info.)	AEC-Q200
RCHVK331M1JDE7002E	φ6.3x7.7	6.3	330 uF	-55	125	0.024	1450	4000	(C)Auto. (Body, Info.)	AEC-Q200
RCHVK561M1JEH0002E	φ8x10	6.3	560 uF	-55	125	0.022	1700	4000	(C)Auto. (Body, Info.)	AEC-Q200
RCHVK821M1JFH0002EX	φ10x10	6.3	820 uF	-55	125	0.018	2100	4000	(C)Auto. (Body, Info.)	AEC-Q200
RCHVK101M1LDC8002E	φ6.3x5.8	10	100 uF	-55	125	0.045	950	4000	(C)Auto. (Body, Info.)	AEC-Q200
RCHVK221M1LDE7002E	φ6.3x7.7	10	220 uF	-55	125	0.024	1450	4000	(C)Auto. (Body, Info.)	AEC-Q200
RCHVK331M1LEH0002E	φ8x10	10	330 uF	-55	125	0.022	1700	4000	(C)Auto. (Body, Info.)	AEC-Q200
RCHVK471M1LFH0002EX	φ10x10	10	470 uF	-55	125	0.018	2100	4000	(C)Auto. (Body, Info.)	AEC-Q200
RCHVK470M1ECC8002E	φ5x5.8	16	47 uF	-55	125	0.07	600	4000	(C)Auto. (Body, Info.)	AEC-Q200
RCHVK820M1EDC8002E	φ6.3x5.8	16	82 uF	-55	125	0.045	950	4000	(C)Auto. (Body, Info.)	AEC-Q200
RCHVK151M1EDE7002E	φ6.3x7.7	16	150 uF	-55	125	0.027	1450	4000	(C)Auto. (Body, Info.)	AEC-Q200
RCHVK271M1EEH0002E	φ8x10	16	270 uF	-55	125	0.022	1700	4000	(C)Auto. (Body, Info.)	AEC-Q200
RCHVK471M1EFH0002EX	φ10x10	16	470 uF	-55	125	0.018	2100	4000	(C)Auto. (Body, Info.)	AEC-Q200
RCHVK330M1TCC8002E	φ5x5.8	25	33 uF	-55	125	0.08	550	4000	(C)Auto. (Body, Info.)	AEC-Q200
RCHVK560M1TDC8002E	φ6.3x5.8	25	56 uF	-55	125	0.05	900	4000	(C)Auto. (Body, Info.)	AEC-Q200
RCHVK101M1TDE7002E	φ6.3x7.7	25	100 uF	-55	125	0.03	1400	4000	(C)Auto. (Body, Info.)	AEC-Q200
RCHVK151M1TEF7002E	φ8x8.7	25	150 uF	-55	125	0.027	1500	4000	(C)Auto. (Body, Info.)	AEC-Q200
RCHVK221M1TEH0002E	φ8x10	25	220 uF	-55	125	0.027	1600	4000	(C)Auto. (Body, Info.)	AEC-Q200
RCHVK271M1TF7002E	φ10x8.7	25	270 uF	-55	125	0.025	1700	4000	(C)Auto. (Body, Info.)	AEC-Q200
RCHVK331M1TFH0002EX	φ10x10	25	330 uF	-55	125	0.02	2000	4000	(C)Auto. (Body, Info.)	AEC-Q200
RCHVK561M1TFK5002EX	φ10x12.5	25	560 uF	-55	125	0.018	3000	4000	(C)Auto. (Body, Info.)	AEC-Q200
RCHVK821M1TGL5005E	φ12.5x13.5	25	820 uF	-55	125	0.015	4000	4000	(C)Auto. (Body, Info.)	AEC-Q200
RCHVK220M1GCC8002E	φ5x5.8	35	22 uF	-55	125	0.1	550	4000	(C)Auto. (Body, Info.)	AEC-Q200
RCHVK470M1GDC8002E	φ6.3x5.8	35	47 uF	-55	125	0.06	900	4000	(C)Auto. (Body, Info.)	AEC-Q200
RCHVK680M1GDE7002E	φ6.3x7.7	35	68 uF	-55	125	0.035	1400	4000	(C)Auto. (Body, Info.)	AEC-Q200
RCHVK101M1GEF7002E	φ8x8.7	35	100 uF	-55	125	0.03	1500	4000	(C)Auto. (Body, Info.)	AEC-Q200

Part Number	Size (φDxL) [mm]	Rated Volt. [Vdc]	Capacitance	Temp Lower [°C]	Temp Upper [°C]	ESR(max) [Ω]	Rated Ripple (max)[mArms]	Endurance [hr]	Applications	Qualification
RCHVK151M1GEH0002E	φ8x10	35	150 uF	-55	125	0.027	1600	4000	(C)Auto. (Body, Info.)	AEC-Q200
RCHVK221M1GFF7002E	φ10x8.7	35	220 uF	-55	125	0.025	1700	4000	(C)Auto. (Body, Info.)	AEC-Q200
RCHVK271M1GFH0002EX	φ10x10	35	270 uF	-55	125	0.02	2000	4000	(C)Auto. (Body, Info.)	AEC-Q200
RCHVK391M1GFK5002EX	φ10x12.5	35	390 uF	-55	125	0.018	3000	4000	(C)Auto. (Body, Info.)	AEC-Q200
RCHVK561M1GGL5005E	φ12.5x13.5	35	560 uF	-55	125	0.015	4000	4000	(C)Auto. (Body, Info.)	AEC-Q200
RCHVK100M1UCC8002E	φ5x5.8	50	10 uF	-55	125	0.12	500	4000	(C)Auto. (Body, Info.)	AEC-Q200
RCHVK220M1UDC8002E	φ6.3x5.8	50	22 uF	-55	125	0.08	750	4000	(C)Auto. (Body, Info.)	AEC-Q200
RCHVK330M1UDE7002E	φ6.3x7.7	50	33 uF	-55	125	0.04	1100	4000	(C)Auto. (Body, Info.)	AEC-Q200
RCHVK470M1UEF7002E	φ8x8.7	50	47 uF	-55	125	0.035	1200	4000	(C)Auto. (Body, Info.)	AEC-Q200
RCHVK680M1UEH0002E	φ8x10	50	68 uF	-55	125	0.03	1250	4000	(C)Auto. (Body, Info.)	AEC-Q200
RCHVK820M1UFF7002E	φ10x8.7	50	82 uF	-55	125	0.028	1400	4000	(C)Auto. (Body, Info.)	AEC-Q200
RCHVK101M1UFH0002EX	φ10x10	50	100 uF	-55	125	0.028	1600	4000	(C)Auto. (Body, Info.)	AEC-Q200
RCHVK151M1UFK5002EX	φ10x12.5	50	150 uF	-55	125	0.024	2500	4000	(C)Auto. (Body, Info.)	AEC-Q200
RCHVK331M1UGL5005E	φ12.5x13.5	50	330 uF	-55	125	0.02	3500	4000	(C)Auto. (Body, Info.)	AEC-Q200
RCHVK100M4EDC8002E	φ6.3x5.8	63	10 uF	-55	125	0.12	700	4000	(C)Auto. (Body, Info.)	AEC-Q200
RCHVK220M4EDE7002E	φ6.3x7.7	63	22 uF	-55	125	0.08	900	4000	(C)Auto. (Body, Info.)	AEC-Q200
RCHVK270M4EEF7002E	φ8x8.7	63	27 uF	-55	125	0.05	1000	4000	(C)Auto. (Body, Info.)	AEC-Q200
RCHVK330M4EEH0002E	φ8x10	63	33 uF	-55	125	0.04	1100	4000	(C)Auto. (Body, Info.)	AEC-Q200
RCHVK470M4EFF7002E	φ10x8.7	63	47 uF	-55	125	0.035	1200	4000	(C)Auto. (Body, Info.)	AEC-Q200
RCHVK560M4EFH0002EX	φ10x10	63	56 uF	-55	125	0.03	1400	4000	(C)Auto. (Body, Info.)	AEC-Q200
RCHVK101M4EFK5002EX	φ10x12.5	63	100 uF	-55	125	0.026	2000	4000	(C)Auto. (Body, Info.)	AEC-Q200
RCHVK121M4EGL5005E	φ12.5x13.5	63	120 uF	-55	125	0.022	3000	4000	(C)Auto. (Body, Info.)	AEC-Q200
RCHVK220M1REH0002E	φ8x10	80	22 uF	-55	125	0.045	1100	4000	(C)Auto. (Body, Info.)	AEC-Q200
RCHVK330M1RFH0002EX	φ10x10	80	33 uF	-55	125	0.036	1200	4000	(C)Auto. (Body, Info.)	AEC-Q200
RCHVK560M1TDC8002B	φ6.3x5.8	25	56 uF	-55	125	0.05	900	6000	(C)Auto. (Body, Info.)	AEC-Q200
RCHVK101M1TDE7002B	φ6.3x7.7	25	100 uF	-55	125	0.03	1400	6000	(C)Auto. (Body, Info.)	AEC-Q200
RCHVK151M1TEF7002B	φ8x8.7	25	150 uF	-55	125	0.027	1500	6000	(C)Auto. (Body, Info.)	AEC-Q200
RCHVK221M1TEH0002B	φ8x10	25	220 uF	-55	125	0.027	1600	6000	(C)Auto. (Body, Info.)	AEC-Q200
RCHVK271M1TFE7002B	φ10x8.7	25	270 uF	-55	125	0.025	1700	6000	(C)Auto. (Body, Info.)	AEC-Q200
RCHVK331M1TFH0002BX	φ10x10	25	330 uF	-55	125	0.02	2000	6000	(C)Auto. (Body, Info.)	AEC-Q200
RCHVK561M1TFK5002BX	φ10x12.5	25	560 uF	-55	125	0.018	3000	6000	(C)Auto. (Body, Info.)	AEC-Q200
RCHVK821M1TGL5005B	φ12.5x13.5	25	820 uF	-55	125	0.015	4000	6000	(C)Auto. (Body, Info.)	AEC-Q200
RCHVK470M1GDC8002B	φ6.3x5.8	35	47 uF	-55	125	0.06	900	6000	(C)Auto. (Body, Info.)	AEC-Q200
RCHVK680M1GDE7002B	φ6.3x7.7	35	68 uF	-55	125	0.035	1400	6000	(C)Auto. (Body, Info.)	AEC-Q200
RCHVK101M1GEF7002B	φ8x8.7	35	100 uF	-55	125	0.03	1500	6000	(C)Auto. (Body, Info.)	AEC-Q200
RCHVK151M1GEH0002B	φ8x10	35	150 uF	-55	125	0.027	1600	6000	(C)Auto. (Body, Info.)	AEC-Q200
RCHVK221M1GFF7002B	φ10x8.7	35	220 uF	-55	125	0.025	1700	6000	(C)Auto. (Body, Info.)	AEC-Q200
RCHVK271M1GFH0002BX	φ10x10	35	270 uF	-55	125	0.02	2000	6000	(C)Auto. (Body, Info.)	AEC-Q200
RCHVK391M1GFK5002BX	φ10x12.5	35	390 uF	-55	125	0.018	3000	6000	(C)Auto. (Body, Info.)	AEC-Q200
RCHVK561M1GGL5005B	φ12.5x13.5	35	560 uF	-55	125	0.015	4000	6000	(C)Auto. (Body, Info.)	AEC-Q200
RCHVK220M1UDC8002B	φ6.3x5.8	50	22 uF	-55	125	0.08	750	6000	(C)Auto. (Body, Info.)	AEC-Q200
RCHVK330M1UDE7002B	φ6.3x7.7	50	33 uF	-55	125	0.04	1100	6000	(C)Auto. (Body, Info.)	AEC-Q200
RCHVK470M1UEF7002B	φ8x8.7	50	47 uF	-55	125	0.035	1200	6000	(C)Auto. (Body, Info.)	AEC-Q200
RCHVK680M1UEH0002B	φ8x10	50	68 uF	-55	125	0.03	1250	6000	(C)Auto. (Body, Info.)	AEC-Q200
RCHVK820M1UFF7002B	φ10x8.7	50	82 uF	-55	125	0.028	1400	6000	(C)Auto. (Body, Info.)	AEC-Q200
RCHVK101M1UFH0002BX	φ10x10	50	100 uF	-55	125	0.028	1600	6000	(C)Auto. (Body, Info.)	AEC-Q200
RCHVK151M1UFK5002BX	φ10x12.5	50	150 uF	-55	125	0.024	2500	6000	(C)Auto. (Body, Info.)	AEC-Q200
RCHVK331M1UGL5005B	φ12.5x13.5	50	330 uF	-55	125	0.02	3500	6000	(C)Auto. (Body, Info.)	AEC-Q200
RCHVK100M4EDC8002B	φ6.3x5.8	63	10 uF	-55	125	0.12	700	6000	(C)Auto. (Body, Info.)	AEC-Q200
RCHVK220M4EDE7002B	φ6.3x7.7	63	22 uF	-55	125	0.08	900	6000	(C)Auto. (Body, Info.)	AEC-Q200
RCHVK270M4EEF7002B	φ8x8.7	63	27 uF	-55	125	0.05	1000	6000	(C)Auto. (Body, Info.)	AEC-Q200
RCHVK330M4EEH0002B	φ8x10	63	33 uF	-55	125	0.04	1100	6000	(C)Auto. (Body, Info.)	AEC-Q200
RCHVK470M4EFF7002B	φ10x8.7	63	47 uF	-55	125	0.035	1200	6000	(C)Auto. (Body, Info.)	AEC-Q200
RCHVK560M4EFH0002BX	φ10x10	63	56 uF	-55	125	0.03	1400	6000	(C)Auto. (Body, Info.)	AEC-Q200
RCHVK101M4EFK5002BX	φ10x12.5	63	100 uF	-55	125	0.026	2000	6000	(C)Auto. (Body, Info.)	AEC-Q200
RCHTK221M1JDC8002E	φ6.3x5.8	6.3	220 uF	-55	125	0.045	950	4000	(C)Auto. (Body, Info.)	AEC-Q200
RCHTK331M1JDE7002E	φ6.3x7.7	6.3	330 uF	-55	125	0.024	1450	4000	(C)Auto. (Body, Info.)	AEC-Q200
RCHTK561M1JEH0002E	φ8x10	6.3	560 uF	-55	125	0.022	1700	4000	(C)Auto. (Body, Info.)	AEC-Q200
RCHTK821M1JFH0002EX	φ10x10	6.3	820 uF	-55	125	0.018	2100	4000	(C)Auto. (Body, Info.)	AEC-Q200
RCHTK101M1LDC8002E	φ6.3x5.8	10	100 uF	-55	125	0.045	950	4000	(C)Auto. (Body, Info.)	AEC-Q200
RCHTK221M1LDE7002E	φ6.3x7.7	10	220 uF	-55	125	0.024	1450	4000	(C)Auto. (Body, Info.)	AEC-Q200
RCHTK331M1LEH0002E	φ8x10	10	330 uF	-55	125	0.022	1700	4000	(C)Auto. (Body, Info.)	AEC-Q200
RCHTK471M1LFH0002EX	φ10x10	10	470 uF	-55	125	0.018	2100	4000	(C)Auto. (Body, Info.)	AEC-Q200
RCHTK820M1EDC8002E	φ6.3x5.8	16	82 uF	-55	125	0.045	950	4000	(C)Auto. (Body, Info.)	AEC-Q200
RCHTK151M1EDE7002E	φ6.3x7.7	16	150 uF	-55	125	0.027	1450	4000	(C)Auto. (Body, Info.)	AEC-Q200
RCHTK271M1EEH0002E	φ8x10	16	270 uF	-55	125	0.022	1700	4000	(C)Auto. (Body, Info.)	AEC-Q200
RCHTK471M1EFH0002EX	φ10x10	16	470 uF	-55	125	0.018	2100	4000	(C)Auto. (Body, Info.)	AEC-Q200
RCHTK560M1TDC8002E	φ6.3x5.8	25	56 uF	-55	125	0.05	900	4000	(C)Auto. (Body, Info.)	AEC-Q200

Part Number	Size (φDxL) [mm]	Rated Volt. [Vdc]	Capacitance	Temp Lower [°C]	Temp Upper [°C]	ESR(max) [Ω]	Rated Ripple (max)[mA _{rms}]	Endurance [hr]	Applications	Qualification
RCHTK101M1TDE7002E	φ6.3x7.7	25	100 uF	-55	125	0.03	1400	4000	(C)Auto. (Body, Info.)	AEC-Q200
RCHTK221M1TEH0002E	φ8x10	25	220 uF	-55	125	0.027	1600	4000	(C)Auto. (Body, Info.)	AEC-Q200
RCHTK331M1TFH0002EX	φ10x10	25	330 uF	-55	125	0.02	2000	4000	(C)Auto. (Body, Info.)	AEC-Q200
RCHTK561M1TFK5002EX	φ10x12.5	25	560 uF	-55	125	0.018	3000	4000	(C)Auto. (Body, Info.)	AEC-Q200
RCHTK821M1TGL5005E	φ12.5x13.5	25	820 uF	-55	125	0.015	4000	4000	(C)Auto. (Body, Info.)	AEC-Q200
RCHTK470M1GDC8002E	φ6.3x5.8	35	47 uF	-55	125	0.06	900	4000	(C)Auto. (Body, Info.)	AEC-Q200
RCHTK680M1GDE7002E	φ6.3x7.7	35	68 uF	-55	125	0.035	1400	4000	(C)Auto. (Body, Info.)	AEC-Q200
RCHTK151M1GEH0002E	φ8x10	35	150 uF	-55	125	0.027	1600	4000	(C)Auto. (Body, Info.)	AEC-Q200
RCHTK271M1GFH0002EX	φ10x10	35	270 uF	-55	125	0.02	2000	4000	(C)Auto. (Body, Info.)	AEC-Q200
RCHTK391M1GFK5002EX	φ10x12.5	35	390 uF	-55	125	0.018	3000	4000	(C)Auto. (Body, Info.)	AEC-Q200
RCHTK561M1GGL5005E	φ12.5x13.5	35	560 uF	-55	125	0.015	4000	4000	(C)Auto. (Body, Info.)	AEC-Q200
RCHTK220M1UDC8002E	φ6.3x5.8	50	22 uF	-55	125	0.08	750	4000	(C)Auto. (Body, Info.)	AEC-Q200
RCHTK330M1UDE7002E	φ6.3x7.7	50	33 uF	-55	125	0.04	1100	4000	(C)Auto. (Body, Info.)	AEC-Q200
RCHTK680M1UEH0002E	φ8x10	50	68 uF	-55	125	0.03	1250	4000	(C)Auto. (Body, Info.)	AEC-Q200
RCHTK101M1UFH0002EX	φ10x10	50	100 uF	-55	125	0.028	1600	4000	(C)Auto. (Body, Info.)	AEC-Q200
RCHTK151M1UFK5002EX	φ10x12.5	50	150 uF	-55	125	0.024	2500	4000	(C)Auto. (Body, Info.)	AEC-Q200
RCHTK331M1UGL5005E	φ12.5x13.5	50	330 uF	-55	125	0.02	3500	4000	(C)Auto. (Body, Info.)	AEC-Q200
RCHTK100M4EDC8002E	φ6.3x5.8	63	10 uF	-55	125	0.12	700	4000	(C)Auto. (Body, Info.)	AEC-Q200
RCHTK220M4EDE7002E	φ6.3x7.7	63	22 uF	-55	125	0.08	900	4000	(C)Auto. (Body, Info.)	AEC-Q200
RCHTK330M4EEH0002E	φ8x10	63	33 uF	-55	125	0.04	1100	4000	(C)Auto. (Body, Info.)	AEC-Q200
RCHTK560M4EFH0002EX	φ10x10	63	56 uF	-55	125	0.03	1400	4000	(C)Auto. (Body, Info.)	AEC-Q200
RCHTK101M4EFK5002EX	φ10x12.5	63	100 uF	-55	125	0.026	2000	4000	(C)Auto. (Body, Info.)	AEC-Q200
RCHTK121M4EGL5005E	φ12.5x13.5	63	120 uF	-55	125	0.022	3000	4000	(C)Auto. (Body, Info.)	AEC-Q200
RCHTK220M1REH0002E	φ8x10	80	22 uF	-55	125	0.045	1100	4000	(C)Auto. (Body, Info.)	AEC-Q200
RCHTK330M1RFH0002EX	φ10x10	80	33 uF	-55	125	0.036	1200	4000	(C)Auto. (Body, Info.)	AEC-Q200
RCHTK560M1TDC8002B	φ6.3x5.8	25	56 uF	-55	125	0.05	900	6000	(C)Auto. (Body, Info.)	AEC-Q200
RCHTK101M1TDE7002B	φ6.3x7.7	25	100 uF	-55	125	0.03	1400	6000	(C)Auto. (Body, Info.)	AEC-Q200
RCHTK221M1TEH0002B	φ8x10	25	220 uF	-55	125	0.027	1600	6000	(C)Auto. (Body, Info.)	AEC-Q200
RCHTK331M1TFH0002BX	φ10x10	25	330 uF	-55	125	0.02	2000	6000	(C)Auto. (Body, Info.)	AEC-Q200
RCHTK561M1TFK5002BX	φ10x12.5	25	560 uF	-55	125	0.018	3000	6000	(C)Auto. (Body, Info.)	AEC-Q200
RCHTK821M1TGL5005B	φ12.5x13.5	25	820 uF	-55	125	0.015	4000	6000	(C)Auto. (Body, Info.)	AEC-Q200
RCHTK470M1GDC8002B	φ6.3x5.8	35	47 uF	-55	125	0.06	900	6000	(C)Auto. (Body, Info.)	AEC-Q200
RCHTK680M1GDE7002B	φ6.3x7.7	35	68 uF	-55	125	0.035	1400	6000	(C)Auto. (Body, Info.)	AEC-Q200
RCHTK151M1GEH0002B	φ8x10	35	150 uF	-55	125	0.027	1600	6000	(C)Auto. (Body, Info.)	AEC-Q200
RCHTK271M1GFH0002BX	φ10x10	35	270 uF	-55	125	0.02	2000	6000	(C)Auto. (Body, Info.)	AEC-Q200
RCHTK391M1GFK5002BX	φ10x12.5	35	390 uF	-55	125	0.018	3000	6000	(C)Auto. (Body, Info.)	AEC-Q200
RCHTK561M1GGL5005B	φ12.5x13.5	35	560 uF	-55	125	0.015	4000	6000	(C)Auto. (Body, Info.)	AEC-Q200
RCHTK220M1UDC8002B	φ6.3x5.8	50	22 uF	-55	125	0.08	750	6000	(C)Auto. (Body, Info.)	AEC-Q200
RCHTK330M1UDE7002B	φ6.3x7.7	50	33 uF	-55	125	0.04	1100	6000	(C)Auto. (Body, Info.)	AEC-Q200
RCHTK680M1UEH0002B	φ8x10	50	68 uF	-55	125	0.03	1250	6000	(C)Auto. (Body, Info.)	AEC-Q200
RCHTK101M1UFH0002BX	φ10x10	50	100 uF	-55	125	0.028	1600	6000	(C)Auto. (Body, Info.)	AEC-Q200
RCHTK151M1UFK5002BX	φ10x12.5	50	150 uF	-55	125	0.024	2500	6000	(C)Auto. (Body, Info.)	AEC-Q200
RCHTK331M1UGL5005B	φ12.5x13.5	50	330 uF	-55	125	0.02	3500	6000	(C)Auto. (Body, Info.)	AEC-Q200
RCHTK100M4EDC8002B	φ6.3x5.8	63	10 uF	-55	125	0.12	700	6000	(C)Auto. (Body, Info.)	AEC-Q200
RCHTK220M4EDE7002B	φ6.3x7.7	63	22 uF	-55	125	0.08	900	6000	(C)Auto. (Body, Info.)	AEC-Q200
RCHTK330M4EEH0002B	φ8x10	63	33 uF	-55	125	0.04	1100	6000	(C)Auto. (Body, Info.)	AEC-Q200
RCHTK560M4EFH0002BX	φ10x10	63	56 uF	-55	125	0.03	1400	6000	(C)Auto. (Body, Info.)	AEC-Q200
RCHTK101M4EFK5002BX	φ10x12.5	63	100 uF	-55	125	0.026	2000	6000	(C)Auto. (Body, Info.)	AEC-Q200
RCHTK121M4EGL5005B	φ12.5x13.5	63	120 uF	-55	125	0.022	3000	6000	(C)Auto. (Body, Info.)	AEC-Q200
RCHVL221M1TEH0002	φ8x10	25	220 uF	-55	125	0.022	1600	8000	(C)Auto. (Body, Info.)	AEC-Q200
RCHVL331M1TFH0002	φ10x10	25	330 uF	-55	125	0.02	2000	8000	(C)Auto. (Body, Info.)	AEC-Q200
RCHVL561M1TFK5002	φ10x12.5	25	560 uF	-55	125	0.018	3000	8000	(C)Auto. (Body, Info.)	AEC-Q200
RCHVL821M1TGL5005	φ12.5x13.5	25	820 uF	-55	125	0.015	3500	8000	(C)Auto. (Body, Info.)	AEC-Q200
RCHVL102M1TGL5005	φ12.5x13.5	25	1000 uF	-55	125	0.015	3500	8000	(C)Auto. (Body, Info.)	AEC-Q200
RCHVL151M1GEH0002	φ8x10	35	150 uF	-55	125	0.022	1600	8000	(C)Auto. (Body, Info.)	AEC-Q200
RCHVL271M1GFH0002	φ10x10	35	270 uF	-55	125	0.02	2000	8000	(C)Auto. (Body, Info.)	AEC-Q200
RCHVL391M1GFK5002	φ10x12.5	35	390 uF	-55	125	0.018	3000	8000	(C)Auto. (Body, Info.)	AEC-Q200
RCHVL561M1GGL5005	φ12.5x13.5	35	560 uF	-55	125	0.015	3500	8000	(C)Auto. (Body, Info.)	AEC-Q200
RCHVL680M1UEH0002	φ8x10	50	68 uF	-55	125	0.03	1250	8000	(C)Auto. (Body, Info.)	AEC-Q200
RCHVL101M1UFH0002	φ10x10	50	100 uF	-55	125	0.028	1600	8000	(C)Auto. (Body, Info.)	AEC-Q200
RCHVL151M1UFK5002	φ10x12.5	50	150 uF	-55	125	0.024	2500	8000	(C)Auto. (Body, Info.)	AEC-Q200
RCHVL331M1UGL5005	φ12.5x13.5	50	330 uF	-55	125	0.02	3000	8000	(C)Auto. (Body, Info.)	AEC-Q200
RCHVL330M4EEH0002	φ8x10	63	33 uF	-55	125	0.04	1100	8000	(C)Auto. (Body, Info.)	AEC-Q200
RCHVL560M4EFH0002	φ10x10	63	56 uF	-55	125	0.03	1400	8000	(C)Auto. (Body, Info.)	AEC-Q200
RCHVL101M4EFK5002	φ10x12.5	63	100 uF	-55	125	0.026	2000	8000	(C)Auto. (Body, Info.)	AEC-Q200
RCHVL121M4EGL5005	φ12.5x13.5	63	120 uF	-55	125	0.022	2500	8000	(C)Auto. (Body, Info.)	AEC-Q200
RCHTL221M1TEH0002	φ8x10	25	220 uF	-55	125	0.022	1600	8000	(C)Auto. (Body, Info.)	AEC-Q200
RCHTL331M1TFH0002	φ10x10	25	330 uF	-55	125	0.02	2000	8000	(C)Auto. (Body, Info.)	AEC-Q200

Part Number	Size (φDxL) [mm]	Rated Volt. [Vdc]	Capacitance	Temp Lower [°C]	Temp Upper [°C]	ESR(max) [Ω]	Rated Ripple (max)[mArms]	Endurance [hr]	Applications	Qualification
RCHTL561M1TFK5002	φ10x12.5	25	560 uF	-55	125	0.018	3000	8000	(C)Auto. (Body, Info.)	AEC-Q200
RCHTL821M1TGL5005	φ12.5x13.5	25	820 uF	-55	125	0.015	3500	8000	(C)Auto. (Body, Info.)	AEC-Q200
RCHTL102M1TGL5005	φ12.5x13.5	25	1000 uF	-55	125	0.015	3500	8000	(C)Auto. (Body, Info.)	AEC-Q200
RCHTL151M1GEH0002	φ8x10	35	150 uF	-55	125	0.022	1600	8000	(C)Auto. (Body, Info.)	AEC-Q200
RCHTL271M1GFH0002	φ10x10	35	270 uF	-55	125	0.02	2000	8000	(C)Auto. (Body, Info.)	AEC-Q200
RCHTL391M1GFK5002	φ10x12.5	35	390 uF	-55	125	0.018	3000	8000	(C)Auto. (Body, Info.)	AEC-Q200
RCHTL561M1GGL5005	φ12.5x13.5	35	560 uF	-55	125	0.015	3500	8000	(C)Auto. (Body, Info.)	AEC-Q200
RCHTL680M1UEH0002	φ8x10	50	68 uF	-55	125	0.03	1250	8000	(C)Auto. (Body, Info.)	AEC-Q200
RCHTL101M1UFH0002	φ10x10	50	100 uF	-55	125	0.028	1600	8000	(C)Auto. (Body, Info.)	AEC-Q200
RCHTL151M1UFK5002	φ10x12.5	50	150 uF	-55	125	0.024	2500	8000	(C)Auto. (Body, Info.)	AEC-Q200
RCHTL331M1UGL5005	φ12.5x13.5	50	330 uF	-55	125	0.02	3000	8000	(C)Auto. (Body, Info.)	AEC-Q200
RCHTL330M4EEH0002	φ8x10	63	33 uF	-55	125	0.04	1100	8000	(C)Auto. (Body, Info.)	AEC-Q200
RCHTL560M4EFH0002	φ10x10	63	56 uF	-55	125	0.03	1400	8000	(C)Auto. (Body, Info.)	AEC-Q200
RCHTL101M4EFK5002	φ10x12.5	63	100 uF	-55	125	0.026	2000	8000	(C)Auto. (Body, Info.)	AEC-Q200
RCHTL121M4EGL5005	φ12.5x13.5	63	120 uF	-55	125	0.022	2500	8000	(C)Auto. (Body, Info.)	AEC-Q200
RCHVX820M1EDC8002	φ6.3x5.8	16	82 uF	-55	135	0.045	950	2000	(C)Auto. (Body, Info.)	AEC-Q200
RCHVX151M1EDE7002	φ6.3x7.7	16	150 uF	-55	135	0.027	1450	2000	(C)Auto. (Body, Info.)	AEC-Q200
RCHVX271M1EEH0002	φ8x10	16	270 uF	-55	135	0.02	1700	4000	(C)Auto. (Body, Info.)	AEC-Q200
RCHVX471M1EFH0002X	φ10x10	16	470 uF	-55	135	0.018	2100	4000	(C)Auto. (Body, Info.)	AEC-Q200
RCHVX560M1TDC8002	φ6.3x5.8	25	56 uF	-55	135	0.05	900	2000	(C)Auto. (Body, Info.)	AEC-Q200
RCHVX101M1TDE7002	φ6.3x7.7	25	100 uF	-55	135	0.03	1400	2000	(C)Auto. (Body, Info.)	AEC-Q200
RCHVX221M1TEH0002	φ8x10	25	220 uF	-55	135	0.022	1600	4000	(C)Auto. (Body, Info.)	AEC-Q200
RCHVX331M1TFH0002X	φ10x10	25	330 uF	-55	135	0.02	2000	4000	(C)Auto. (Body, Info.)	AEC-Q200
RCHVX561M1TFK5002X	φ10x12.5	25	560 uF	-55	135	0.018	3000	4000	(C)Auto. (Body, Info.)	AEC-Q200
RCHVX470M1GDC8002	φ6.3x5.8	35	47 uF	-55	135	0.06	900	2000	(C)Auto. (Body, Info.)	AEC-Q200
RCHVX680M1GDE7002	φ6.3x7.7	35	68 uF	-55	135	0.035	1400	2000	(C)Auto. (Body, Info.)	AEC-Q200
RCHVX151M1GEH0002	φ8x10	35	150 uF	-55	135	0.022	1600	4000	(C)Auto. (Body, Info.)	AEC-Q200
RCHVX271M1GFH0002X	φ10x10	35	270 uF	-55	135	0.02	2000	4000	(C)Auto. (Body, Info.)	AEC-Q200
RCHVX391M1GFK5002X	φ10x12.5	35	390 uF	-55	135	0.018	3000	4000	(C)Auto. (Body, Info.)	AEC-Q200
RCHVX220M1UDC8002	φ6.3x5.8	50	22 uF	-55	135	0.08	750	2000	(C)Auto. (Body, Info.)	AEC-Q200
RCHVX330M1UDE7002	φ6.3x7.7	50	33 uF	-55	135	0.04	1100	2000	(C)Auto. (Body, Info.)	AEC-Q200
RCHVX680M1UEH0002	φ8x10	50	68 uF	-55	135	0.03	1250	4000	(C)Auto. (Body, Info.)	AEC-Q200
RCHVX101M1UFH0002X	φ10x10	50	100 uF	-55	135	0.028	1600	4000	(C)Auto. (Body, Info.)	AEC-Q200
RCHVX151M1UFK5002X	φ10x12.5	50	150 uF	-55	135	0.024	2500	4000	(C)Auto. (Body, Info.)	AEC-Q200
RCHVX100M4EDC8002	φ6.3x5.8	63	10 uF	-55	135	0.12	700	2000	(C)Auto. (Body, Info.)	AEC-Q200
RCHVX220M4EDE7002	φ6.3x7.7	63	22 uF	-55	135	0.08	900	2000	(C)Auto. (Body, Info.)	AEC-Q200
RCHVX330M4EEH0002	φ8x10	63	33 uF	-55	135	0.04	1100	4000	(C)Auto. (Body, Info.)	AEC-Q200
RCHVX560M4EFH0002X	φ10x10	63	56 uF	-55	135	0.03	1400	4000	(C)Auto. (Body, Info.)	AEC-Q200
RCHVX101M4EFK5002X	φ10x12.5	63	100 uF	-55	135	0.026	2000	4000	(C)Auto. (Body, Info.)	AEC-Q200
RCHTX820M1EDC8002	φ6.3x5.8	16	82 uF	-55	135	0.045	950	2000	(C)Auto. (Body, Info.)	AEC-Q200
RCHTX151M1EDE7002	φ6.3x7.7	16	150 uF	-55	135	0.027	1450	2000	(C)Auto. (Body, Info.)	AEC-Q200
RCHTX271M1EEH0002	φ8x10	16	270 uF	-55	135	0.02	1700	4000	(C)Auto. (Body, Info.)	AEC-Q200
RCHTX471M1EFH0002X	φ10x10	16	470 uF	-55	135	0.018	2100	4000	(C)Auto. (Body, Info.)	AEC-Q200
RCHTX560M1TDC8002	φ6.3x5.8	25	56 uF	-55	135	0.05	900	2000	(C)Auto. (Body, Info.)	AEC-Q200
RCHTX101M1TDE7002	φ6.3x7.7	25	100 uF	-55	135	0.03	1400	2000	(C)Auto. (Body, Info.)	AEC-Q200
RCHTX221M1TEH0002	φ8x10	25	220 uF	-55	135	0.022	1600	4000	(C)Auto. (Body, Info.)	AEC-Q200
RCHTX331M1TFH0002X	φ10x10	25	330 uF	-55	135	0.02	2000	4000	(C)Auto. (Body, Info.)	AEC-Q200
RCHTX561M1TFK5002X	φ10x12.5	25	560 uF	-55	135	0.018	3000	4000	(C)Auto. (Body, Info.)	AEC-Q200
RCHTX470M1GDC8002	φ6.3x5.8	35	47 uF	-55	135	0.06	900	2000	(C)Auto. (Body, Info.)	AEC-Q200
RCHTX680M1GDE7002	φ6.3x7.7	35	68 uF	-55	135	0.035	1400	2000	(C)Auto. (Body, Info.)	AEC-Q200
RCHTX151M1GEH0002	φ8x10	35	150 uF	-55	135	0.022	1600	4000	(C)Auto. (Body, Info.)	AEC-Q200
RCHTX271M1GFH0002X	φ10x10	35	270 uF	-55	135	0.02	2000	4000	(C)Auto. (Body, Info.)	AEC-Q200
RCHTX391M1GFK5002X	φ10x12.5	35	390 uF	-55	135	0.018	3000	4000	(C)Auto. (Body, Info.)	AEC-Q200
RCHTX220M1UDC8002	φ6.3x5.8	50	22 uF	-55	135	0.08	750	2000	(C)Auto. (Body, Info.)	AEC-Q200
RCHTX330M1UDE7002	φ6.3x7.7	50	33 uF	-55	135	0.04	1100	2000	(C)Auto. (Body, Info.)	AEC-Q200
RCHTX680M1UEH0002	φ8x10	50	68 uF	-55	135	0.03	1250	4000	(C)Auto. (Body, Info.)	AEC-Q200
RCHTX101M1UFH0002X	φ10x10	50	100 uF	-55	135	0.028	1600	4000	(C)Auto. (Body, Info.)	AEC-Q200
RCHTX151M1UFK5002X	φ10x12.5	50	150 uF	-55	135	0.024	2500	4000	(C)Auto. (Body, Info.)	AEC-Q200
RCHTX100M4EDC8002	φ6.3x5.8	63	10 uF	-55	135	0.12	700	2000	(C)Auto. (Body, Info.)	AEC-Q200
RCHTX220M4EDE7002	φ6.3x7.7	63	22 uF	-55	135	0.08	900	2000	(C)Auto. (Body, Info.)	AEC-Q200
RCHTX330M4EEH0002	φ8x10	63	33 uF	-55	135	0.04	1100	4000	(C)Auto. (Body, Info.)	AEC-Q200
RCHTX560M4EFH0002X	φ10x10	63	56 uF	-55	135	0.03	1400	4000	(C)Auto. (Body, Info.)	AEC-Q200
RCHTX101M4EFK5002X	φ10x12.5	63	100 uF	-55	135	0.026	2000	4000	(C)Auto. (Body, Info.)	AEC-Q200
RCHVQ271M1EEH0002	φ8x10	16	270 uF	-55	150	0.02	740	1000	(C)Auto. (Body, Info.)	AEC-Q200
RCHVQ471M1EFH0002X	φ10x10	16	470 uF	-55	150	0.018	850	1000	(C)Auto. (Body, Info.)	AEC-Q200
RCHVQ221M1TEH0002	φ8x10	25	220 uF	-55	150	0.022	740	1000	(C)Auto. (Body, Info.)	AEC-Q200
RCHVQ331M1TFH0002X	φ10x10	25	330 uF	-55	150	0.02	850	1000	(C)Auto. (Body, Info.)	AEC-Q200
RCHVQ151M1GEH0002	φ8x10	35	150 uF	-55	150	0.022	710	1000	(C)Auto. (Body, Info.)	AEC-Q200

Part Number	Size (φDxL) [mm]	Rated Volt. [Vdc]	Capacitance	Temp Lower [°C]	Temp Upper [°C]	ESR(max) [Ω]	Rated Ripple (max)[mAmps]	Endurance [hr]	Applications	Qualification
RCHVQ271M1GFH0002X	φ10x10	35	270 uF	-55	150	0.02	830	1000	(C)Auto. (Body, Info.)	AEC-Q200
RCHVQ680M1UEH0002	φ8x10	50	68 uF	-55	150	0.03	660	1000	(C)Auto. (Body, Info.)	AEC-Q200
RCHVQ101M1UFH0002X	φ10x10	50	100 uF	-55	150	0.028	800	1000	(C)Auto. (Body, Info.)	AEC-Q200
RCHVQ330M4EEH0002	φ8x10	63	33 uF	-55	150	0.03	610	1000	(C)Auto. (Body, Info.)	AEC-Q200
RCHVQ560M4EFH0002X	φ10x10	63	56 uF	-55	150	0.028	710	1000	(C)Auto. (Body, Info.)	AEC-Q200
RCHTQ271M1EEH0002	φ8x10	16	270 uF	-55	150	0.02	740	1000	(C)Auto. (Body, Info.)	AEC-Q200
RCHTQ471M1EFH0002X	φ10x10	16	470 uF	-55	150	0.018	850	1000	(C)Auto. (Body, Info.)	AEC-Q200
RCHTQ221M1TEH0002	φ8x10	25	220 uF	-55	150	0.022	740	1000	(C)Auto. (Body, Info.)	AEC-Q200
RCHTQ331M1TFH0002X	φ10x10	25	330 uF	-55	150	0.02	850	1000	(C)Auto. (Body, Info.)	AEC-Q200
RCHTQ151M1GEH0002	φ8x10	35	150 uF	-55	150	0.022	710	1000	(C)Auto. (Body, Info.)	AEC-Q200
RCHTQ271M1GFH0002X	φ10x10	35	270 uF	-55	150	0.02	830	1000	(C)Auto. (Body, Info.)	AEC-Q200
RCHTQ680M1UEH0002	φ8x10	50	68 uF	-55	150	0.03	660	1000	(C)Auto. (Body, Info.)	AEC-Q200
RCHTQ101M1UFH0002X	φ10x10	50	100 uF	-55	150	0.028	800	1000	(C)Auto. (Body, Info.)	AEC-Q200
RCHTQ330M4EEH0002	φ8x10	63	33 uF	-55	150	0.03	610	1000	(C)Auto. (Body, Info.)	AEC-Q200
RCHTQ560M4EFH0002X	φ10x10	63	56 uF	-55	150	0.028	710	1000	(C)Auto. (Body, Info.)	AEC-Q200
RCHVY271M1EEH0002	φ8x10	16	270 uF	-55	150	0.02	740	2000	(C)Auto. (Body, Info.)	AEC-Q200
RCHVY471M1EFH0002	φ10x10	16	470 uF	-55	150	0.018	850	2000	(C)Auto. (Body, Info.)	AEC-Q200
RCHVY221M1TEH0002	φ8x10	25	220 uF	-55	150	0.022	740	2000	(C)Auto. (Body, Info.)	AEC-Q200
RCHVY331M1TFH0002	φ10x10	25	330 uF	-55	150	0.02	850	2000	(C)Auto. (Body, Info.)	AEC-Q200
RCHVY151M1GEH0002	φ8x10	35	150 uF	-55	150	0.022	710	2000	(C)Auto. (Body, Info.)	AEC-Q200
RCHVY271M1GFH0002	φ10x10	35	270 uF	-55	150	0.02	830	2000	(C)Auto. (Body, Info.)	AEC-Q200
RCHVY680M1UEH0002	φ8x10	50	68 uF	-55	150	0.03	660	2000	(C)Auto. (Body, Info.)	AEC-Q200
RCHVY101M1UFH0002	φ10x10	50	100 uF	-55	150	0.028	800	2000	(C)Auto. (Body, Info.)	AEC-Q200
RCHVY330M4EEH0002	φ8x10	63	33 uF	-55	150	0.03	610	2000	(C)Auto. (Body, Info.)	AEC-Q200
RCHVY560M4EFH0002	φ10x10	63	56 uF	-55	150	0.028	710	2000	(C)Auto. (Body, Info.)	AEC-Q200
RCHTY271M1EEH0002	φ8x10	16	270 uF	-55	150	0.02	740	2000	(C)Auto. (Body, Info.)	AEC-Q200
RCHTY471M1EFH0002	φ10x10	16	470 uF	-55	150	0.018	850	2000	(C)Auto. (Body, Info.)	AEC-Q200
RCHTY221M1TEH0002	φ8x10	25	220 uF	-55	150	0.022	740	2000	(C)Auto. (Body, Info.)	AEC-Q200
RCHTY331M1TFH0002	φ10x10	25	330 uF	-55	150	0.02	850	2000	(C)Auto. (Body, Info.)	AEC-Q200
RCHTY151M1GEH0002	φ8x10	35	150 uF	-55	150	0.022	710	2000	(C)Auto. (Body, Info.)	AEC-Q200
RCHTY271M1GFH0002	φ10x10	35	270 uF	-55	150	0.02	830	2000	(C)Auto. (Body, Info.)	AEC-Q200
RCHTY680M1UEH0002	φ8x10	50	68 uF	-55	150	0.03	660	2000	(C)Auto. (Body, Info.)	AEC-Q200
RCHTY101M1UFH0002	φ10x10	50	100 uF	-55	150	0.028	800	2000	(C)Auto. (Body, Info.)	AEC-Q200
RCHTY330M4EEH0002	φ8x10	63	33 uF	-55	150	0.03	610	2000	(C)Auto. (Body, Info.)	AEC-Q200
RCHTY560M4EFH0002	φ10x10	63	56 uF	-55	150	0.028	710	2000	(C)Auto. (Body, Info.)	AEC-Q200
RCHVK121M4EGL5005B	φ12.5x13.5	63	120 uF	-55	125	0.022	3000	6000	(C)Auto. (Body, Info.)	AEC-Q200

The names of series noted in the text are excerpted from part numbers that indicate the types and characteristics of the products, and therefore are neither product names nor trademarks. MCOIL is a registered trademark or trademark of TAIYO YUDEN CO., LTD. in Japan and other countries.

For more details about TAIYO YUDEN product: <https://ds.yuden.co.jp/TYCOMPAS/or/searcherMain>