

Conductive Polymer Hybrid Aluminum Electrolytic Capacitors for General Electronic Equipment

Simple Product Catalog

Part Number	Size (φxDL) [mm]	Rated Volt. [Vdc]	Capacitance	Temp Lower [°C]	Temp Upper [°C]	ESR(max) [Ω]	Rated Ripple (max)[mA rms]	Endurance [hr]	Applications
RSHV1221M1JDC8002	φ6.3x5.8	6.3	220 uF	-55	105	0.045	1600	5000	(S)General Equipment(Incl. Mobile Devices)
RSHV1331M1JDE7002	φ6.3x7.7	6.3	330 uF	-55	105	0.024	2300	5000	(S)General Equipment(Incl. Mobile Devices)
RSHV1561M1JEH0002	φ8x10	6.3	560 uF	-55	105	0.022	2500	5000	(S)General Equipment(Incl. Mobile Devices)
RSHV1821M1JFH0002X	φ10x10	6.3	820 uF	-55	105	0.018	2600	5000	(S)General Equipment(Incl. Mobile Devices)
RSHV1101M1LDC8002	φ6.3x5.8	10	100 uF	-55	105	0.045	1600	5000	(S)General Equipment(Incl. Mobile Devices)
RSHV1221M1LDE7002	φ6.3x7.7	10	220 uF	-55	105	0.024	2300	5000	(S)General Equipment(Incl. Mobile Devices)
RSHV1331M1LEH0002	φ8x10	10	330 uF	-55	105	0.022	2500	5000	(S)General Equipment(Incl. Mobile Devices)
RSHV1471M1LFH0002X	φ10x10	10	470 uF	-55	105	0.018	2600	5000	(S)General Equipment(Incl. Mobile Devices)
RSHV1470M1ECC8002	φ5x5.8	16	47 uF	-55	105	0.08	900	5000	(S)General Equipment(Incl. Mobile Devices)
RSHV1820M1EDC8002	φ6.3x5.8	16	82 uF	-55	105	0.045	1600	5000	(S)General Equipment(Incl. Mobile Devices)
RSHV1151M1EDE7002	φ6.3x7.7	16	150 uF	-55	105	0.027	2200	5000	(S)General Equipment(Incl. Mobile Devices)
RSHV1271M1EEH0002	φ8x10	16	270 uF	-55	105	0.022	2500	5000	(S)General Equipment(Incl. Mobile Devices)
RSHV1471M1EFH0002X	φ10x10	16	470 uF	-55	105	0.018	2600	5000	(S)General Equipment(Incl. Mobile Devices)
RSHV1330M1TCC8002	φ5x5.8	25	33 uF	-55	105	0.08	900	5000	(S)General Equipment(Incl. Mobile Devices)
RSHV1560M1TDC8002	φ6.3x5.8	25	56 uF	-55	105	0.05	1300	5000	(S)General Equipment(Incl. Mobile Devices)
RSHV1101M1TDE7002	φ6.3x7.7	25	100 uF	-55	105	0.03	2000	5000	(S)General Equipment(Incl. Mobile Devices)
RSHV1151M1TEF7002	φ8x8.7	25	150 uF	-55	105	0.027	2100	5000	(S)General Equipment(Incl. Mobile Devices)
RSHV1221M1TEH0002	φ8x10	25	220 uF	-55	105	0.027	2300	5000	(S)General Equipment(Incl. Mobile Devices)
RSHV1271M1TFF7002	φ10x8.7	25	270 uF	-55	105	0.025	2400	5000	(S)General Equipment(Incl. Mobile Devices)
RSHV1331M1TFH0002X	φ10x10	25	330 uF	-55	105	0.02	2500	5000	(S)General Equipment(Incl. Mobile Devices)
RSHV1561M1TFK5002X	φ10x12.5	25	560 uF	-55	105	0.018	3500	5000	(S)General Equipment(Incl. Mobile Devices)
RSHV1821M1TGL5005	φ12.5x13.5	25	820 uF	-55	105	0.015	4500	5000	(S)General Equipment(Incl. Mobile Devices)
RSHV1220M1GCC8002	φ5x5.8	35	22 uF	-55	105	0.1	900	5000	(S)General Equipment(Incl. Mobile Devices)
RSHV1470M1GDC8002	φ6.3x5.8	35	47 uF	-55	105	0.06	1300	5000	(S)General Equipment(Incl. Mobile Devices)
RSHV1680M1GDE7002	φ6.3x7.7	35	68 uF	-55	105	0.035	2000	5000	(S)General Equipment(Incl. Mobile Devices)
RSHV1101M1GEF7002	φ8x8.7	35	100 uF	-55	105	0.03	2100	5000	(S)General Equipment(Incl. Mobile Devices)
RSHV1151M1GEH0002	φ8x10	35	150 uF	-55	105	0.027	2300	5000	(S)General Equipment(Incl. Mobile Devices)
RSHV1221M1GFF7002	φ10x8.7	35	220 uF	-55	105	0.025	2400	5000	(S)General Equipment(Incl. Mobile Devices)
RSHV1271M1GFH0002X	φ10x10	35	270 uF	-55	105	0.02	2500	5000	(S)General Equipment(Incl. Mobile Devices)
RSHV1391M1GFK5002X	φ10x12.5	35	390 uF	-55	105	0.018	3500	5000	(S)General Equipment(Incl. Mobile Devices)
RSHV1561M1GGL5005	φ12.5x13.5	35	560 uF	-55	105	0.015	4500	5000	(S)General Equipment(Incl. Mobile Devices)
RSHV1100M1UCC8002	φ5x5.8	50	10 uF	-55	105	0.12	750	5000	(S)General Equipment(Incl. Mobile Devices)
RSHV1220M1UDC8002	φ6.3x5.8	50	22 uF	-55	105	0.08	1100	5000	(S)General Equipment(Incl. Mobile Devices)
RSHV1330M1UDE7002	φ6.3x7.7	50	33 uF	-55	105	0.04	1600	5000	(S)General Equipment(Incl. Mobile Devices)
RSHV1470M1UEF7002	φ8x8.7	50	47 uF	-55	105	0.035	1700	5000	(S)General Equipment(Incl. Mobile Devices)
RSHV1680M1UEH0002	φ8x10	50	68 uF	-55	105	0.03	1800	5000	(S)General Equipment(Incl. Mobile Devices)
RSHV1820M1UFF7002	φ10x8.7	50	82 uF	-55	105	0.028	1900	5000	(S)General Equipment(Incl. Mobile Devices)
RSHV1101M1UFH0002X	φ10x10	50	100 uF	-55	105	0.028	2000	5000	(S)General Equipment(Incl. Mobile Devices)
RSHV1151M1UFK5002X	φ10x12.5	50	150 uF	-55	105	0.024	3000	5000	(S)General Equipment(Incl. Mobile Devices)
RSHV1331M1UGL5005	φ12.5x13.5	50	330 uF	-55	105	0.02	4000	5000	(S)General Equipment(Incl. Mobile Devices)
RSHV1100M4EDC8002	φ6.3x5.8	63	10 uF	-55	105	0.12	1000	5000	(S)General Equipment(Incl. Mobile Devices)
RSHV1220M4EDE7002	φ6.3x7.7	63	22 uF	-55	105	0.08	1500	5000	(S)General Equipment(Incl. Mobile Devices)
RSHV1270M4EEF7002	φ8x8.7	63	27 uF	-55	105	0.05	1600	5000	(S)General Equipment(Incl. Mobile Devices)
RSHV1330M4EEH0002	φ8x10	63	33 uF	-55	105	0.04	1600	5000	(S)General Equipment(Incl. Mobile Devices)
RSHV1470M4EFF7002	φ10x8.7	63	47 uF	-55	105	0.035	1700	5000	(S)General Equipment(Incl. Mobile Devices)
RSHV1560M4EFH0002X	φ10x10	63	56 uF	-55	105	0.03	1800	5000	(S)General Equipment(Incl. Mobile Devices)
RSHV1101M4EFK5002X	φ10x12.5	63	100 uF	-55	105	0.026	2500	5000	(S)General Equipment(Incl. Mobile Devices)
RSHV1121M4EGL5005	φ12.5x13.5	63	120 uF	-55	105	0.022	3500	5000	(S)General Equipment(Incl. Mobile Devices)
RSHV1220M1REH0002	φ8x10	80	22 uF	-55	105	0.045	1550	5000	(S)General Equipment(Incl. Mobile Devices)
RSHV1330M1RFH0002X	φ10x10	80	33 uF	-55	105	0.036	1700	5000	(S)General Equipment(Incl. Mobile Devices)
RSHV1221M1JDC8002E	φ6.3x5.8	6.3	220 uF	-55	105	0.045	1600	10000	(S)General Equipment(Incl. Mobile Devices)
RSHV1331M1JDE7002E	φ6.3x7.7	6.3	330 uF	-55	105	0.024	2300	10000	(S)General Equipment(Incl. Mobile Devices)
RSHV1561M1JEH0002E	φ8x10	6.3	560 uF	-55	105	0.022	2500	10000	(S)General Equipment(Incl. Mobile Devices)
RSHV1821M1JFH0002EX	φ10x10	6.3	820 uF	-55	105	0.018	2600	10000	(S)General Equipment(Incl. Mobile Devices)
RSHV1101M1LDC8002E	φ6.3x5.8	10	100 uF	-55	105	0.045	1600	10000	(S)General Equipment(Incl. Mobile Devices)
RSHV1221M1LDE7002E	φ6.3x7.7	10	220 uF	-55	105	0.024	2300	10000	(S)General Equipment(Incl. Mobile Devices)
RSHV1331M1LEH0002E	φ8x10	10	330 uF	-55	105	0.022	2500	10000	(S)General Equipment(Incl. Mobile Devices)
RSHV1471M1LFH0002EX	φ10x10	10	470 uF	-55	105	0.018	2600	10000	(S)General Equipment(Incl. Mobile Devices)
RSHV1470M1ECC8002E	φ5x5.8	16	47 uF	-55	105	0.08	900	10000	(S)General Equipment(Incl. Mobile Devices)
RSHV1820M1EDC8002E	φ6.3x5.8	16	82 uF	-55	105	0.045	1600	10000	(S)General Equipment(Incl. Mobile Devices)
RSHV1151M1EDE7002E	φ6.3x7.7	16	150 uF	-55	105	0.027	2200	10000	(S)General Equipment(Incl. Mobile Devices)
RSHV1271M1EEH0002E	φ8x10	16	270 uF	-55	105	0.022	2500	10000	(S)General Equipment(Incl. Mobile Devices)
RSHV1471M1EFH0002EX	φ10x10	16	470 uF	-55	105	0.018	2600	10000	(S)General Equipment(Incl. Mobile Devices)
RSHV1330M1TCC8002E	φ5x5.8	25	33 uF	-55	105	0.08	900	10000	(S)General Equipment(Incl. Mobile Devices)
RSHV1560M1TDC8002E	φ6.3x5.8	25	56 uF	-55	105	0.05	1300	10000	(S)General Equipment(Incl. Mobile Devices)
RSHV1101M1TDE7002E	φ6.3x7.7	25	100 uF	-55	105	0.03	2000	10000	(S)General Equipment(Incl. Mobile Devices)

Part Number	Size (φxDL) [mm]	Rated Volt. [Vdc]	Capacitance	Temp Lower [°C]	Temp Upper [°C]	ESR(max) [Ω]	Rated Ripple (max)[mArms]	Endurance [hr]	Applications
RSHV1151M1TEF7002E	φ8x8.7	25	150 uF	-55	105	0.027	2100	10000	(S)General Equipment(Incl. Mobile Devices)
RSHV1221M1TEH0002E	φ8x10	25	220 uF	-55	105	0.027	2300	10000	(S)General Equipment(Incl. Mobile Devices)
RSHV1271M1TF7002E	φ10x8.7	25	270 uF	-55	105	0.025	2400	10000	(S)General Equipment(Incl. Mobile Devices)
RSHV1331M1TFH0002EX	φ10x10	25	330 uF	-55	105	0.02	2500	10000	(S)General Equipment(Incl. Mobile Devices)
RSHV1561M1TFK5002EX	φ10x12.5	25	560 uF	-55	105	0.018	3500	10000	(S)General Equipment(Incl. Mobile Devices)
RSHV1821M1TGL5005E	φ12.5x13.5	25	820 uF	-55	105	0.015	4500	10000	(S)General Equipment(Incl. Mobile Devices)
RSHV1220M1GCC8002E	φ5x5.8	35	22 uF	-55	105	0.1	900	10000	(S)General Equipment(Incl. Mobile Devices)
RSHV1470M1GDC8002E	φ6.3x5.8	35	47 uF	-55	105	0.06	1300	10000	(S)General Equipment(Incl. Mobile Devices)
RSHV1680M1GDE7002E	φ6.3x7.7	35	68 uF	-55	105	0.035	2000	10000	(S)General Equipment(Incl. Mobile Devices)
RSHV1101M1GEF7002E	φ8x8.7	35	100 uF	-55	105	0.03	2100	10000	(S)General Equipment(Incl. Mobile Devices)
RSHV1151M1GEH0002E	φ8x10	35	150 uF	-55	105	0.027	2300	10000	(S)General Equipment(Incl. Mobile Devices)
RSHV1221M1GFF7002E	φ10x8.7	35	220 uF	-55	105	0.025	2400	10000	(S)General Equipment(Incl. Mobile Devices)
RSHV1271M1GFH0002EX	φ10x10	35	270 uF	-55	105	0.02	2500	10000	(S)General Equipment(Incl. Mobile Devices)
RSHV1391M1GFK5002EX	φ10x12.5	35	390 uF	-55	105	0.018	3500	10000	(S)General Equipment(Incl. Mobile Devices)
RSHV1561M1GGL5005E	φ12.5x13.5	35	560 uF	-55	105	0.015	4500	10000	(S)General Equipment(Incl. Mobile Devices)
RSHV1100M1UCC8002E	φ5x5.8	50	10 uF	-55	105	0.12	750	10000	(S)General Equipment(Incl. Mobile Devices)
RSHV1220M1UDC8002E	φ6.3x5.8	50	22 uF	-55	105	0.08	1100	10000	(S)General Equipment(Incl. Mobile Devices)
RSHV1330M1UDE7002E	φ6.3x7.7	50	33 uF	-55	105	0.04	1600	10000	(S)General Equipment(Incl. Mobile Devices)
RSHV1470M1UEF7002E	φ8x8.7	50	47 uF	-55	105	0.035	1700	10000	(S)General Equipment(Incl. Mobile Devices)
RSHV1680M1UEH0002E	φ8x10	50	68 uF	-55	105	0.03	1800	10000	(S)General Equipment(Incl. Mobile Devices)
RSHV1820M1UFF7002E	φ10x8.7	50	82 uF	-55	105	0.028	1900	10000	(S)General Equipment(Incl. Mobile Devices)
RSHV1101M1UFH0002EX	φ10x10	50	100 uF	-55	105	0.028	2000	10000	(S)General Equipment(Incl. Mobile Devices)
RSHV1151M1UFK5002EX	φ10x12.5	50	150 uF	-55	105	0.024	3000	10000	(S)General Equipment(Incl. Mobile Devices)
RSHV1331M1UGL5005E	φ12.5x13.5	50	330 uF	-55	105	0.02	4000	10000	(S)General Equipment(Incl. Mobile Devices)
RSHV1100M4EDC8002E	φ6.3x5.8	63	10 uF	-55	105	0.12	1000	10000	(S)General Equipment(Incl. Mobile Devices)
RSHV1220M4EDE7002E	φ6.3x7.7	63	22 uF	-55	105	0.08	1500	10000	(S)General Equipment(Incl. Mobile Devices)
RSHV1270M4EEF7002E	φ8x8.7	63	27 uF	-55	105	0.05	1600	10000	(S)General Equipment(Incl. Mobile Devices)
RSHV1330M4EEH0002E	φ8x10	63	33 uF	-55	105	0.04	1600	10000	(S)General Equipment(Incl. Mobile Devices)
RSHV1470M4EFF7002E	φ10x8.7	63	47 uF	-55	105	0.035	1700	10000	(S)General Equipment(Incl. Mobile Devices)
RSHV1560M4EFH0002EX	φ10x10	63	56 uF	-55	105	0.03	1800	10000	(S)General Equipment(Incl. Mobile Devices)
RSHV1101M4EFK5002EX	φ10x12.5	63	100 uF	-55	105	0.026	2500	10000	(S)General Equipment(Incl. Mobile Devices)
RSHV1121M4EGL5005E	φ12.5x13.5	63	120 uF	-55	105	0.022	3500	10000	(S)General Equipment(Incl. Mobile Devices)
RSHV1220M1REH0002E	φ8x10	80	22 uF	-55	105	0.045	1550	10000	(S)General Equipment(Incl. Mobile Devices)
RSHV1330M1RFH0002EX	φ10x10	80	33 uF	-55	105	0.036	1700	10000	(S)General Equipment(Incl. Mobile Devices)
RSHT1221M1JDC8002	φ6.3x5.8	6.3	220 uF	-55	105	0.045	1600	5000	(S)General Equipment(Incl. Mobile Devices)
RSHT1331M1JDE7002	φ6.3x7.7	6.3	330 uF	-55	105	0.024	2300	5000	(S)General Equipment(Incl. Mobile Devices)
RSHT1561M1JEH0002	φ8x10	6.3	560 uF	-55	105	0.022	2500	5000	(S)General Equipment(Incl. Mobile Devices)
RSHT1821M1JFH0002X	φ10x10	6.3	820 uF	-55	105	0.018	2600	5000	(S)General Equipment(Incl. Mobile Devices)
RSHT1101M1LDC8002	φ6.3x5.8	10	100 uF	-55	105	0.045	1600	5000	(S)General Equipment(Incl. Mobile Devices)
RSHT1221M1LDE7002	φ6.3x7.7	10	220 uF	-55	105	0.024	2300	5000	(S)General Equipment(Incl. Mobile Devices)
RSHT1331M1LEH0002	φ8x10	10	330 uF	-55	105	0.022	2500	5000	(S)General Equipment(Incl. Mobile Devices)
RSHT1471M1LFH0002X	φ10x10	10	470 uF	-55	105	0.018	2600	5000	(S)General Equipment(Incl. Mobile Devices)
RSHT1820M1EDC8002	φ6.3x5.8	16	82 uF	-55	105	0.045	1600	5000	(S)General Equipment(Incl. Mobile Devices)
RSHT1151M1EDE7002	φ6.3x7.7	16	150 uF	-55	105	0.027	2200	5000	(S)General Equipment(Incl. Mobile Devices)
RSHT1271M1EEH0002	φ8x10	16	270 uF	-55	105	0.022	2500	5000	(S)General Equipment(Incl. Mobile Devices)
RSHT1471M1EFH0002X	φ10x10	16	470 uF	-55	105	0.018	2600	5000	(S)General Equipment(Incl. Mobile Devices)
RSHT1560M1TDC8002	φ6.3x5.8	25	56 uF	-55	105	0.05	1300	5000	(S)General Equipment(Incl. Mobile Devices)
RSHT1101M1TDE7002	φ6.3x7.7	25	100 uF	-55	105	0.03	2000	5000	(S)General Equipment(Incl. Mobile Devices)
RSHT1221M1TEH0002	φ8x10	25	220 uF	-55	105	0.027	2300	5000	(S)General Equipment(Incl. Mobile Devices)
RSHT1331M1TFH0002X	φ10x10	25	330 uF	-55	105	0.02	2500	5000	(S)General Equipment(Incl. Mobile Devices)
RSHT1561M1TFK5002X	φ10x12.5	25	560 uF	-55	105	0.018	3500	5000	(S)General Equipment(Incl. Mobile Devices)
RSHT1821M1TGL5005	φ12.5x13.5	25	820 uF	-55	105	0.015	4500	5000	(S)General Equipment(Incl. Mobile Devices)
RSHT1470M1GDC8002	φ6.3x5.8	35	47 uF	-55	105	0.06	1300	5000	(S)General Equipment(Incl. Mobile Devices)
RSHT1680M1GDE7002	φ6.3x7.7	35	68 uF	-55	105	0.035	2000	5000	(S)General Equipment(Incl. Mobile Devices)
RSHT1151M1GEH0002	φ8x10	35	150 uF	-55	105	0.027	2300	5000	(S)General Equipment(Incl. Mobile Devices)
RSHT1271M1GFH0002X	φ10x10	35	270 uF	-55	105	0.02	2500	5000	(S)General Equipment(Incl. Mobile Devices)
RSHT1391M1GFK5002X	φ10x12.5	35	390 uF	-55	105	0.018	3500	5000	(S)General Equipment(Incl. Mobile Devices)
RSHT1561M1GGL5005	φ12.5x13.5	35	560 uF	-55	105	0.015	4500	5000	(S)General Equipment(Incl. Mobile Devices)
RSHT1220M1UDC8002	φ6.3x5.8	50	22 uF	-55	105	0.08	1100	5000	(S)General Equipment(Incl. Mobile Devices)
RSHT1330M1UDE7002	φ6.3x7.7	50	33 uF	-55	105	0.04	1600	5000	(S)General Equipment(Incl. Mobile Devices)
RSHT1680M1UEH0002	φ8x10	50	68 uF	-55	105	0.03	1800	5000	(S)General Equipment(Incl. Mobile Devices)
RSHT1101M1UFH0002X	φ10x10	50	100 uF	-55	105	0.028	2000	5000	(S)General Equipment(Incl. Mobile Devices)
RSHT1151M1UFK5002X	φ10x12.5	50	150 uF	-55	105	0.024	3000	5000	(S)General Equipment(Incl. Mobile Devices)
RSHT1331M1UGL5005	φ12.5x13.5	50	330 uF	-55	105	0.02	4000	5000	(S)General Equipment(Incl. Mobile Devices)
RSHT1100M4EDC8002	φ6.3x5.8	63	10 uF	-55	105	0.12	1000	5000	(S)General Equipment(Incl. Mobile Devices)
RSHT1220M4EDE7002	φ6.3x7.7	63	22 uF	-55	105	0.08	1500	5000	(S)General Equipment(Incl. Mobile Devices)
RSHT1330M4EEH0002	φ8x10	63	33 uF	-55	105	0.04	1600	5000	(S)General Equipment(Incl. Mobile Devices)
RSHT1560M4EFH0002X	φ10x10	63	56 uF	-55	105	0.03	1800	5000	(S)General Equipment(Incl. Mobile Devices)

Part Number	Size (φDxL) [mm]	Rated Volt. [Vdc]	Capacitance	Temp Lower [°C]	Temp Upper [°C]	ESR(max) [Ω]	Rated Ripple (max)[mA Arms]	Endurance [hr]	Applications
RSHT1101M4EFK5002X	φ10x12.5	63	100 uF	-55	105	0.026	2500	5000	(S)General Equipment(Incl. Mobile Devices)
RSHT1121M4EGL5005	φ12.5x13.5	63	120 uF	-55	105	0.022	3500	5000	(S)General Equipment(Incl. Mobile Devices)
RSHT1220M1REH0002	φ8x10	80	22 uF	-55	105	0.045	1550	5000	(S)General Equipment(Incl. Mobile Devices)
RSHT1330M1RFH0002X	φ10x10	80	33 uF	-55	105	0.036	1700	5000	(S)General Equipment(Incl. Mobile Devices)
RSHT1221M1JDC8002E	φ6.3x5.8	6.3	220 uF	-55	105	0.045	1600	10000	(S)General Equipment(Incl. Mobile Devices)
RSHT1331M1JDE7002E	φ6.3x7.7	6.3	330 uF	-55	105	0.024	2300	10000	(S)General Equipment(Incl. Mobile Devices)
RSHT1561M1JEH0002E	φ8x10	6.3	560 uF	-55	105	0.022	2500	10000	(S)General Equipment(Incl. Mobile Devices)
RSHT1821M1JFH0002EX	φ10x10	6.3	820 uF	-55	105	0.018	2600	10000	(S)General Equipment(Incl. Mobile Devices)
RSHT1101M1LDC8002E	φ6.3x5.8	10	100 uF	-55	105	0.045	1600	10000	(S)General Equipment(Incl. Mobile Devices)
RSHT1221M1LDE7002E	φ6.3x7.7	10	220 uF	-55	105	0.024	2300	10000	(S)General Equipment(Incl. Mobile Devices)
RSHT1331M1LEH0002E	φ8x10	10	330 uF	-55	105	0.022	2500	10000	(S)General Equipment(Incl. Mobile Devices)
RSHT1471M1LFH0002EX	φ10x10	10	470 uF	-55	105	0.018	2600	10000	(S)General Equipment(Incl. Mobile Devices)
RSHT1820M1EDC8002E	φ6.3x5.8	16	82 uF	-55	105	0.045	1600	10000	(S)General Equipment(Incl. Mobile Devices)
RSHT1151M1EDE7002E	φ6.3x7.7	16	150 uF	-55	105	0.027	2200	10000	(S)General Equipment(Incl. Mobile Devices)
RSHT1271M1EEH0002E	φ8x10	16	270 uF	-55	105	0.022	2500	10000	(S)General Equipment(Incl. Mobile Devices)
RSHT1471M1EFH0002EX	φ10x10	16	470 uF	-55	105	0.018	2600	10000	(S)General Equipment(Incl. Mobile Devices)
RSHT1560M1TDC8002E	φ6.3x5.8	25	56 uF	-55	105	0.05	1300	10000	(S)General Equipment(Incl. Mobile Devices)
RSHT1101M1TDE7002E	φ6.3x7.7	25	100 uF	-55	105	0.03	2000	10000	(S)General Equipment(Incl. Mobile Devices)
RSHT1221M1TEH0002E	φ8x10	25	220 uF	-55	105	0.027	2300	10000	(S)General Equipment(Incl. Mobile Devices)
RSHT1331M1TFH0002EX	φ10x10	25	330 uF	-55	105	0.02	2500	10000	(S)General Equipment(Incl. Mobile Devices)
RSHT1561M1TFK5002EX	φ10x12.5	25	560 uF	-55	105	0.018	3500	10000	(S)General Equipment(Incl. Mobile Devices)
RSHT1821M1TGL5005E	φ12.5x13.5	25	820 uF	-55	105	0.015	4500	10000	(S)General Equipment(Incl. Mobile Devices)
RSHT1470M1GDC8002E	φ6.3x5.8	35	47 uF	-55	105	0.06	1300	10000	(S)General Equipment(Incl. Mobile Devices)
RSHT1680M1GDE7002E	φ6.3x7.7	35	68 uF	-55	105	0.035	2000	10000	(S)General Equipment(Incl. Mobile Devices)
RSHT1151M1GEH0002E	φ8x10	35	150 uF	-55	105	0.027	2300	10000	(S)General Equipment(Incl. Mobile Devices)
RSHT1271M1GFH0002EX	φ10x10	35	270 uF	-55	105	0.02	2500	10000	(S)General Equipment(Incl. Mobile Devices)
RSHT1391M1GFK5002EX	φ10x12.5	35	390 uF	-55	105	0.018	3500	10000	(S)General Equipment(Incl. Mobile Devices)
RSHT1561M1GGL5005E	φ12.5x13.5	35	560 uF	-55	105	0.015	4500	10000	(S)General Equipment(Incl. Mobile Devices)
RSHT1220M1UDC8002E	φ6.3x5.8	50	22 uF	-55	105	0.08	1100	10000	(S)General Equipment(Incl. Mobile Devices)
RSHT1330M1UDE7002E	φ6.3x7.7	50	33 uF	-55	105	0.04	1600	10000	(S)General Equipment(Incl. Mobile Devices)
RSHT1680M1UEH0002E	φ8x10	50	68 uF	-55	105	0.03	1800	10000	(S)General Equipment(Incl. Mobile Devices)
RSHT1101M1UFH0002EX	φ10x10	50	100 uF	-55	105	0.028	2000	10000	(S)General Equipment(Incl. Mobile Devices)
RSHT1151M1UFK5002EX	φ10x12.5	50	150 uF	-55	105	0.024	3000	10000	(S)General Equipment(Incl. Mobile Devices)
RSHT1331M1UGL5005E	φ12.5x13.5	50	330 uF	-55	105	0.02	4000	10000	(S)General Equipment(Incl. Mobile Devices)
RSHT1100M4EDC8002E	φ6.3x5.8	63	10 uF	-55	105	0.12	1000	10000	(S)General Equipment(Incl. Mobile Devices)
RSHT1220M4EDE7002E	φ6.3x7.7	63	22 uF	-55	105	0.08	1500	10000	(S)General Equipment(Incl. Mobile Devices)
RSHT1330M4EEH0002E	φ8x10	63	33 uF	-55	105	0.04	1600	10000	(S)General Equipment(Incl. Mobile Devices)
RSHT1560M4EFH0002EX	φ10x10	63	56 uF	-55	105	0.03	1800	10000	(S)General Equipment(Incl. Mobile Devices)
RSHT1101M4EFK5002EX	φ10x12.5	63	100 uF	-55	105	0.026	2500	10000	(S)General Equipment(Incl. Mobile Devices)
RSHT1121M4EGL5005E	φ12.5x13.5	63	120 uF	-55	105	0.022	3500	10000	(S)General Equipment(Incl. Mobile Devices)
RSHT1220M1REH0002E	φ8x10	80	22 uF	-55	105	0.045	1550	10000	(S)General Equipment(Incl. Mobile Devices)
RSHT1330M1RFH0002EX	φ10x10	80	33 uF	-55	105	0.036	1700	10000	(S)General Equipment(Incl. Mobile Devices)
RSHVK221M1JDC8002E	φ6.3x5.8	6.3	220 uF	-55	125	0.045	950	4000	(S)General Equipment(Incl. Mobile Devices)
RSHVK331M1JDE7002E	φ6.3x7.7	6.3	330 uF	-55	125	0.024	1450	4000	(S)General Equipment(Incl. Mobile Devices)
RSHVK561M1JEH0002E	φ8x10	6.3	560 uF	-55	125	0.022	1700	4000	(S)General Equipment(Incl. Mobile Devices)
RSHVK821M1JFH0002EX	φ10x10	6.3	820 uF	-55	125	0.018	2100	4000	(S)General Equipment(Incl. Mobile Devices)
RSHVK101M1LDC8002E	φ6.3x5.8	10	100 uF	-55	125	0.045	950	4000	(S)General Equipment(Incl. Mobile Devices)
RSHVK221M1LDE7002E	φ6.3x7.7	10	220 uF	-55	125	0.024	1450	4000	(S)General Equipment(Incl. Mobile Devices)
RSHVK331M1LEH0002E	φ8x10	10	330 uF	-55	125	0.022	1700	4000	(S)General Equipment(Incl. Mobile Devices)
RSHVK471M1LFH0002EX	φ10x10	10	470 uF	-55	125	0.018	2100	4000	(S)General Equipment(Incl. Mobile Devices)
RSHVK470M1ECC8002E	φ5x5.8	16	47 uF	-55	125	0.07	600	4000	(S)General Equipment(Incl. Mobile Devices)
RSHVK820M1EDC8002E	φ6.3x5.8	16	82 uF	-55	125	0.045	950	4000	(S)General Equipment(Incl. Mobile Devices)
RSHVK151M1EDE7002E	φ6.3x7.7	16	150 uF	-55	125	0.027	1450	4000	(S)General Equipment(Incl. Mobile Devices)
RSHVK271M1EEH0002E	φ8x10	16	270 uF	-55	125	0.022	1700	4000	(S)General Equipment(Incl. Mobile Devices)
RSHVK471M1EFH0002EX	φ10x10	16	470 uF	-55	125	0.018	2100	4000	(S)General Equipment(Incl. Mobile Devices)
RSHVK330M1TCC8002E	φ5x5.8	25	33 uF	-55	125	0.08	550	4000	(S)General Equipment(Incl. Mobile Devices)
RSHVK560M1TDC8002E	φ6.3x5.8	25	56 uF	-55	125	0.05	900	4000	(S)General Equipment(Incl. Mobile Devices)
RSHVK101M1TDE7002E	φ6.3x7.7	25	100 uF	-55	125	0.03	1400	4000	(S)General Equipment(Incl. Mobile Devices)
RSHVK151M1TEF7002E	φ8x8.7	25	150 uF	-55	125	0.027	1500	4000	(S)General Equipment(Incl. Mobile Devices)
RSHVK221M1TEH0002E	φ8x10	25	220 uF	-55	125	0.027	1600	4000	(S)General Equipment(Incl. Mobile Devices)
RSHVK271M1TFH0002E	φ10x8.7	25	270 uF	-55	125	0.025	1700	4000	(S)General Equipment(Incl. Mobile Devices)
RSHVK331M1TFH0002EX	φ10x10	25	330 uF	-55	125	0.02	2000	4000	(S)General Equipment(Incl. Mobile Devices)
RSHVK561M1TFK5002EX	φ10x12.5	25	560 uF	-55	125	0.018	3000	4000	(S)General Equipment(Incl. Mobile Devices)
RSHVK821M1TGL5005E	φ12.5x13.5	25	820 uF	-55	125	0.015	4000	4000	(S)General Equipment(Incl. Mobile Devices)
RSHVK220M1GCC8002E	φ5x5.8	35	22 uF	-55	125	0.1	550	4000	(S)General Equipment(Incl. Mobile Devices)
RSHVK470M1GDC8002E	φ6.3x5.8	35	47 uF	-55	125	0.06	900	4000	(S)General Equipment(Incl. Mobile Devices)
RSHVK680M1GDE7002E	φ6.3x7.7	35	68 uF	-55	125	0.035	1400	4000	(S)General Equipment(Incl. Mobile Devices)
RSHVK101M1GEF7002E	φ8x8.7	35	100 uF	-55	125	0.03	1500	4000	(S)General Equipment(Incl. Mobile Devices)

Part Number	Size (φDxL) [mm]	Rated Volt. [Vdc]	Capacitance	Temp Lower [°C]	Temp Upper [°C]	ESR(max) [Ω]	Rated Ripple (max)[mArms]	Endurance [hr]	Applications
RSHVK151M1GEH0002E	φ8x10	35	150 uF	-55	125	0.027	1600	4000	(S)General Equipment(Incl. Mobile Devices)
RSHVK221M1GFF7002E	φ10x8.7	35	220 uF	-55	125	0.025	1700	4000	(S)General Equipment(Incl. Mobile Devices)
RSHVK271M1GFH0002EX	φ10x10	35	270 uF	-55	125	0.02	2000	4000	(S)General Equipment(Incl. Mobile Devices)
RSHVK391M1GFK5002EX	φ10x12.5	35	390 uF	-55	125	0.018	3000	4000	(S)General Equipment(Incl. Mobile Devices)
RSHVK561M1GGL5005E	φ12.5x13.5	35	560 uF	-55	125	0.015	4000	4000	(S)General Equipment(Incl. Mobile Devices)
RSHVK100M1UCC8002E	φ5x5.8	50	10 uF	-55	125	0.12	500	4000	(S)General Equipment(Incl. Mobile Devices)
RSHVK220M1UDC8002E	φ6.3x5.8	50	22 uF	-55	125	0.08	750	4000	(S)General Equipment(Incl. Mobile Devices)
RSHVK330M1UDE7002E	φ6.3x7.7	50	33 uF	-55	125	0.04	1100	4000	(S)General Equipment(Incl. Mobile Devices)
RSHVK470M1UEF7002E	φ8x8.7	50	47 uF	-55	125	0.035	1200	4000	(S)General Equipment(Incl. Mobile Devices)
RSHVK680M1UEH0002E	φ8x10	50	68 uF	-55	125	0.03	1250	4000	(S)General Equipment(Incl. Mobile Devices)
RSHVK820M1UFF7002E	φ10x8.7	50	82 uF	-55	125	0.028	1400	4000	(S)General Equipment(Incl. Mobile Devices)
RSHVK101M1UFH0002EX	φ10x10	50	100 uF	-55	125	0.028	1600	4000	(S)General Equipment(Incl. Mobile Devices)
RSHVK151M1UFK5002EX	φ10x12.5	50	150 uF	-55	125	0.024	2500	4000	(S)General Equipment(Incl. Mobile Devices)
RSHVK331M1UGL5005E	φ12.5x13.5	50	330 uF	-55	125	0.02	3500	4000	(S)General Equipment(Incl. Mobile Devices)
RSHVK100M4EDC8002E	φ6.3x5.8	63	10 uF	-55	125	0.12	700	4000	(S)General Equipment(Incl. Mobile Devices)
RSHVK220M4EDE7002E	φ6.3x7.7	63	22 uF	-55	125	0.08	900	4000	(S)General Equipment(Incl. Mobile Devices)
RSHVK270M4EEF7002E	φ8x8.7	63	27 uF	-55	125	0.05	1000	4000	(S)General Equipment(Incl. Mobile Devices)
RSHVK330M4EEH0002E	φ8x10	63	33 uF	-55	125	0.04	1100	4000	(S)General Equipment(Incl. Mobile Devices)
RSHVK470M4EFF7002E	φ10x8.7	63	47 uF	-55	125	0.035	1200	4000	(S)General Equipment(Incl. Mobile Devices)
RSHVK560M4EFH0002EX	φ10x10	63	56 uF	-55	125	0.03	1400	4000	(S)General Equipment(Incl. Mobile Devices)
RSHVK101M4EFK5002EX	φ10x12.5	63	100 uF	-55	125	0.026	2000	4000	(S)General Equipment(Incl. Mobile Devices)
RSHVK121M4EGL5005E	φ12.5x13.5	63	120 uF	-55	125	0.022	3000	4000	(S)General Equipment(Incl. Mobile Devices)
RSHVK220M1REH0002E	φ8x10	80	22 uF	-55	125	0.045	1100	4000	(S)General Equipment(Incl. Mobile Devices)
RSHVK330M1RFH0002EX	φ10x10	80	33 uF	-55	125	0.036	1200	4000	(S)General Equipment(Incl. Mobile Devices)
RSHVK560M1TDC8002B	φ6.3x5.8	25	56 uF	-55	125	0.05	900	6000	(S)General Equipment(Incl. Mobile Devices)
RSHVK101M1TDE7002B	φ6.3x7.7	25	100 uF	-55	125	0.03	1400	6000	(S)General Equipment(Incl. Mobile Devices)
RSHVK151M1TEF7002B	φ8x8.7	25	150 uF	-55	125	0.027	1500	6000	(S)General Equipment(Incl. Mobile Devices)
RSHVK221M1TEH0002B	φ8x10	25	220 uF	-55	125	0.027	1600	6000	(S)General Equipment(Incl. Mobile Devices)
RSHVK271M1TF7002B	φ10x8.7	25	270 uF	-55	125	0.025	1700	6000	(S)General Equipment(Incl. Mobile Devices)
RSHVK331M1TFH0002BX	φ10x10	25	330 uF	-55	125	0.02	2000	6000	(S)General Equipment(Incl. Mobile Devices)
RSHVK561M1TFK5002BX	φ10x12.5	25	560 uF	-55	125	0.018	3000	6000	(S)General Equipment(Incl. Mobile Devices)
RSHVK821M1TGL5005B	φ12.5x13.5	25	820 uF	-55	125	0.015	4000	6000	(S)General Equipment(Incl. Mobile Devices)
RSHVK470M1GDC8002B	φ6.3x5.8	35	47 uF	-55	125	0.06	900	6000	(S)General Equipment(Incl. Mobile Devices)
RSHVK680M1GDE7002B	φ6.3x7.7	35	68 uF	-55	125	0.035	1400	6000	(S)General Equipment(Incl. Mobile Devices)
RSHVK101M1GEF7002B	φ8x8.7	35	100 uF	-55	125	0.03	1500	6000	(S)General Equipment(Incl. Mobile Devices)
RSHVK151M1GEH0002B	φ8x10	35	150 uF	-55	125	0.027	1600	6000	(S)General Equipment(Incl. Mobile Devices)
RSHVK221M1GFF7002B	φ10x8.7	35	220 uF	-55	125	0.025	1700	6000	(S)General Equipment(Incl. Mobile Devices)
RSHVK271M1GFH0002BX	φ10x10	35	270 uF	-55	125	0.02	2000	6000	(S)General Equipment(Incl. Mobile Devices)
RSHVK391M1GFK5002BX	φ10x12.5	35	390 uF	-55	125	0.018	3000	6000	(S)General Equipment(Incl. Mobile Devices)
RSHVK561M1GGL5005B	φ12.5x13.5	35	560 uF	-55	125	0.015	4000	6000	(S)General Equipment(Incl. Mobile Devices)
RSHVK220M1UDC8002B	φ6.3x5.8	50	22 uF	-55	125	0.08	750	6000	(S)General Equipment(Incl. Mobile Devices)
RSHVK330M1UDE7002B	φ6.3x7.7	50	33 uF	-55	125	0.04	1100	6000	(S)General Equipment(Incl. Mobile Devices)
RSHVK470M1UEF7002B	φ8x8.7	50	47 uF	-55	125	0.035	1200	6000	(S)General Equipment(Incl. Mobile Devices)
RSHVK680M1UEH0002B	φ8x10	50	68 uF	-55	125	0.03	1250	6000	(S)General Equipment(Incl. Mobile Devices)
RSHVK820M1UFF7002B	φ10x8.7	50	82 uF	-55	125	0.028	1400	6000	(S)General Equipment(Incl. Mobile Devices)
RSHVK101M1UFH0002BX	φ10x10	50	100 uF	-55	125	0.028	1600	6000	(S)General Equipment(Incl. Mobile Devices)
RSHVK151M1UFK5002BX	φ10x12.5	50	150 uF	-55	125	0.024	2500	6000	(S)General Equipment(Incl. Mobile Devices)
RSHVK331M1UGL5005B	φ12.5x13.5	50	330 uF	-55	125	0.02	3500	6000	(S)General Equipment(Incl. Mobile Devices)
RSHVK100M4EDC8002B	φ6.3x5.8	63	10 uF	-55	125	0.12	700	6000	(S)General Equipment(Incl. Mobile Devices)
RSHVK220M4EDE7002B	φ6.3x7.7	63	22 uF	-55	125	0.08	900	6000	(S)General Equipment(Incl. Mobile Devices)
RSHVK270M4EEF7002B	φ8x8.7	63	27 uF	-55	125	0.05	1000	6000	(S)General Equipment(Incl. Mobile Devices)
RSHVK330M4EEH0002B	φ8x10	63	33 uF	-55	125	0.04	1100	6000	(S)General Equipment(Incl. Mobile Devices)
RSHVK470M4EFF7002B	φ10x8.7	63	47 uF	-55	125	0.035	1200	6000	(S)General Equipment(Incl. Mobile Devices)
RSHVK560M4EFH0002BX	φ10x10	63	56 uF	-55	125	0.03	1400	6000	(S)General Equipment(Incl. Mobile Devices)
RSHVK101M4EFK5002BX	φ10x12.5	63	100 uF	-55	125	0.026	2000	6000	(S)General Equipment(Incl. Mobile Devices)
RSHTK221M1JDC8002E	φ6.3x5.8	6.3	220 uF	-55	125	0.045	950	4000	(S)General Equipment(Incl. Mobile Devices)
RSHTK331M1JDE7002E	φ6.3x7.7	6.3	330 uF	-55	125	0.024	1450	4000	(S)General Equipment(Incl. Mobile Devices)
RSHTK561M1JEH0002E	φ8x10	6.3	560 uF	-55	125	0.022	1700	4000	(S)General Equipment(Incl. Mobile Devices)
RSHTK821M1JFH0002EX	φ10x10	6.3	820 uF	-55	125	0.018	2100	4000	(S)General Equipment(Incl. Mobile Devices)
RSHTK101M1LDC8002E	φ6.3x5.8	10	100 uF	-55	125	0.045	950	4000	(S)General Equipment(Incl. Mobile Devices)
RSHTK221M1LDE7002E	φ6.3x7.7	10	220 uF	-55	125	0.024	1450	4000	(S)General Equipment(Incl. Mobile Devices)
RSHTK331M1LEH0002E	φ8x10	10	330 uF	-55	125	0.022	1700	4000	(S)General Equipment(Incl. Mobile Devices)
RSHTK471M1LFH0002EX	φ10x10	10	470 uF	-55	125	0.018	2100	4000	(S)General Equipment(Incl. Mobile Devices)
RSHTK820M1EDC8002E	φ6.3x5.8	16	82 uF	-55	125	0.045	950	4000	(S)General Equipment(Incl. Mobile Devices)
RSHTK151M1EDE7002E	φ6.3x7.7	16	150 uF	-55	125	0.027	1450	4000	(S)General Equipment(Incl. Mobile Devices)
RSHTK271M1EEH0002E	φ8x10	16	270 uF	-55	125	0.022	1700	4000	(S)General Equipment(Incl. Mobile Devices)
RSHTK471M1EFH0002EX	φ10x10	16	470 uF	-55	125	0.018	2100	4000	(S)General Equipment(Incl. Mobile Devices)
RSHTK560M1TDC8002E	φ6.3x5.8	25	56 uF	-55	125	0.05	900	4000	(S)General Equipment(Incl. Mobile Devices)

Part Number	Size (φDxL) [mm]	Rated Volt. [Vdc]	Capacitance	Temp Lower [°C]	Temp Upper [°C]	ESR(max) [Ω]	Rated Ripple (max)[mArms]	Endurance [hr]	Applications
RSHTK101M1TDE7002E	φ6.3x7.7	25	100 uF	-55	125	0.03	1400	4000	(S)General Equipment(Incl. Mobile Devices)
RSHTK221M1TEH0002E	φ8x10	25	220 uF	-55	125	0.027	1600	4000	(S)General Equipment(Incl. Mobile Devices)
RSHTK331M1TFH0002EX	φ10x10	25	330 uF	-55	125	0.02	2000	4000	(S)General Equipment(Incl. Mobile Devices)
RSHTK561M1TFK5002EX	φ10x12.5	25	560 uF	-55	125	0.018	3000	4000	(S)General Equipment(Incl. Mobile Devices)
RSHTK821M1TGL5005E	φ12.5x13.5	25	820 uF	-55	125	0.015	4000	4000	(S)General Equipment(Incl. Mobile Devices)
RSHTK470M1GDC8002E	φ6.3x5.8	35	47 uF	-55	125	0.06	900	4000	(S)General Equipment(Incl. Mobile Devices)
RSHTK680M1GDE7002E	φ6.3x7.7	35	68 uF	-55	125	0.035	1400	4000	(S)General Equipment(Incl. Mobile Devices)
RSHTK151M1GEH0002E	φ8x10	35	150 uF	-55	125	0.027	1600	4000	(S)General Equipment(Incl. Mobile Devices)
RSHTK271M1GFH0002EX	φ10x10	35	270 uF	-55	125	0.02	2000	4000	(S)General Equipment(Incl. Mobile Devices)
RSHTK391M1GFK5002EX	φ10x12.5	35	390 uF	-55	125	0.018	3000	4000	(S)General Equipment(Incl. Mobile Devices)
RSHTK561M1GGL5005E	φ12.5x13.5	35	560 uF	-55	125	0.015	4000	4000	(S)General Equipment(Incl. Mobile Devices)
RSHTK220M1UDC8002E	φ6.3x5.8	50	22 uF	-55	125	0.08	750	4000	(S)General Equipment(Incl. Mobile Devices)
RSHTK330M1UDE7002E	φ6.3x7.7	50	33 uF	-55	125	0.04	1100	4000	(S)General Equipment(Incl. Mobile Devices)
RSHTK680M1UEH0002E	φ8x10	50	68 uF	-55	125	0.03	1250	4000	(S)General Equipment(Incl. Mobile Devices)
RSHTK101M1UFH0002EX	φ10x10	50	100 uF	-55	125	0.028	1600	4000	(S)General Equipment(Incl. Mobile Devices)
RSHTK151M1UFK5002EX	φ10x12.5	50	150 uF	-55	125	0.024	2500	4000	(S)General Equipment(Incl. Mobile Devices)
RSHTK331M1UGL5005E	φ12.5x13.5	50	330 uF	-55	125	0.02	3500	4000	(S)General Equipment(Incl. Mobile Devices)
RSHTK100M4EDC8002E	φ6.3x5.8	63	10 uF	-55	125	0.12	700	4000	(S)General Equipment(Incl. Mobile Devices)
RSHTK220M4EDE7002E	φ6.3x7.7	63	22 uF	-55	125	0.08	900	4000	(S)General Equipment(Incl. Mobile Devices)
RSHTK330M4EEH0002E	φ8x10	63	33 uF	-55	125	0.04	1100	4000	(S)General Equipment(Incl. Mobile Devices)
RSHTK560M4EFH0002EX	φ10x10	63	56 uF	-55	125	0.03	1400	4000	(S)General Equipment(Incl. Mobile Devices)
RSHTK101M4EFK5002EX	φ10x12.5	63	100 uF	-55	125	0.026	2000	4000	(S)General Equipment(Incl. Mobile Devices)
RSHTK121M4EGL5005E	φ12.5x13.5	63	120 uF	-55	125	0.022	3000	4000	(S)General Equipment(Incl. Mobile Devices)
RSHTK220M1REH0002E	φ8x10	80	22 uF	-55	125	0.045	1100	4000	(S)General Equipment(Incl. Mobile Devices)
RSHTK330M1RFH0002EX	φ10x10	80	33 uF	-55	125	0.036	1200	4000	(S)General Equipment(Incl. Mobile Devices)
RSHTK560M1TDC8002B	φ6.3x5.8	25	56 uF	-55	125	0.05	900	6000	(S)General Equipment(Incl. Mobile Devices)
RSHTK101M1TDE7002B	φ6.3x7.7	25	100 uF	-55	125	0.03	1400	6000	(S)General Equipment(Incl. Mobile Devices)
RSHTK221M1TEH0002B	φ8x10	25	220 uF	-55	125	0.027	1600	6000	(S)General Equipment(Incl. Mobile Devices)
RSHTK331M1TFH0002BX	φ10x10	25	330 uF	-55	125	0.02	2000	6000	(S)General Equipment(Incl. Mobile Devices)
RSHTK561M1TFK5002BX	φ10x12.5	25	560 uF	-55	125	0.018	3000	6000	(S)General Equipment(Incl. Mobile Devices)
RSHTK821M1TGL5005B	φ12.5x13.5	25	820 uF	-55	125	0.015	4000	6000	(S)General Equipment(Incl. Mobile Devices)
RSHTK470M1GDC8002B	φ6.3x5.8	35	47 uF	-55	125	0.06	900	6000	(S)General Equipment(Incl. Mobile Devices)
RSHTK680M1GDE7002B	φ6.3x7.7	35	68 uF	-55	125	0.035	1400	6000	(S)General Equipment(Incl. Mobile Devices)
RSHTK151M1GEH0002B	φ8x10	35	150 uF	-55	125	0.027	1600	6000	(S)General Equipment(Incl. Mobile Devices)
RSHTK271M1GFH0002BX	φ10x10	35	270 uF	-55	125	0.02	2000	6000	(S)General Equipment(Incl. Mobile Devices)
RSHTK391M1GFK5002BX	φ10x12.5	35	390 uF	-55	125	0.018	3000	6000	(S)General Equipment(Incl. Mobile Devices)
RSHTK561M1GGL5005B	φ12.5x13.5	35	560 uF	-55	125	0.015	4000	6000	(S)General Equipment(Incl. Mobile Devices)
RSHTK220M1UDC8002B	φ6.3x5.8	50	22 uF	-55	125	0.08	750	6000	(S)General Equipment(Incl. Mobile Devices)
RSHTK330M1UDE7002B	φ6.3x7.7	50	33 uF	-55	125	0.04	1100	6000	(S)General Equipment(Incl. Mobile Devices)
RSHTK680M1UEH0002B	φ8x10	50	68 uF	-55	125	0.03	1250	6000	(S)General Equipment(Incl. Mobile Devices)
RSHTK101M1UFH0002BX	φ10x10	50	100 uF	-55	125	0.028	1600	6000	(S)General Equipment(Incl. Mobile Devices)
RSHTK151M1UFK5002BX	φ10x12.5	50	150 uF	-55	125	0.024	2500	6000	(S)General Equipment(Incl. Mobile Devices)
RSHTK331M1UGL5005B	φ12.5x13.5	50	330 uF	-55	125	0.02	3500	6000	(S)General Equipment(Incl. Mobile Devices)
RSHTK100M4EDC8002B	φ6.3x5.8	63	10 uF	-55	125	0.12	700	6000	(S)General Equipment(Incl. Mobile Devices)
RSHTK220M4EDE7002B	φ6.3x7.7	63	22 uF	-55	125	0.08	900	6000	(S)General Equipment(Incl. Mobile Devices)
RSHTK330M4EEH0002B	φ8x10	63	33 uF	-55	125	0.04	1100	6000	(S)General Equipment(Incl. Mobile Devices)
RSHTK560M4EFH0002BX	φ10x10	63	56 uF	-55	125	0.03	1400	6000	(S)General Equipment(Incl. Mobile Devices)
RSHTK101M4EFK5002BX	φ10x12.5	63	100 uF	-55	125	0.026	2000	6000	(S)General Equipment(Incl. Mobile Devices)
RSHTK121M4EGL5005B	φ12.5x13.5	63	120 uF	-55	125	0.022	3000	6000	(S)General Equipment(Incl. Mobile Devices)
RSHVL221M1TEH0002	φ8x10	25	220 uF	-55	125	0.022	1600	8000	(S)General Equipment(Incl. Mobile Devices)
RSHVL331M1TFH0002	φ10x10	25	330 uF	-55	125	0.02	2000	8000	(S)General Equipment(Incl. Mobile Devices)
RSHVL561M1TFK5002	φ10x12.5	25	560 uF	-55	125	0.018	3000	8000	(S)General Equipment(Incl. Mobile Devices)
RSHVL821M1TGL5005	φ12.5x13.5	25	820 uF	-55	125	0.015	3500	8000	(S)General Equipment(Incl. Mobile Devices)
RSHVL102M1TGL5005	φ12.5x13.5	25	1000 uF	-55	125	0.015	3500	8000	(S)General Equipment(Incl. Mobile Devices)
RSHVL151M1GEH0002	φ8x10	35	150 uF	-55	125	0.022	1600	8000	(S)General Equipment(Incl. Mobile Devices)
RSHVL271M1GFH0002	φ10x10	35	270 uF	-55	125	0.02	2000	8000	(S)General Equipment(Incl. Mobile Devices)
RSHVL391M1GFK5002	φ10x12.5	35	390 uF	-55	125	0.018	3000	8000	(S)General Equipment(Incl. Mobile Devices)
RSHVL561M1GGL5005	φ12.5x13.5	35	560 uF	-55	125	0.015	3500	8000	(S)General Equipment(Incl. Mobile Devices)
RSHVL680M1UEH0002	φ8x10	50	68 uF	-55	125	0.03	1250	8000	(S)General Equipment(Incl. Mobile Devices)
RSHVL101M1UFH0002	φ10x10	50	100 uF	-55	125	0.028	1600	8000	(S)General Equipment(Incl. Mobile Devices)
RSHVL151M1UFK5002	φ10x12.5	50	150 uF	-55	125	0.024	2500	8000	(S)General Equipment(Incl. Mobile Devices)
RSHVL331M1UGL5005	φ12.5x13.5	50	330 uF	-55	125	0.02	3000	8000	(S)General Equipment(Incl. Mobile Devices)
RSHVL330M4EEH0002	φ8x10	63	33 uF	-55	125	0.04	1100	8000	(S)General Equipment(Incl. Mobile Devices)
RSHVL560M4EFH0002	φ10x10	63	56 uF	-55	125	0.03	1400	8000	(S)General Equipment(Incl. Mobile Devices)
RSHVL101M4EFK5002	φ10x12.5	63	100 uF	-55	125	0.026	2000	8000	(S)General Equipment(Incl. Mobile Devices)
RSHVL121M4EGL5005	φ12.5x13.5	63	120 uF	-55	125	0.022	2500	8000	(S)General Equipment(Incl. Mobile Devices)
RSHTL221M1TEH0002	φ8x10	25	220 uF	-55	125	0.022	1600	8000	(S)General Equipment(Incl. Mobile Devices)
RSHTL331M1TFH0002	φ10x10	25	330 uF	-55	125	0.02	2000	8000	(S)General Equipment(Incl. Mobile Devices)

Part Number	Size (φDxL) [mm]	Rated Volt. [Vdc]	Capacitance	Temp Lower [°C]	Temp Upper [°C]	ESR(max) [Ω]	Rated Ripple (max)[mArms]	Endurance [hr]	Applications
RSHTL561M1TFK5002	φ10x12.5	25	560 uF	-55	125	0.018	3000	8000	(S)General Equipment(Incl. Mobile Devices)
RSHTL821M1TGL5005	φ12.5x13.5	25	820 uF	-55	125	0.015	3500	8000	(S)General Equipment(Incl. Mobile Devices)
RSHTL102M1TGL5005	φ12.5x13.5	25	1000 uF	-55	125	0.015	3500	8000	(S)General Equipment(Incl. Mobile Devices)
RSHTL151M1GEH0002	φ8x10	35	150 uF	-55	125	0.022	1600	8000	(S)General Equipment(Incl. Mobile Devices)
RSHTL271M1GFH0002	φ10x10	35	270 uF	-55	125	0.02	2000	8000	(S)General Equipment(Incl. Mobile Devices)
RSHTL391M1GFK5002	φ10x12.5	35	390 uF	-55	125	0.018	3000	8000	(S)General Equipment(Incl. Mobile Devices)
RSHTL561M1GGL5005	φ12.5x13.5	35	560 uF	-55	125	0.015	3500	8000	(S)General Equipment(Incl. Mobile Devices)
RSHTL680M1UEH0002	φ8x10	50	68 uF	-55	125	0.03	1250	8000	(S)General Equipment(Incl. Mobile Devices)
RSHTL101M1UFH0002	φ10x10	50	100 uF	-55	125	0.028	1600	8000	(S)General Equipment(Incl. Mobile Devices)
RSHTL151M1UFK5002	φ10x12.5	50	150 uF	-55	125	0.024	2500	8000	(S)General Equipment(Incl. Mobile Devices)
RSHTL331M1UGL5005	φ12.5x13.5	50	330 uF	-55	125	0.02	3000	8000	(S)General Equipment(Incl. Mobile Devices)
RSHTL330M4EEH0002	φ8x10	63	33 uF	-55	125	0.04	1100	8000	(S)General Equipment(Incl. Mobile Devices)
RSHTL560M4EFH0002	φ10x10	63	56 uF	-55	125	0.03	1400	8000	(S)General Equipment(Incl. Mobile Devices)
RSHTL101M4EFK5002	φ10x12.5	63	100 uF	-55	125	0.026	2000	8000	(S)General Equipment(Incl. Mobile Devices)
RSHTL121M4EGL5005	φ12.5x13.5	63	120 uF	-55	125	0.022	2500	8000	(S)General Equipment(Incl. Mobile Devices)
RSHVX820M1EDC8002	φ6.3x5.8	16	82 uF	-55	135	0.045	950	2000	(S)General Equipment(Incl. Mobile Devices)
RSHVX151M1EDE7002	φ6.3x7.7	16	150 uF	-55	135	0.027	1450	2000	(S)General Equipment(Incl. Mobile Devices)
RSHVX271M1EEH0002	φ8x10	16	270 uF	-55	135	0.02	1700	4000	(S)General Equipment(Incl. Mobile Devices)
RSHVX471M1EFH0002X	φ10x10	16	470 uF	-55	135	0.018	2100	4000	(S)General Equipment(Incl. Mobile Devices)
RSHVX560M1TDC8002	φ6.3x5.8	25	56 uF	-55	135	0.05	900	2000	(S)General Equipment(Incl. Mobile Devices)
RSHVX101M1TDE7002	φ6.3x7.7	25	100 uF	-55	135	0.03	1400	2000	(S)General Equipment(Incl. Mobile Devices)
RSHVX221M1TEH0002	φ8x10	25	220 uF	-55	135	0.022	1600	4000	(S)General Equipment(Incl. Mobile Devices)
RSHVX331M1TFH0002X	φ10x10	25	330 uF	-55	135	0.02	2000	4000	(S)General Equipment(Incl. Mobile Devices)
RSHVX561M1TFK5002X	φ10x12.5	25	560 uF	-55	135	0.018	3000	4000	(S)General Equipment(Incl. Mobile Devices)
RSHVX470M1GDC8002	φ6.3x5.8	35	47 uF	-55	135	0.06	900	2000	(S)General Equipment(Incl. Mobile Devices)
RSHVX680M1GDE7002	φ6.3x7.7	35	68 uF	-55	135	0.035	1400	2000	(S)General Equipment(Incl. Mobile Devices)
RSHVX151M1GEH0002	φ8x10	35	150 uF	-55	135	0.022	1600	4000	(S)General Equipment(Incl. Mobile Devices)
RSHVX271M1GFH0002X	φ10x10	35	270 uF	-55	135	0.02	2000	4000	(S)General Equipment(Incl. Mobile Devices)
RSHVX391M1GFK5002X	φ10x12.5	35	390 uF	-55	135	0.018	3000	4000	(S)General Equipment(Incl. Mobile Devices)
RSHVX220M1UDC8002	φ6.3x5.8	50	22 uF	-55	135	0.08	750	2000	(S)General Equipment(Incl. Mobile Devices)
RSHVX330M1UDE7002	φ6.3x7.7	50	33 uF	-55	135	0.04	1100	2000	(S)General Equipment(Incl. Mobile Devices)
RSHVX680M1UEH0002	φ8x10	50	68 uF	-55	135	0.03	1250	4000	(S)General Equipment(Incl. Mobile Devices)
RSHVX101M1UFH0002X	φ10x10	50	100 uF	-55	135	0.028	1600	4000	(S)General Equipment(Incl. Mobile Devices)
RSHVX151M1UFK5002X	φ10x12.5	50	150 uF	-55	135	0.024	2500	4000	(S)General Equipment(Incl. Mobile Devices)
RSHVX100M4EDC8002	φ6.3x5.8	63	10 uF	-55	135	0.12	700	2000	(S)General Equipment(Incl. Mobile Devices)
RSHVX220M4EDE7002	φ6.3x7.7	63	22 uF	-55	135	0.08	900	2000	(S)General Equipment(Incl. Mobile Devices)
RSHVX330M4EEH0002	φ8x10	63	33 uF	-55	135	0.04	1100	4000	(S)General Equipment(Incl. Mobile Devices)
RSHVX560M4EFH0002X	φ10x10	63	56 uF	-55	135	0.03	1400	4000	(S)General Equipment(Incl. Mobile Devices)
RSHVX101M4EFK5002X	φ10x12.5	63	100 uF	-55	135	0.026	2000	4000	(S)General Equipment(Incl. Mobile Devices)
RSHTX820M1EDC8002	φ6.3x5.8	16	82 uF	-55	135	0.045	950	2000	(S)General Equipment(Incl. Mobile Devices)
RSHTX151M1EDE7002	φ6.3x7.7	16	150 uF	-55	135	0.027	1450	2000	(S)General Equipment(Incl. Mobile Devices)
RSHTX271M1EEH0002	φ8x10	16	270 uF	-55	135	0.02	1700	4000	(S)General Equipment(Incl. Mobile Devices)
RSHTX471M1EFH0002X	φ10x10	16	470 uF	-55	135	0.018	2100	4000	(S)General Equipment(Incl. Mobile Devices)
RSHTX560M1TDC8002	φ6.3x5.8	25	56 uF	-55	135	0.05	900	2000	(S)General Equipment(Incl. Mobile Devices)
RSHTX101M1TDE7002	φ6.3x7.7	25	100 uF	-55	135	0.03	1400	2000	(S)General Equipment(Incl. Mobile Devices)
RSHTX221M1TEH0002	φ8x10	25	220 uF	-55	135	0.022	1600	4000	(S)General Equipment(Incl. Mobile Devices)
RSHTX331M1TFH0002X	φ10x10	25	330 uF	-55	135	0.02	2000	4000	(S)General Equipment(Incl. Mobile Devices)
RSHTX561M1TFK5002X	φ10x12.5	25	560 uF	-55	135	0.018	3000	4000	(S)General Equipment(Incl. Mobile Devices)
RSHTX470M1GDC8002	φ6.3x5.8	35	47 uF	-55	135	0.06	900	2000	(S)General Equipment(Incl. Mobile Devices)
RSHTX680M1GDE7002	φ6.3x7.7	35	68 uF	-55	135	0.035	1400	2000	(S)General Equipment(Incl. Mobile Devices)
RSHTX151M1GEH0002	φ8x10	35	150 uF	-55	135	0.022	1600	4000	(S)General Equipment(Incl. Mobile Devices)
RSHTX271M1GFH0002X	φ10x10	35	270 uF	-55	135	0.02	2000	4000	(S)General Equipment(Incl. Mobile Devices)
RSHTX391M1GFK5002X	φ10x12.5	35	390 uF	-55	135	0.018	3000	4000	(S)General Equipment(Incl. Mobile Devices)
RSHTX220M1UDC8002	φ6.3x5.8	50	22 uF	-55	135	0.08	750	2000	(S)General Equipment(Incl. Mobile Devices)
RSHTX330M1UDE7002	φ6.3x7.7	50	33 uF	-55	135	0.04	1100	2000	(S)General Equipment(Incl. Mobile Devices)
RSHTX680M1UEH0002	φ8x10	50	68 uF	-55	135	0.03	1250	4000	(S)General Equipment(Incl. Mobile Devices)
RSHTX101M1UFH0002X	φ10x10	50	100 uF	-55	135	0.028	1600	4000	(S)General Equipment(Incl. Mobile Devices)
RSHTX151M1UFK5002X	φ10x12.5	50	150 uF	-55	135	0.024	2500	4000	(S)General Equipment(Incl. Mobile Devices)
RSHTX100M4EDC8002	φ6.3x5.8	63	10 uF	-55	135	0.12	700	2000	(S)General Equipment(Incl. Mobile Devices)
RSHTX220M4EDE7002	φ6.3x7.7	63	22 uF	-55	135	0.08	900	2000	(S)General Equipment(Incl. Mobile Devices)
RSHTX330M4EEH0002	φ8x10	63	33 uF	-55	135	0.04	1100	4000	(S)General Equipment(Incl. Mobile Devices)
RSHTX560M4EFH0002X	φ10x10	63	56 uF	-55	135	0.03	1400	4000	(S)General Equipment(Incl. Mobile Devices)
RSHTX101M4EFK5002X	φ10x12.5	63	100 uF	-55	135	0.026	2000	4000	(S)General Equipment(Incl. Mobile Devices)
RSHVQ271M1EEH0002	φ8x10	16	270 uF	-55	150	0.02	740	1000	(S)General Equipment(Incl. Mobile Devices)
RSHVQ471M1EFH0002X	φ10x10	16	470 uF	-55	150	0.018	850	1000	(S)General Equipment(Incl. Mobile Devices)
RSHVQ221M1TEH0002	φ8x10	25	220 uF	-55	150	0.022	740	1000	(S)General Equipment(Incl. Mobile Devices)
RSHVQ331M1TFH0002X	φ10x10	25	330 uF	-55	150	0.02	850	1000	(S)General Equipment(Incl. Mobile Devices)
RSHVQ151M1GEH0002	φ8x10	35	150 uF	-55	150	0.022	710	1000	(S)General Equipment(Incl. Mobile Devices)

Part Number	Size (φDxL) [mm]	Rated Volt. [Vdc]	Capacitance	Temp Lower [°C]	Temp Upper [°C]	ESR(max) [Ω]	Rated Ripple (max)[mArms]	Endurance [hr]	Applications
RSHVQ271M1GFH0002X	φ10x10	35	270 uF	-55	150	0.02	830	1000	(S)General Equipment(Incl. Mobile Devices)
RSHVQ680M1UEH0002	φ8x10	50	68 uF	-55	150	0.03	660	1000	(S)General Equipment(Incl. Mobile Devices)
RSHVQ101M1UFH0002X	φ10x10	50	100 uF	-55	150	0.028	800	1000	(S)General Equipment(Incl. Mobile Devices)
RSHVQ330M4EEH0002	φ8x10	63	33 uF	-55	150	0.03	610	1000	(S)General Equipment(Incl. Mobile Devices)
RSHVQ560M4EFH0002X	φ10x10	63	56 uF	-55	150	0.028	710	1000	(S)General Equipment(Incl. Mobile Devices)
RSHTQ271M1EEH0002	φ8x10	16	270 uF	-55	150	0.02	740	1000	(S)General Equipment(Incl. Mobile Devices)
RSHTQ471M1EFH0002X	φ10x10	16	470 uF	-55	150	0.018	850	1000	(S)General Equipment(Incl. Mobile Devices)
RSHTQ221M1TEH0002	φ8x10	25	220 uF	-55	150	0.022	740	1000	(S)General Equipment(Incl. Mobile Devices)
RSHTQ331M1TFH0002X	φ10x10	25	330 uF	-55	150	0.02	850	1000	(S)General Equipment(Incl. Mobile Devices)
RSHTQ151M1GEH0002	φ8x10	35	150 uF	-55	150	0.022	710	1000	(S)General Equipment(Incl. Mobile Devices)
RSHTQ271M1GFH0002X	φ10x10	35	270 uF	-55	150	0.02	830	1000	(S)General Equipment(Incl. Mobile Devices)
RSHTQ680M1UEH0002	φ8x10	50	68 uF	-55	150	0.03	660	1000	(S)General Equipment(Incl. Mobile Devices)
RSHTQ101M1UFH0002X	φ10x10	50	100 uF	-55	150	0.028	800	1000	(S)General Equipment(Incl. Mobile Devices)
RSHTQ330M4EEH0002	φ8x10	63	33 uF	-55	150	0.03	610	1000	(S)General Equipment(Incl. Mobile Devices)
RSHTQ560M4EFH0002X	φ10x10	63	56 uF	-55	150	0.028	710	1000	(S)General Equipment(Incl. Mobile Devices)
RSHVY271M1EEH0002	φ8x10	16	270 uF	-55	150	0.02	740	2000	(S)General Equipment(Incl. Mobile Devices)
RSHVY471M1EFH0002	φ10x10	16	470 uF	-55	150	0.018	850	2000	(S)General Equipment(Incl. Mobile Devices)
RSHVY221M1TEH0002	φ8x10	25	220 uF	-55	150	0.022	740	2000	(S)General Equipment(Incl. Mobile Devices)
RSHVY331M1TFH0002	φ10x10	25	330 uF	-55	150	0.02	850	2000	(S)General Equipment(Incl. Mobile Devices)
RSHVY151M1GEH0002	φ8x10	35	150 uF	-55	150	0.022	710	2000	(S)General Equipment(Incl. Mobile Devices)
RSHVY271M1GFH0002	φ10x10	35	270 uF	-55	150	0.02	830	2000	(S)General Equipment(Incl. Mobile Devices)
RSHVY680M1UEH0002	φ8x10	50	68 uF	-55	150	0.03	660	2000	(S)General Equipment(Incl. Mobile Devices)
RSHVY101M1UFH0002	φ10x10	50	100 uF	-55	150	0.028	800	2000	(S)General Equipment(Incl. Mobile Devices)
RSHVY330M4EEH0002	φ8x10	63	33 uF	-55	150	0.03	610	2000	(S)General Equipment(Incl. Mobile Devices)
RSHVY560M4EFH0002	φ10x10	63	56 uF	-55	150	0.028	710	2000	(S)General Equipment(Incl. Mobile Devices)
RSHTY271M1EEH0002	φ8x10	16	270 uF	-55	150	0.02	740	2000	(S)General Equipment(Incl. Mobile Devices)
RSHTY471M1EFH0002	φ10x10	16	470 uF	-55	150	0.018	850	2000	(S)General Equipment(Incl. Mobile Devices)
RSHTY221M1TEH0002	φ8x10	25	220 uF	-55	150	0.022	740	2000	(S)General Equipment(Incl. Mobile Devices)
RSHTY331M1TFH0002	φ10x10	25	330 uF	-55	150	0.02	850	2000	(S)General Equipment(Incl. Mobile Devices)
RSHTY151M1GEH0002	φ8x10	35	150 uF	-55	150	0.022	710	2000	(S)General Equipment(Incl. Mobile Devices)
RSHTY271M1GFH0002	φ10x10	35	270 uF	-55	150	0.02	830	2000	(S)General Equipment(Incl. Mobile Devices)
RSHTY680M1UEH0002	φ8x10	50	68 uF	-55	150	0.03	660	2000	(S)General Equipment(Incl. Mobile Devices)
RSHTY101M1UFH0002	φ10x10	50	100 uF	-55	150	0.028	800	2000	(S)General Equipment(Incl. Mobile Devices)
RSHTY330M4EEH0002	φ8x10	63	33 uF	-55	150	0.03	610	2000	(S)General Equipment(Incl. Mobile Devices)
RSHTY560M4EFH0002	φ10x10	63	56 uF	-55	150	0.028	710	2000	(S)General Equipment(Incl. Mobile Devices)
RSHVK121M4EGL5005B	φ12.5x13.5	63	120 uF	-55	125	0.022	3000	6000	(S)General Equipment(Incl. Mobile Devices)

The names of series noted in the text are excerpted from part numbers that indicate the types and characteristics of the products, and therefore are neither product names nor trademarks.
MCOIL is a registered trademark or trademark of TAIYO YUDEN CO., LTD. in Japan and other countries.

For more details about TAIYO YUDEN product: <https://ds.yuden.co.jp/TYCOMPAS/or/searcherMain>