



Save power and reduce applied cost while increasing
system reliability and productivity

TE offers solutions for all of your motion and drives needs.



DESIGN NAVIGATOR

		Max Current Rating per Contact (A) ¹	Power & Signal Combined	Protection from EMI/RFI Noise	Speed & Determinism	High Vibration Performance	Thermal Performance	Quick Connect/ Disconnect	Miniaturization & Space Savings	Wire-to-Wire	Wire-to-Board	Board-to-Board	Standards
1	CONTROLLER / PLC SYSTEM												
	AMPLIMITE D-Subminiature Connectors	7.5	•	•	•	•		•	•	•	•	•	UL, CSA
	AMPMODU Board-to-Board & Wire-to-Board Conn.	1-3				•		•		•	•	•	UL, CSA
	CHAMP Board-to-Board & Wire-to-Board Conn.	1.0		•	•	•		•			•	•	UL, CSA, SCSI
	DIMM Sockets	N/A	•	•	•	•							JEDEC, Industry*
	DIP Switches	0.1				•							N/A
	Dynamic Series Wire-Applied Connectors	45				•		•			•	•	UL, CSA, TUV
	Eurocard Board-to-Board & Wire-to-Board Conn.	1.5	•	•	•	•				•	•	•	DIN 41612 & EIC 60603-2
	Free Height (FH) Board-to-Board Connectors	1.0		•	•	•			•				UL
	Force Guided Relays	8.0	•		•				•				UL, VDE, TUV, CQC, Industry*
	Industrial USB Connectors	1.5			•	•		•			•		UL, CSA, Industry*
	Micro-MaTch Board-to-Board & Wire-to-Board Conn.	1.5				•		•			•	•	UL
	Overvoltage Circuit Protection Devices	N/A			•	•	•		•				UL, CSA, TUV
	Precision Resistors	N/A				•			•				N/A
	Signal PCB Relays	2.0							•				UL, VDE, TUV, CQC, Industry*
	Tactile Switches	0.05				•			•				N/A
	Terminal Blocks & Strips	30				•		•			•		RU, CSA
	Z-STACK Board-to-Board Connectors	0.3		•	•	•			•			•	UL
2	DRIVE UNIT												
	AMPLIMITE D-Subminiature Connectors	7.5	•	•	•	•		•			•	•	UL, CSA
	AMPMODU Board-to-Board & Wire-to-Board Conn.	1-3				•		•		•	•	•	UL, CSA
	CHAMP Board-to-Board & Wire-to-Board Conn.	1.0		•	•	•		•			•	•	UL, CSA, SCSI
	CLOUDSPLITTER Connector System	1.5 signal 5.0 power	•					•		•			UL, cUL
	Dynamic Series Wire-Applied Connectors	45				•		•			•	•	UL, CSA, TUV
	Industrial Mini I/O Connector System	0.5		•	•	•		•	•		•		Cat5e
	Industrial RJ45 Connectors	0.5		•	•	•		•		•	•		UL, CSA, Cat5E, Cat6
	Industrial USB Connectors	1.5			•	•		•			•		UL, CSA, Industry*
	Micro-MaTch Board-to-Board & Wire-to-Board Conn.	1.5				•		•			•	•	UL
	Overvoltage Circuit Protection Devices	N/A			•	•	•		•				UL, CSA, TUV
	Precision Resistors	N/A				•			•				N/A
	Remote I/O Terminal System (RITS) Connectors	3.0			•	•		•			•		UL
	Signal PCB Relays	2.0							•				UL, VDE, TUV, CQC, Industry*
3	SYSTEM INTERFACE												
	AMP Power Series Wire-Applied Connectors	275				•		•		•			UL, CSA
	Circuit Breakers	0.2-50			•			•					UL, CSA, VDE
	Corcom Power Line Filters		Refer to the table below for product detail										UL, CSA, VDE
	Customized Cable Assemblies ²	N/A	•	•	•	•	•	•		•	•		UL, CSA, VDE, Industry*
	Identification & Labeling	N/A					•						UL, CSA, Industry*
	Panel Mount Relays	16				•		•					UL, CSA, VDE
	Power Triple Lock (PTL) Wire-Applied Connectors	20				•		•		•			UL, CSA, GWT
	Switches	20	•			•	•	•					UR, UL, CSA, VDDE
	Terminal Blocks & Strips	30				•		•	•		•		RU, CSA
	Terminals & Splices	30				•		•		•			UL, CSA, Industry*
	Universal MATE-N-LOK Wire-Applied Connectors	19			•	•	•	•		•	•	•	RU, CSA, UL, VDE
4	I/O (INPUT / OUTPUT)												
	Circular Plastic Connectors (CPC)	60	•			•		•		•	•	•	UL, CSA, VDE
	Customized Cable Assemblies ²	N/A	•	•	•	•	•	•		•	•	•	UL, CSA, VDE, Industry*
	Heavy Duty Connectors (HDC)	300	•	•	•	•		•		•	•		UL, CSA, SEV, VDE, DIN
	Identification & Labeling	N/A					•						UL, CSA, Industry*
	Industrial Ethernet Switches	0.5		•	•	•		•	•				UL, CSA
	Industrial RJ45 Connectors	0.5		•	•	•	•	•		•	•		UL, CSA, Cat5e, Cat6
	M8/M12 Connector System	5.0		•	•	•	•	•	•	•			UL, CSA
5	HMI / DISPLAY & CONTROL UNIT												
	Refer to the Innovative Solutions for Industrial Control Guide (document number 6-1773462-6) for information on products included in this subsystem												
6	MOTOR												
	Circular Plastic Connectors (CPC)	60	•			•		•		•	•	•	UL, CSA, VDE
	CLOUDSPLITTER Connector System	1.5 signal 5.0 power	•					•		•			UL, cUL
	Customized Cable Assemblies ²	N/A	•	•	•	•	•	•		•	•		UL, CSA, VDE, Industry*
	Hall Sensors / Resolvers	N/A			•	•							N/A
	Heavy Duty Connectors (HDC)	300	•	•	•	•		•		•	•		UL, CSA, SEV, VDE, DIN
	Industrial RJ45 Connectors	0.5		•	•	•		•		•	•		UL, CSA, Cat5e, Cat6
	MAG-MATE Terminals	N/A				•				•			UL
	Motorman Hybrid I/O Connectors	20	•	•				•	•		•		UL, CSA, VDE, Cat5e
	Power Resistors	N/A				•	•		•				N/A
	Universal MATE-N-LOK Wire-Applied Connectors	19				•		•		•	•	•	RU, CSA, UL, VDE
7	SENSING DEVICE												
	Circular Plastic Connectors (CPC)	60	•			•		•		•	•	•	UL, CSA, VDE
	CLOUDSPLITTER Connector System	1.5 signal 5.0 power	•					•		•			UL, cUL
	Hall Sensors / Resolvers	N/A			•	•							N/A
	M8/M12 Connector System	5.0		•	•	•		•	•	•			UL, CSA
	ARISO Contactless Connectivity	0.5	•			•	•	•	•				CE


CORCOM EMI/RFI POWER LINE FILTERS				
Series	Type	Rated Current / Voltage (max)	Agency Approvals	
FC Series	Single Phase	RFI Filter for Frequency Converters	6 - 50A / 250 VAC	UL
K Series		General Purpose RFI Filter	1 - 60A / 250 VAC	UL, CSA, VDE
AYC Series	Three Phase	WYE or Delta RFI Power Line Filter	16 - 200A / 480 VAC / 277 VAC	UL
BCF Series		Compact Delta RFI Filter	7 - 180A / 480 VAC / 277 VAC	UL, CSA, VDE

For a complete list of TE's Corcom EMI/RFI filters, visit: www.corcom.com

- ¹ May vary based on application and product selection
² Solves the same problems as the applied interconnect

UL - UL Listed
RU - Recognized Under
CSA - Canadian Standards Association
* Industry - Meets product specific industry standards
(see product page on te.com for more detail)

FEATURED PRODUCTS



Micro-MaTch Board-to-Board & Wire-to-Board Connectors

- Prevent fretting corrosion and allow for a longer-lasting connection with contact spring design
- Eliminate unnecessary movement in high-vibration applications with high force contact system
- Support wide variety of design options with extensive product offering

[Website](#)
[Catalog](#)
[Quick Reference Guide](#)
[eLearning Module](#)



Dynamic Series Wire-Applied Connectors

- Suitable for low signal to high power applications with a broad range of versatile contacts
- Save time and money with a centralized modular wiring system
- Prevent mismatching with keyed housings

[Website I](#)
[Website II](#)
[Catalog](#)
[Quick Reference Guide](#)



Relays

- Withstand extreme environments with high performance designs
- Design for delayed action with internal timer option
- Support system needs with various options from a single source


[Website I](#)
[Website II](#)
[Shortform Catalog](#)
[General Purpose & Signal Catalog](#)
[Product Line Card](#)



Terminal Blocks & Strips

- Easy assembly and expansion with modular design and interlocking features
- Support repeated connect/disconnect cycles with robust clamping technology
- Gain design flexibility with broad product offering


[Website](#)



Industrial Mini I/O Connector System

- Avoid mismatching with polarized housing options
- Increase reliability in high vibration environments with two points of contact
- Prevent unintentional plug pull-out with unique latching system

[Website](#)
[Catalog](#)



Remote I/O Terminal System (RITS) Connectors

- Improve performance over IDC connector with enlarged contact area and chisel piercing design
- Provide highly secure locking for cable-to-cable connection with lock lever design
- Save cost with general hand tool for easy termination

[Website I](#)
[Website II](#)
[Catalog](#)



Industrial RJ45 Connectors

- Support low cost, reliable connections with proven RJ45 interface and field installable option
- Ideal for high-vibration applications with high force contact system
- Achieve design flexibility with large product breadth including Field Installable and Push-Pull options

[Website I](#)
[Website II](#)
[Catalog](#)
[eLearning Module](#)

FEATURED PRODUCTS




2
6
7

CLOUDSPLITTER Connector System

- Offer both Cat 5e signal performance and DC power in a standard RJ45 package
- Provide PCB processing efficiency improvements with surface mount capability in a Cat 5e connector
- Achieve easy retrofit capability with acceptance of standard RJ45 plugs

[Website](#)
[Quick Reference Guide I](#)
[Quick Reference Guide II](#)




3

Power Triple Lock (PTL) Connectors

- Ensure contacts are fully seated and protect against contact backout with optional Terminal Position Assurance (TPA)
- Achieve connector system engagement in high vibration applications with Connector Position Assurance (CPA)
- Support a variety of application requirements with three levels of housing materials

[Website I](#)
[Website II](#)
[Quick Reference Guide](#)
[Whitepaper](#)
[Video](#)



4
6

Heavy Duty Connectors (HDC)

- Lower applied cost with quick and easy assembly options
- Gain machine configuration flexibility by combining power, signal and data circuits
- Withstand severe environmental conditions with IP68 configuration options

[Website](#)
[Catalog](#)



4
6

M8/M12 Connector System

- Save time and money with a complete standard portfolio of connectors, cable assemblies and passive I/O modules
- Design for applications exposed to harsh environments and extreme temperatures
- Provide a comprehensive industrial communications offering with customized solutions and cable assemblies

[Website](#)
[Catalog](#)
[Product Presentation](#)
[Data Sheet](#)



4
6
7

Circular Plastic Connectors (CPC)

- Achieve system efficiency by combining power and signal in a single interconnect
- Design for harsh environments where mechanical shock, moisture and debris are prevalent
- Accommodate quick and easy field repair with removable contacts and replaceable coupling ring

[Website](#)
[Catalog I](#)
[Catalog II](#)
[Product Presentation](#)
[Data Sheet](#)



6

Motorman Hybrid I/O Connectors

- Accommodate power and signal interconnections through a compact, rectangular housing design
- Convenient side access to interior housing for ease of installation in compact space
- Fulfill application needs with customizable design

[Website](#)
[Data Sheet](#)
[Video](#)



7

ARISO Contactless Connectivity

- Obtain freedom of movement including tilt, angle and misalignment with contactless connectivity
- Design for flexibility and cost savings by transferring power and signal through fluids, walls and thin barriers
- Build easy, on-the-fly connections – e.g. connecting remote I/Os or sensors on moving machine parts with quick contactless connections and immediate system response

[Website I](#)
[Website II](#)
[Flyer](#)
[Data Sheet](#)
[Video](#)

LET'S CONNECT

TE Connectivity (TE) is your motion & drives solution provider for electromechanical and electronic components. Whether you are designing a new system or retrofitting an existing system, this solutions guide will help you select the required components with easy access to additional online information through te.com. TE's product solutions support professional decentralization within your production facility making it easier to simplify or retrofit your machine architecture, save power and reduce applied cost while increasing system reliability and productivity.

Technical Support

te.com/support-center

Australia	+86 400-820-6015	Hungary	+36 1-2892040	Portugal	+34 91-6630420
Austria	+43 1-9056-0	India	+86 400-820-6015	Russia	+74 95-790-790-2200
Belgium	+31 73-6246999	Ireland	+1 800-882-391	Slovakia	+42 02-720-11102
Brazil	+55 11-2103-6000	Italy	+39 011-4012111	Slovenia	+38 615-602-132
China	+86 400-820-6015	Japan	+044-844-8052	South Africa	+97 150-457-0806
Czech Republic	+42 02-7201-1103	Korea	+02-3415-4607	Spain	+34 932-910-330
Denmark	+46 8-5072-5000	Latvia	+37 2-6778-673	Sweden	+46 8-5072-5000
Estonia	+37 2677-8673	Lithuania	+37 037426900	Switzerland	+41 71-447-0447
Finland	+46 8-5072-5000	Luxembourg	+31 73-6246999	Taiwan	+86 400-820-6015
France	+33 1-34-20-8686	Netherlands	+31 73-6246999	Turkey	+90 212-282-6053
Germany	+49 6151-607-1999	New Zealand	+86 400-820-6015	United Kingdom	+44 0800-267666
Greece	+97 1-4-347-0226	Norway	+46 8-5072-5000	United States of America	800-522-6752
Holland	+31 73-6246999	Poland	+48 22-4576750		

te.com

© 2014 TE Connectivity Ltd. family of companies. All Rights Reserved.

1-1773724-1 CIS CM 12/2014

AMP, AMPLIMITE, AMPMODU, CHAMP, Corcom, MAG-MATE, MATE-N-LOK, Micro-MaTch, Motorman, Z-STACK,

TE Connectivity and the TE connectivity (logo) are trademarks.

Other logos, product and company names mentioned herein may be trademarks of their respective owners.

While TE has made every reasonable effort to ensure the accuracy of the information in this brochure, TE does not guarantee that it is error-free, nor does TE make any other representation, warranty or guarantee that the information is accurate, correct, reliable or current.

TE reserves the right to make any adjustments to the information contained herein at any time without notice. TE expressly disclaims all implied warranties regarding the information contained herein, including, but not limited to, any implied warranties of merchantability or fitness for a particular purpose. The dimensions in this brochure are for reference purposes only and are subject to change without notice. Specifications are subject to change without notice. Consult TE for the latest dimensions and design specifications.