

Series	Package	Configuration	CH_ID	Channel	V _{DS} (V)	V _{GS} (V)	r _{DS(on)} @ 10 V(Ohms)	r _{DS(on)} @ 4.5 V(Ohms)	r _{DS(on)} @ 2.5 V(Ohms)	r _{DS(on)} @ 1.8 V(Ohms)	Q _g @ 10 V(nC)	Q _g @ 4.5 V(nC)	Q _{gs} (nC)	Q _{gd} (nC)	I _D Max.(A)	P _D Max.(W)	V _{GS(th)} min(V)	R _g Typ. (Ohms)
Si5468DC	1206-8 ChipFET	SINGLE		N	30	20	0.028	0.034			8	3.8	1.4	1.1	6	5.7	1	3.2
SUM90N04-3m3P	D2PAK (TO-263)	SINGLE		N	40	20	0.0033	0.0041			87		15.3	12.2	90	125	1	2.7
SUD42N03-3m9P	DPAK (TO-252)	SINGLE		N	30	20	0.0039	0.0045			67		10.5	12.2	42	73.5	1	1.4
SiE882DF	PolarPAK	SINGLE		N	25	20	0.0014	0.0018			96	46	18	12	60	125	1	1.1
SiE878DF	PolarPAK	SINGLE		N	25	20	0.0052	0.0068			24	11.2	4.2	3	45	25	1	1.2
SiE860DF	PolarPAK	SINGLE		N	30	20	0.0021	0.0028			70	34	14	9	60	104	1	0.9
SiE862DF	PolarPAK	SINGLE		N	30	20	0.0032	0.0041			48	23	8	6.8	50	104	1.2	1.4
SiE848DF	PolarPAK	SINGLE		N	30	20	0.0016	0.0022			92	43	17	11	60	125	1	1.1
SiE868DF	PolarPAK	SINGLE		N	40	20	0.0023	0.0029			95	45	17	12	60	125	1	1.1
SiZ300DT	PowerPAIR 3 x 3	DUAL N	2	N	30	20	0.011	0.0165			14.2	6.8	2.2	2.3	28	31	1	2.6
SiZ710DT	PowerPAIR 6 x 3.7	DUAL N	1	N	20	20	0.0068	0.009			11.5	6.9	2.4	1.7	16	27	1	1.3
SiZ710DT	PowerPAIR 6 x 3.7	DUAL N	2	N	20	20	0.0033	0.0043			38	18.2	6.6	4.8	35	48	1	0.8
SiZ728DT	PowerPAIR 6 x 3.7	DUAL N	2	N	25	20	0.0035	0.0048			42.5	20.5	7.7	6.4	35	48	1	0.8
SiZ728DT	PowerPAIR 6 x 3.7	DUAL N	1	N	25	20	0.0077	0.011			17	8.1	3	2.5	16	27	1	1
SiZ730DT	PowerPAIR 6 x 3.7	DUAL N	2	N	30	20	0.0039	0.0053			43	21.2	7	7.4	35	48	1	0.8
SiZ704DT	PowerPAIR 6 x 3.7	DUAL N	2	N	30	20	0.0135	0.017			15.4	7.3	2.3	2.2	16	30	1.2	0.8
SiZ704DT	PowerPAIR 6 x 3.7	DUAL N	1	N	30	20	0.024	0.03			8	3.8	1.4	1.1	12	20	1	3.2
SiZ730DT	PowerPAIR 6 x 3.7	DUAL N	1	N	30	20	0.0093	0.013			15.6	7.7	2.6	3	16	27	1	1
SiZ702DT	PowerPAIR 6 x 3.7	DUAL N	1	N	30	20	0.012	0.0145			14	6.8	2.6	1.9	16	27	1	2
SiZ702DT	PowerPAIR 6 x 3.7	DUAL N	2	N	30	20	0.012	0.0145			14	6.8	2.6	1.9	16	30	1	2
SiZ790DT	PowerPAIR 6 x 3.7	DUAL PLUS INTEGRATED SCHOTTKY	1	N	30	20	0.0093	0.013			15.6	7.7	2.6	3	16	27	1	1
SiZ790DT	PowerPAIR 6 x 3.7	DUAL PLUS INTEGRATED SCHOTTKY	2	N	30	20	0.0047	0.0059			36	17	5.7	5	35	48	1.1	0.9
SiZ904DT	PowerPAIR 6 x 5	DUAL N	1	N	30	20	0.024	0.03			8	3.8	1.4	1.1	12	20	1	3.2
SiZ904DT	PowerPAIR 6 x 5	DUAL N	2	N	30	20	0.0135	0.017			15.4	7.3	2.3	2.2	16	33	1.2	0.8
SiZ902DT	PowerPAIR 6 x 5	DUAL N	1	N	30	20	0.012	0.0145			14	6.8	2.6	1.9	16	29	1	2

Series	Package	Configuration	CH_ID	Channel	V _{bs} (V)	V _{gs} (V)	r _{DS(on)} @ 10 V(Ohms)	r _{DS(on)} @ 4.5 V(Ohms)	r _{DS(on)} @ 2.5 V(Ohms)	r _{DS(on)} @ 1.8 V(Ohms)	Q _g @ 10 V(nC)	Q _g @ 4.5 V(nC)	Q _{gs} (nC)	Q _{ge} (nC)	I _D Max.(A)	P _D Max.(W)	V _{GS(th)} min(V)	RgTyp. (Ohms)
SiZ902DT	PowerPAIR 6 x 5	DUAL N	2	N	30	20	0.0064	0.0083			43	21	8.1	6.5	16	66	1	1.5
SiZ910DT	PowerPAIR 6 x 5	DUAL N	1	N	30	20	0.0058	0.0075			26	12.5	4.7	4	40	48	1.2	2.6
SiZ910DT	PowerPAIR 6 x 5	DUAL N	2	N	30	20	0.003	0.0035			60	29	10	9.5	40	100	1	0.6
Si7228DN	PowerPAK 1212-8	DUAL		N	30	20	0.02	0.025			8.5	4.1	1.5	1.3	26	23	1	3.2
SiS454DN	PowerPAK 1212-8	SINGLE		N	20	20	0.0037	0.0054			35	18.5	5.2	7.4	35	52	1	0.9
SiS410DN	PowerPAK 1212-8	SINGLE		N	20	20	0.0048	0.0063			27	16.7	4.5	3.5	35	5.2	1.2	1.3
SiS438DN	PowerPAK 1212-8	SINGLE		N	20	20	0.0095	0.0125			15	7.3	2.2	2.1	16	27.7	1	0.9
SiS424DN	PowerPAK 1212-8	SINGLE		N	20	20	0.0064	0.0089			20	9.5	3.6	2.4	35	39	1	1.4
SiS436DN	PowerPAK 1212-8	SINGLE		N	25	20	0.0105	0.013			14.3	6.7	2	1.8	16	27.7	1	0.9
SiS430DN	PowerPAK 1212-8	SINGLE		N	25	20	0.0051	0.0069			26.5	13	4.6	4.1	35	52	1.2	1.5
SiS472DN	PowerPAK 1212-8	SINGLE		N	30	20	0.0089	0.0124			19.5	9.8	3.7	3.7	20	28	1.2	1.2
Si7114ADN	PowerPAK 1212-8	SINGLE		N	30	20	0.0075	0.0098			21	10.2	3.9	3.2	35	39	1.2	1.6
SiS412DN	PowerPAK 1212-8	SINGLE		N	30	20	0.024	0.03			8	3.8	1.4	1.1	12	15.6	1	3.2
SiS402DN	PowerPAK 1212-8	SINGLE		N	30	20	0.006	0.008			28	12	5.4	4.6	35	5.2	1	1.2
SiS456DN	PowerPAK 1212-8	SINGLE		N	30	20	0.0051	0.0068			36	18.5	4.7	7.5	35	52	1	0.9
SiS414DN	PowerPAK 1212-8	SINGLE		N	30	12		0.016	0.02		22	8.2	1.3	1.9	20	31	0.6	2.7
Si7716ADN	PowerPAK 1212-8	SINGLE		N	30	20	0.0135	0.0165			15.4	7.3	2.3	2.2	16	27.7	1.2	0.8
SiS434DN	PowerPAK 1212-8	SINGLE		N	40	20	0.0076	0.0092			25	12.5	3.9	3.9	35	52	1.2	1.3
SiS780DN	PowerPAK 1212-8	SINGLE PLUS INTEGRATED SCHOTTKY (SkyFET)		N	30	20	0.0135	0.0175			16.3	7.3	2.2	2	18	27.7	1	1.1
SiS782DN	PowerPAK 1212-8	SINGLE PLUS INTEGRATED SCHOTTKY (SkyFET)		N	30	20	0.0095	0.012			20.3	9.5	2.8	3.2	16	41	1	0.9
SiS778DN	PowerPAK 1212-8	SINGLE PLUS INTEGRATED SCHOTTKY (SkyFET)		N	30	20	0.005	0.0062			27.5	13.3	3.1	4.4	35	52	1	1.3

Series	Package	Configuration	CH_ID	Channel	V _{bs} (V)	V _{gs} (V)	r _{DS(on)} @ 10 V(Ohms)	r _{DS(on)} @ 4.5 V(Ohms)	r _{DS(on)} @ 2.5 V(Ohms)	r _{DS(on)} @ 1.8 V(Ohms)	Q _g @ 10 V(nC)	Q _g @ 4.5 V(nC)	Q _{gs} (nC)	Q _{ge} (nC)	I _D Max.(A)	P _D Max.(W)	V _{GS(th)} min(V)	RgTyp. (Ohms)
Si5906DU	PowerPAK ChipFET	DUAL		N	30	20	0.031	0.04			5.7	2.9	1	1.1	6	10.4	1.2	1.8
Si5456DU	PowerPAK ChipFET	SINGLE		N	20	20	0.01	0.0135			20	9.8	3.2	3.2	12	31	1	1.1
SiB410DK	PowerPAK SC-75	SINGLE		N	30	8		0.042	0.046	0.052	10	5.7	0.85	0.75	9	13	0.4	3
Si7272DP	PowerPAK SO-8	DUAL		N	30	20	0.0093	0.0124			17	8.2	3.2	2.7	25	22	1.2	3.5
Si7288DP	PowerPAK SO-8	DUAL		N	40	20	0.019	0.022			10	4.9	1.4	1.5	20	15.6	1.2	2.7
Si7938DP	PowerPAK SO-8	DUAL		N	40	20	0.0058	0.007			43	21	6.2	6.5	60	46	1	2.5
Si7998DP	PowerPAK SO-8	DUAL N	1	N	30	20	0.0093	0.0124			17	8.2	3.2	2.7	25	22	1.2	3.5
Si7998DP	PowerPAK SO-8	DUAL N	2	N	30	20	0.0053	0.007			32	15.3	6.3	4.7	30	40	1.2	3.5
SiR494DP	PowerPAK SO-8	SINGLE		N	12	20	0.0012	0.0017			98	50	16.5	15	60	104	1	1.05
SiR410DP	PowerPAK SO-8	SINGLE		N	20	20	0.0048	0.0063			27	16.7	4.5	3.5	35	36	1.2	1.3
SiR890DP	PowerPAK SO-8	SINGLE		N	20	20	0.0029	0.004			42	20	6.2	5.2	50	50	1	0.7
SiR866DP	PowerPAK SO-8	SINGLE		N	20	20	0.0019	0.0026			71	35.3	11.7	9.5	60	83	1.2	0.95
SiR440DP	PowerPAK SO-8	SINGLE		N	20	20	0.0016	0.002			100	43.5	13.5	12.5	60	104	1	1
SiR424DP	PowerPAK SO-8	SINGLE		N	20	20	0.0055	0.0074			22	9.6	3.5	2.9	30	41.7	1	1
SiR802DP	PowerPAK SO-8	SINGLE		N	20	12	0.005	0.0057	0.0076		32	15.5	3	3.6	30	27.7	0.6	0.75
SiR800DP	PowerPAK SO-8	SINGLE		N	20	12	0.0023	0.0026	0.0034		89	41	7.4	7.6	50	69	0.6	1.2
SiR404DP	PowerPAK SO-8	SINGLE		N	20	12	0.0016	0.0018	0.0023			64.5	11.4	12.1	60	104	0.6	1
SiR484DP	PowerPAK SO-8	SINGLE		N	20	20	0.0083	0.0115			15	7.1	2.7	1.6	20	29.8	1	1.9
SiR412DP	PowerPAK SO-8	SINGLE		N	25	20	0.012	0.015			10.7	4.9	1.4	1.4	20	15.6	1.2	2.7
SiR808DP	PowerPAK SO-8	SINGLE		N	25	20	0.0089	0.0119			15.2	7.5	2.3	2.1	20	29.8	1	1.3
SiR850DP	PowerPAK SO-8	SINGLE		N	25	20	0.007	0.009			19	8.4	3.3	2	30	41.7	1	1
SiR408DP	PowerPAK SO-8	SINGLE		N	25	20	0.0063	0.008			21.5	9.3	3.2	2.6	21.5	4.8	1	0.8
SiR436DP	PowerPAK SO-8	SINGLE		N	25	20	0.0046	0.0062			31	13	4.5	3.9	40	50	1	1

Series	Package	Configuration	CH_ID	Channel	V _{bs} (V)	V _{gs} (V)	r _{DS(on)} @ 10 V(Ohms)	r _{DS(on)} @ 4.5 V(Ohms)	r _{DS(on)} @ 2.5 V(Ohms)	r _{DS(on)} @ 1.8 V(Ohms)	Q _g @ 10 V(nC)	Q _g @ 4.5 V(nC)	Q _{gs} (nC)	Q _{ge} (nC)	I _D Max.(A)	P _D Max.(W)	V _{GS(th)} min(V)	RgTyp. (Ohms)
SiR406DP	PowerPAK SO-8	SINGLE		N	25	20	0.0038	0.0048			33	15.8	4.8	4.4	40	48	1.2	0.85
SiR892DP	PowerPAK SO-8	SINGLE		N	25	20	0.0032	0.0042			40	20	6.3	5.2	50	50	1	0.7
SiR862DP	PowerPAK SO-8	SINGLE		N	25	20	0.0028	0.0035			60	28.4	9.3	7	50	69	1.2	1.1
SiR438DP	PowerPAK SO-8	SINGLE		N	25	20	0.0018	0.0023			70	32.6	9.7	9.1	60	83	1	1
SiR472DP	PowerPAK SO-8	SINGLE		N	30	20	0.012	0.015			15	6.8	2.5	2.3	20	29.8	1.2	1.8
SiR172DP	PowerPAK SO-8	SINGLE		N	30	20	0.0089	0.0124			19.5	9.8	3.7	3.7	20	29.8	1.2	1.2
SiR462DP	PowerPAK SO-8	SINGLE		N	30	20	0.0079	0.01			20	8.8	3.5	2.2	30	41.7	1	1
SiR402DP	PowerPAK SO-8	SINGLE		N	30	20	0.006	0.008			28	12	5.4	4.6	50	36	1	1.2
SiR468DP	PowerPAK SO-8	SINGLE		N	30	20	0.0057	0.0076			29	13.8	5	4.6	40	50	1	1.1
SiR460DP	PowerPAK SO-8	SINGLE		N	30	20	0.0047	0.0061			36	16.8	5.1	5.2	40	48	1	0.85
SiR466DP	PowerPAK SO-8	SINGLE		N	30	20	0.0035	0.0051			42.5	21.5	6.9	7.1	40	54	1.2	0.8
SiR864DP	PowerPAK SO-8	SINGLE		N	30	20	0.0036	0.0045			43	20	5.9	5.8	40	54	1.2	1.1
SiR166DP	PowerPAK SO-8	SINGLE		N	30	20	0.0032	0.004			51	25	6.5	8.5	40	48	1.2	1.5
SiR818DP	PowerPAK SO-8	SINGLE		N	30	20	0.0028	0.0033			63	30.5	8.3	9.6	50	69	1	0.45
Si7658ADP	PowerPAK SO-8	SINGLE		N	30	20	0.0022	0.0028			74	34	12	10	60	83	1.2	0.8
SiR158DP	PowerPAK SO-8	SINGLE		N	30	20	0.0018	0.0023			87	41.5	10.6	13.8	60	83	1.2	0.7
SiR836DP	PowerPAK SO-8	SINGLE		N	40	20	0.019	0.0225			11.8	5.8	1.6	2.1	21	15.6	1.2	2.4
SiR426DP	PowerPAK SO-8	SINGLE		N	40	20	0.0105	0.0125			20.5	9.3	3.1	2.5	30	41.7	1.2	0.8
SiR422DP	PowerPAK SO-8	SINGLE		N	40	20	0.0066	0.008			32	16.1	4.5	5.6	40	34.7	1.2	0.8
SiR418DP	PowerPAK SO-8	SINGLE		N	40	20	0.005	0.006			50	24	6.5	7	40	39	1.1	0.7
SiR416DP	PowerPAK SO-8	SINGLE		N	40	20	0.0038	0.0042			59	28.2	7.7	9	50	69	1.2	1.1
SiR414DP	PowerPAK SO-8	SINGLE		N	40	20	0.0028	0.0032			78	38	13	11	50	83	1	0.7
SiR470DP	PowerPAK SO-8	SINGLE		N	40	20	0.0023	0.0027			102	45.5	13.8	14.4	60	104	1	1

Series	Package	Configuration	CH_ID	Channel	V _{DS} (V)	V _{GS} (V)	r _{DS(on)} @ 10 V(Ohms)	r _{DS(on)} @ 4.5 V(Ohms)	r _{DS(on)} @ 2.5 V(Ohms)	r _{DS(on)} @ 1.8 V(Ohms)	Q _g @ 10 V(nC)	Q _g @ 4.5 V(nC)	Q _{gs} (nC)	Q _{gsl} (nC)	I _D Max.(A)	P _D Max.(W)	V _{GS(th)} min(V)	RgTyp. (Ohms)
Si7774DP	PowerPAK SO-8	SINGLE PLUS INTEGRATED SCHOTTKY (SkyFET)		N	30	20	0.0038	0.0047			44	21.5	5.8	6.1	60	48	1	2.1
Si7794DP	PowerPAK SO-8	SINGLE PLUS INTEGRATED SCHOTTKY (SkyFET)		N	30	20	0.0034	0.0042			48	23	6.4	7.2	60	48	1	1.1
SiR774DP	PowerPAK SO-8	SINGLE PLUS INTEGRATED SCHOTTKY (SkyFET)		N	30	20	0.0026	0.0034			58	28.5	7.6	9.4	40	62.5	1	0.95
SiR798DP	PowerPAK SO-8	SINGLE PLUS INTEGRATED SCHOTTKY (SkyFET)		N	30	20	0.0021	0.003			86	41.6	12.5	12.8	60	83	1	0.7
Si7792DP	PowerPAK SO-8	SINGLE PLUS INTEGRATED SCHOTTKY (SkyFET)		N	30	20	0.0021	0.0026			90	41	11.8	12.6	60	104	1	0.9
Si1539CDL	SC70-6	N&P PAIR		N	30	20	0.388	0.525			1	0.55	0.2	0.2	0.7	0.34	1.2	3.7
Si1414DH	SC70-6	SINGLE		N	30	8		0.046	0.05	0.057	10	5.7	0.85	0.75	4	2.8	0.4	3
Si4340DDY	SO-14	DUAL PLUS INTEGRATED SCHOTTKY (SkyFET)	1	N	20	20	0.0085	0.0115			17.4	8.1	2.2	2.4	14.8	3	1	2.2
Si4340DDY	SO-14	DUAL PLUS INTEGRATED SCHOTTKY (SkyFET)	2	N	20	20	0.007	0.0095			17.8	8.4	2.6	2.5	22	5.4	1	2.6
Si4204DY	SO-8	DUAL		N	20	20	0.0046	0.006			30	14.5	4.5	3.9	19.8	3.25	1	1.4
Si4200DY	SO-8	DUAL		N	25	16	0.025	0.03			7.6	3.6	1.3	0.9	8	2.8	1	4.1
Si4228DY	SO-8	DUAL		N	25	12	0.018	0.02	0.024		16.5	7.8	1.6	1.7	8	3.1	0.6	2.5
Si4214DDY	SO-8	DUAL		N	30	20	0.0195	0.023			14.5	7.1	1.9	2.7	8.5	3.1	1.2	2.6
Si4202DY	SO-8	DUAL		N	30	20	0.014	0.017			11.2	5.4	1.6	1.6	12.1	3.7	1	2.5
Si4286DY	SO-8	DUAL		N	40	20	0.0325	0.04			6.8	3.3	1	1.1	7	2.9	1	3.7
Si4288DY	SO-8	DUAL		N	40	20	0.02	0.023			10	4.9	1.5	1.5	9.2	3.1	1.2	2.7
Si4276DY	SO-8	DUAL N	2	N	30	20	0.028	0.034			7.3	3.6	1.1	1.3	8	2.8	1.2	2.6
Si4276DY	SO-8	DUAL N	1	N	30	20	0.0153	0.0184			17.2	8.4	3	2.6	8	3.6	1.2	3.1
Si4501BDY	SO-8	N&P PAIR		N	30	20	0.017	0.02			16.5	7.9	2.2	2.7	12	4.5	0.8	1.1
Si4564DY	SO-8	N&P PAIR		N	40	16	0.0175	0.02			20.5	9.8	2.6	2.6	10	3.1	0.8	1.5
Si4186DY	SO-8	SINGLE		N	20	20	0.0026	0.0032			60	28.7	8.9	7.4	35.8	6	1.2	1.2
Si4136DY	SO-8	SINGLE		N	20	20	0.002	0.0025			73	34	11	9	46	7.8	1	1.5
Si4666DY	SO-8	SINGLE		N	25	12	0.01	0.011	0.014		22.4	10.7	1.9	2.2	16.5	5	0.6	0.6
Si4178DY	SO-8	SINGLE		N	30	25	0.021	0.033			7.5	3.7	1.6	1.3	12	5	1.4	2.6
Si4134DY	SO-8	SINGLE		N	30	20	0.014	0.0175			15.4	7.3	2.3	2.2	14	5	1.2	0.8
Si4172DY	SO-8	SINGLE		N	30	20	0.012	0.015			15	6.8	2.5	2.3	15	4.5	1.2	1.8
Si4174DY	SO-8	SINGLE		N	30	20	0.0095	0.013			18	8	2.4	2.3	17	5	1	1.3
Si4162DY	SO-8	SINGLE		N	30	20	0.0079	0.01			20	8.8	3.5	2.2	19.3	5	1	1
Si4156DY	SO-8	SINGLE		N	30	20	0.006	0.008			28	12	5.4	4.6	24	6	1.15	1.2
Si4168DY	SO-8	SINGLE		N	30	20	0.0057	0.0076			29	13.8	5	4.6	24	5.7	1	1.1
Si4160DY	SO-8	SINGLE		N	30	20	0.0049	0.0063			36	16.8	5.1	5.2	25.4	5.7	1	0.85

Series	Package	Configuration	CH_ID	Channel	V _{bs} (V)	V _{gs} (V)	r _{DS(on)} @ 10 V(Ohms)	r _{DS(on)} @ 4.5 V(Ohms)	r _{DS(on)} @ 2.5 V(Ohms)	r _{DS(on)} @ 1.8 V(Ohms)	Q _g @ 10 V(nC)	Q _g @ 4.5 V(nC)	Q _{gs} (nC)	Q _{ge} (nC)	I _D Max.(A)	P _D Max.(W)	V _{GS(th)} min(V)	RgTyp. (Ohms)
Si4166DY	SO-8	SINGLE		N	30	20	0.0039	0.0055			42.5	21.5	6.9	7.1	30.5	6.5	1.2	0.8
Si4164DY	SO-8	SINGLE		N	30	20	0.0032	0.0039			62	26.5	8.5	7.3	30	6	1.2	1.1
Si4126DY	SO-8	SINGLE		N	30	20	0.0028	0.0034			70	30	10.2	7.4	39	7.8	1	1.4
Si4154DY	SO-8	SINGLE		N	40	20	0.0033	0.0039			70	32.5	9.7	8.6	36	7.8	1	1.25
Si4776DY	SO-8	SINGLE PLUS INTEGRATED SCHOTTKY (SkyFET)		N	30	20	0.016	0.02			11.6	5.5	1.5	1.9	11.9	4.1	1	0.8
Si4714DY	SO-8	SINGLE PLUS INTEGRATED SCHOTTKY (SkyFET)		N	30	20	0.0135	0.0175			16.3	7.3	2.2	2	13.6	4.5	1	1.1
Si4774DY	SO-8	SINGLE PLUS INTEGRATED SCHOTTKY (SkyFET)		N	30	20	0.0095	0.012			20.3	9.5	2.8	3.2	16	5	1	1
Si4752DY	SO-8	SINGLE PLUS INTEGRATED SCHOTTKY (SkyFET)		N	30	20	0.0055	0.0076			28.5	13.8	4.2	3.8	25	6.25	1	1.4
Si4628DY	SO-8	SINGLE PLUS INTEGRATED SCHOTTKY (SkyFET)		N	30	20	0.003	0.0038			58	27.5	8.3	7.5	38	7.8	1	1.7
Si2336DS	SOT-23	SINGLE		N	30	8		0.042	0.046	0.052	10	5.7	0.85	0.75	5.2	1.8	0.4	3
Si2366DS	SOT-23	SINGLE		N	30	20	0.036	0.042			6.4	3.2	1.1	1.3	5.8	2.1	1.2	3.5
Si2338DS	SOT-23	SINGLE		N	30	20	0.028	0.033			8.2	4.2	1.4	1.4	6	2.5	1.2	12.6
Si2318CDS	SOT-23	SINGLE		N	40	20	0.042	0.051			5.8	2.9	1.1	0.9	5.6	2.1	1.2	3.3
SUP50N03-5m1P	TO-220	SINGLE		N	30	20	0.0051	0.0063			44	11.7	7	6.7	50	59.5	1	2
SUP85N03-3m6P	TO-220	SINGLE		N	30	20	0.0036	0.0044			67		10.5	12.2	85	78.1	1	1.4
SUP90N04-3m3P	TO-220	SINGLE		N	40	20	0.0033	0.0041			87		15.3	12.2	90	125	1	2.7
Si3585CDV	TSOP-6	N&P PAIR		N	20	12		0.058	0.078			1.6	0.3	0.4	3.9	1.4	0.6	4.8
SiA444DJT	Thin PowerPAK SC-70	SINGLE		N	30	20	0.017	0.022			10	5	1.5	1.7	12	19	1	3.5