




# Delphi Connectors

[www.tti.com](http://www.tti.com)

Search Delphi  
Connectors



# Delphi Connection Systems

## A World Leader in Automotive/Transportation Connector Systems is Available from the World's Leading Connector Specialist.

TTI, Inc. has a strategic business unit that focuses on the global transportation market. Delphi Connection Systems has a reputation for producing high quality electrical and electronic connectors that meet and exceed customer requirements. Together, these industry leaders provide extensive product inventory and superior service from product-knowledgeable experts. TTI and Delphi – now you have a choice!

# DELPHI



- Extensive Product Portfolio
- Full Service Provider
- Leading Edge Interconnect Technologies
- Expertise in Multi-industry Connector Applications
- Integrated Systems Approach
- Development of Customer-Focused Solutions
- Service that Exceeds Customers' Expectations
- Strong Global Presence
- World Class Connector Line Card
- Product Knowledgeable Experts
- Local Sales and Product Support
- Broad and Deep Inventory Profile
- Leading Edge Technology Products & Supplies
- Value Added Solutions
- Full Customized Connector Capability
- Dedicated 200,000 square foot Connector Facility
- Full Suite of Supply Chain Services
- Quality and Reliability
- 98% On-Time Delivery



*Delphi's Headquarters in Troy, Michigan*





*TTI's 200,000 square foot Connector Operations Center in Fort Worth, Texas*



**TTI, Inc. — Never Short on Solutions**

1-800-CALL-TTI [www.ttiinc.com](http://www.ttiinc.com)





## CONNECTOR FAMILY

### Metri-Pack

### GT

### RF Coax Cable Assemblies

### Weather Pack

## CONNECTOR TYPE

- 150 Series
- 280 Series
- 480 Series
- 630 Series
- 800 Series
- Headers
- Junction
- Mixed

- 150
- 280
- Headers
- Lever Lock
- Mixed
- SlimLine

- Coaxial Cables

- Pin and Sleeve

## FEATURES & BENEFITS

- Extended product range offers significant design and application versatility
- Used in high current to low energy circuits for electrical versatility
- Strength and stability of terminals help assure correct alignment
- Utilizes internationally standard male blade sizes for design flexibility
- Connector Position Assurance (CPA) and Terminal Position Assurance (TPA) for superior connection reliability
- Sealed version for excellent resistance to temperatures, chemicals, and abrasion
- Testing to SAEJ2030

- Tangless terminals for durable design
- Low engage force for improved reliability and ergonomics
- Pump-handle primary lock for lower engage and easy disassembly
- Secondary lock, Connector Position Assurance (CPA) and Terminal Position Assurance (TPA) capabilities for improved system design
- Mates to ISO, SAE blades for compatibility
- Conforms to USCAR design footprint for broad application flexibility
- Cam lever/mechanical assist for hand engage/disengage
- Optimized content packaging for electrical performance equal to less space efficient terminations
- Pre-staged male blade stabilizer for superior male blade protection
- Mixed terminal capability for design flexibility
- Protected seal interface for superior connection reliability

- Flexible manufacturing cells allow high volume/low mix and low volume/high mix
- Extensive experience in transportation E/E Architecture design and manufacturing
- Fully-certified testing/validation lab
- Full participation in global standards activities

- Sealed system specifically designed to withstand exposure to extreme temperatures, chemicals, and fluids
- Pin and sleeve configuration to alleviate stress relaxation
- Secondary lock and Connector Position Assurance (CPA) for improved system design
- Dual-locking tangs on terminals help prevent backing out
- Terminal plugging requires no orientation
- Positive locking indexing prevents mismatching of connectors
- Low energy, low voltage capability for vehicle electronics

## TYPICAL MARKETS

- Commercial Vehicles
- Marine

- Commercial Vehicles
- Marine

- Agriculture
- Commercial Vehicles
- Construction
- Marine
- Motorcycles

- Commercial Vehicles
- Marine

## TYPICAL APPLICATIONS

- Flat blade connections for electronic through high current applications

- Ergonomic connections for in-line, device, header, and bulkhead applications

- Ground position sensors and antenna applications

- Proven harsh environmentally-sealed connections





# Automotive and Transportation



## CONNECTOR FAMILY

### 064

### Micro-Pack

### Heavy Duty 1.0mm Vane

### Power Pack 2000

## CONNECTOR TYPE

- Headers
- Micro64
- MicroHVT
- MTS
- MTS-B

- 100 Series (unsealed)
- 100W Series (sealed)
- Headers

- 1.0mm Vane Terminals
- 50-way and 60-way Configurations
- Female Harness Connector
- Mating Header

- Inline
- Right Angle
- Panel Mount Headers

## FEATURES & BENEFITS

- Unlimited number of rows and columns with 2.54mm centerline spacing to accommodate more terminals in less space
- Pin and box tangless female terminal for reliable sealing and easy repair
- Robust terminal interface design for continuous 7A current capability with either a square or round pin
- Non-oriented female terminal to simplify insertion
- Sealed and unsealed versions
- Industry standard design for flexibility
- Validated for high density commercial vehicle electronics
- Cam lever/mechanical assist, Connector Position Assurance (CPA), secondary lock, and wire dress available for improved system design
- 360° orientation available
- Conforms to USCAR design footprint for broad application flexibility

- Low energy (<5 amps), high density capabilities allow many electronic signals to be accommodated in one space-saving connector
- Filtered or shielded systems protect against electromagnetic interference (EMI)
- 3.0mm to 3.5mm centerlines accommodate applications where space is limited
- Mechanical assist and bolt-together designs enable ergonomic assembly/disassembly
- Improved one-piece (vs. two-piece) female terminal for sealed applications
- Sealed version for excellent resistance to temperatures, chemical, and abrasion (100W)
- Connector Position Assurance (CPA) and Terminal Position Assurance (TPA) for superior connection reliability

- Four contact points supported and protected by an external shield can
- Tin-plated terminal with selective gold plating at the contact interface
- Capable of 7.5 amps at 125°C
- Able to withstand vibration requirements of 29.5g RMS
- Unique pre-stage feature aids in ensuring terminals are fully sealed

- Current carrying capability up to 200 amps at 105°C
- Hand engage/disengage for one-way connectors to eliminate tools and save space and cost
- Mates with both a single blade style terminal and itself for easy application to device connectors
- Individually-sealed terminal cavities for environmental protection to the terminal contact areas and arcing protection
- Silver plating to withstand 155°C
- Connector Position Assurance (CPA) and Terminal Position Assurance (TPA) for superior connection reliability
- Conforms to USCAR design footprint for broad application flexibility

## TYPICAL MARKETS

- Commercial Vehicles
- Marine
- Motorcycles

- Commercial Vehicles
- Marine

- Commercial Vehicles

- Commercial Vehicles
- Hybrid Vehicles
- Industrial Applications


## TYPICAL APPLICATIONS


- High density connections for commercial vehicle and transportation electronics

- 1mm pin connections for low power and electronic devices

- Engine controllers, ABS modules, transmission controllers, and other devices requiring large I/O

- High power connection for 0V-600V AC/DC power systems for commercial on-road and off-road vehicles, hybrid vehicles, and industrial applications





**CONNECTOR FAMILY**

**Data Connectivity**

**Modular Electrical Center**

**High-Voltage/Hybrid Connections**

**Additional Components**

**CONNECTOR TYPE**

- Ports
- Hubs
  - Auxiliary Jacks
  - SD Cards
  - USB
  - Cables and Connections
- USCAR Mini-B Headers

- Micro-relay
- Mini-relay
- Maxi-fuse
- Mini-fuse

- Connections designed for 42V-600V DC and AC
- Minimum shielding effectiveness of 40dB (150kHz to 200MHz) ensures EMI protection
- Connection Systems to Handle Wide Current Ranges

- Assembly Coverings and Channels
- Brackets, Clamps and Clips
- Cable Seals
- Fuse Holders and Lamp Sockets
- Ring and Battery Terminals
- Splice Savers
- 56, 58, and 59 Series Connectors

**FEATURES & BENEFITS**

- Customer convenience
- Interface designed for high mate/unmate cycles to provide strong, robust construction and enhanced reliability
- Engineered for various data protocols
  - 1394
  - MOST
  - USB
- Designed to meet commercial and specialty vehicle applications standards

- Offers the versatility of custom designs, with the economics of off-the-shelf modules
- All mini- and maxi-fuse centers have bussing capability to reduce the number of leads required
- All mini- and micro-relays are designed for motor and resistive load applications and are a "plug-in" type of relay designed for use in electrical centers
- All modular electrical centers utilize secondary lock combs that are custom designed to match the module

- Shielding connection to control radiated emissions and EMI
- Terminal cavities isolated to protect against short circuit between high voltage terminals
- HVIL (Hazardous Voltage Interlock) available to protect during service operation
- Systems offering internal and external shielding
- Panel mount header with mating harness connector
- Custom designed connection systems to meet customer specifications
- Shield interface sealed from environment (no galvanic degradation)
- Leverage product development expertise to address all on- and off-road requirements

- Durable and proven designs
- Harness attachment devices designed for automotive and transportation products
- Ergonomic and assembly efficient designs including orientation features
- Custom designed solutions for customer specific applications

**TYPICAL MARKETS**

- Agriculture
- Commercial Vehicles
- Construction
- Marine
- Motorcycles

- Agriculture
- Buses
- Commercial Vehicles
- Lawn and Garden
- Marine
- RVs

- Commercial Vehicles

- Automotive
- Commercial Vehicles
- Marine

**TYPICAL APPLICATIONS**

- Applications requiring interface with an array of onboard information and entertainment systems

- Full range of power distribution applications, including stringent underhood environments

- High 300V battery pack, inverter modules, control modules, belt-driven accessories, power distribution center, BEC, transmission, power steering

- General automotive and transportation electrical distribution attachment needs



# 1-800-CALL-TTI There's a TTI location near you.

## Global Headquarters

TTI, Inc.  
2441 Northeast Parkway  
Fort Worth, Texas 76106  
(817) 740-9000  
(817) 740-9898 Fax

[www.ttiinc.com](http://www.ttiinc.com)

## European Headquarters

TTI, Inc.  
Ganghoferstr. 34  
82216 Maisach-Gernlinden  
Germany  
+49 8142 6680-0  
+49 8142 6680-490 Fax

[www.ttiEurope.com](http://www.ttiEurope.com)

## Asian Headquarters

TTI Electronics Asia Pte. Ltd.  
10 Changi South Lane  
#02-01 OSSIA Building  
Singapore 486162  
(65) 6788-9200  
(65) 6788-9300 Fax

[www.ttiAsia.com](http://www.ttiAsia.com)

## Alabama

Huntsville (256) 721-1597

## Arizona

Tempe (602) 431-1191  
Tucson (520) 624-6929

## California

Los Angeles (818) 407-8000  
Orange County (714) 505-4857  
Sacramento (916) 987-4600  
San Diego (858) 748-2025  
San Fernando Valley (818) 407-8000  
San Francisco (415) 391-1669  
San Jose (510) 668-0830  
Santa Barbara (805) 963-8857

## Colorado

Denver (303) 427-0241

## Connecticut

Wallingford (203) 949-6262

## Florida

Fort Lauderdale (954) 761-8177  
Orlando (407) 273-6977  
Tampa/Clearwater (813) 855-6619

## Illinois

Chicago (847) 884-6500

## Indiana

Indianapolis (317) 636-5600

## Kansas

Kansas City (913) 789-6427  
Wichita (316) 262-7711

## Massachusetts

Boston (978) 851-2000

## Maryland

Baltimore (410) 995-6627  
D.C. Area (301) 621-8006

## Michigan

Detroit (216) 524-2810  
Grand Rapids (616) 243-5600

## Minnesota

Minneapolis (952) 829-7200

## Missouri

Saint Louis (314) 878-2228

## New Jersey

N. Jersey/Morris County (973) 644-9644  
S. Jersey/Philadelphia (856) 234-6400

## New Mexico

Albuquerque (505) 888-3260

## New York

Binghamton (607) 723-9180  
Buffalo (716) 842-2692  
Long Island/NYC Metro (631) 737-2000  
Rochester (585) 232-4470  
Syracuse (315) 426-1228  
Upstate NY (203) 949-6262

## North Carolina

Raleigh (919) 876-8922

## Ohio

Cleveland (216) 524-2810  
Columbus (614) 848-5770  
Dayton (937) 885-6270

## Oregon

Portland (503) 644-4560

## Pennsylvania

Philadelphia (215) 546-4611  
Pittsburgh (412) 281-4644

## Texas

Austin (512) 478-8612  
Fort Worth (972) 594-5900  
Houston (713) 339-2700

## Utah

Salt Lake City (801) 364-3400

## Virginia

Richmond (804) 775-2130

## Washington

Seattle (425) 882-0291

## Wisconsin

New Berlin (262) 797-9265

## Canada

Montreal (514) 426-1212  
Ottawa (613) 567-7122  
Toronto (905) 850-3003  
Canada 1-800-225-5884  
(For your closest office)

## Latin America

Mexico (only) 001-800-225-5884  
Puerto Rico 1-800-225-5884  
U.S. (817) 624-6380  
U.S. Fax (817) 624-6383

## European Sales Locations

Vienna, Austria  
Brno, Czech Republic  
Copenhagen, Denmark  
Brive, France  
Dortmund, Germany  
Hanover, Germany  
Munich, Germany  
Stuttgart, Germany  
High Wycombe, Great Britain  
Budapest, Hungary  
Ra'anana, Israel  
Bologna, Italy  
Milan, Italy  
Padua, Italy  
Eindhoven, Netherlands  
Kwidzyn, Poland  
Cluj Napoca, Romania  
North Lanarkshire, Scotland  
Bratislava, Slovakia  
Honeydew, South Africa  
Barcelona, Spain  
Bibao, Spain  
Gothenburg, Sweden  
Stockholm, Sweden  
Baar, Switzerland  
Istanbul, Turkey  
Essex, United Kingdom

## Asian Sales Offices

Hong Kong  
Shanghai  
Shenzhen  
Singapore  
Taiwan  
Thailand



NEVER SHORT ON  
SOLUTIONS



Supplier Authorized  
Distributor

ISO 9001:2000  
Registered