



Amphenol PCD

Engineering Change Request		ECR Number	R10541W
Initiator:	Domen	Date:	2026.07.30
Part number description			
Item	K3 Code material part numbers	Drawing/ Doc Number	Version of current related document
1	See list		
2			
3			
Reason of change: ☐ Customer requirement (list the feasibility analysis of customer specification: _____) ☐ Supplier request (list the PCR number: _____) ☒ internal improvement ☐ corrective ☐ other <u>Please describe here in detail: To improve compatibility with charging sockets and plug holders on the market that are not fully compliant with the J1772 standard, the locking force of the plug's mechanical latch has been increased.</u>			
Change level and impact assessment (Please tick in the appropriate position)			
Change level	Change content	Concerned area(Shenzhen, Hermosillo, Chennai)	Whether to notify the customer
Level 1	☐ Operator change ☐ Correct the clerical errors of the drawing, BOM, etc., and this change will not affect the production process		☐ It is not necessary to notify the customer for approval
Level 2	☐ Change of Main production equipment or tools/Jigs		☒ <u>Customers should be notified for approval</u> ☐ <u>It is not necessary to notify the customer for approval, the reasons are as follows:</u>
	☐ Change of main measuring equipment or tools/Jigs		
	☐ Appearance changes that do not affect product functions		
	☐ Changes in production process or processing technology		
	☐ Product structure or specification changes that have not been transferred to mass production		
	☒ Product structure or specification changes that have been transferred to mass production		
Level 3	☐ Supplier's production process change or supplier's production site change or addition or replacement of suppliers		☐ Customers should be notified for approval
	☐ Change of production site		
	☐ Product material changes		
	☐ Change of packaging method		
	☐ Changes proposed by the customer		

Amphenol PCD

Before change 1./ 	After change 1. Increased Spring Tension 	
Disposition of old materials ☐ Rework ☒ Use as it is ☐ scrap ☐ Other (please describe): _____ ☐ N/A		Expect date to switch to new material
Approval by the supervisor of requester.: <i>Jack Derek</i>	Approval by the head manager of the request dept.: <i>Ching</i>	
Customer approval: ☐ Approved ☐ No approved ☐ Conditional approval (please describe) : Signature: _____ Date: _____		
Remark:		

CAUTION: This email is from an EXTERNAL source.

Dear Customer,

To improve compatibility with charging sockets and plug holders on the market that are not fully compliant with the J1772 standard, the locking force of the plug's mechanical latch has been increased.

Attached pls find the ECR, pls kindly note and help inform your end customer to sign back within 2 weeks if no problem, no response **within 2 weeks** will be deemed as consent.

Thank you

Related your PN as below:

P/N	Description
HVCOSAEM200AL5000	COMBO1/200A*70SQ/5000MM/CABLE
HVCOSAEM350AML7000	GEN2 CCS1 CONNECTOR 350A 1000V 7M 4X0AWG
HVCOSAEM250AL6500	HVCO SAE/PLUG/250A/ 2/0AWG CABLE ASSEMBLY L=6500MM
HVCOSAEM250AL5000	SAE 250A PLUG/HVCOSAEM250AL5000/L=5M/CABLE ASSEMBLY
HVCOSAEM300AL10000	300A HVCOSAEM300AL10000
HVCOSAEM300AL5000	SAE COMBO PLUG 300A 1KV CABLE ASSEMBLY L=5M/HVCOSAEM300AL5000
HVCOSAEM125AL5000	HVCO/PLUG/SAE/125A /5M CABLE ASSEMBLY
HVCOSAEM400AML10000	GEN2 CCS1 CONNECTOR 400A 1000V 10M 4X0AWG
P08B006769	GEN2 CCS1 CONNECTOR 400A 1000V 6M 4X0AWG
P08B009914	GEN2 CCS1 CONNECTOR 400A 1000V 6.5M 4X0AWG
HVCOSAEM400AML7000	CCS1 400A PLUG/HVCOSAEM400AML7000/L=7M CABLE ASSEMBLY
HVCOSAEM400AML5000	CCS1 400A PLUG/HVCOSAEM400AML5000

HVCOSAEM200AML6500	CCS1 200A PLUG/HVCOSAEM200AML6500/L=6.5M CABLE ASSEMBLY
HVCOSAEM200AML7000	GEN2 CCS1 CONNECTOR 200A 1000V 7M 2X0AWG
HVCOSAEM400AL7000	CCS1 400A PLUG/HVCOSAEM400AL7000/L=7M CABLE ASSEMBLY

Sandy Xia | Amphenol PCD Shenzhen