

NO: CON – 108A DATE: February 2026	PRODUCT: Misc. XM3, XW4, XG2, XG4 and XJ8 Connectors TYPE: DISCONTINUATION - PARTIAL
---	---

PARTIAL DISCONTINUATION

Misc. XM3, XW4, XG2, XG4 and XJ8 Connectors

OMRON will discontinue select part numbers within the XW4, XG2, XG4, XM3, XJ8 series of connectors at the end of February, 2027. Should you have any questions or requests, however, please communicate with the Connector Product Manager.

LAST ORDER DATE (Last Time Buy Date)
End of February 2027 (Friday, February 26, 2027)

Discontinued Models:

Discontinued Model	Suggested Replacement
D-Sub Connectors XM3C-0922-231 BY OMZ XM3F-1520-122 BY OMZ XM3F-1520-506 BY OMZ XM3F-2520-506 BY OMZ XM3F-3720-506 BY OMZ	None
Extraction Tools for XW4 Connectors XW4Z-00A XW4Z-00B XW4Z-00C	
Flat Ribbon Cable End Termination, PCB Mount. XG2A-1401-G	
2-Tier, Right Angle, PCB Mount, Flat Ribbon Cable Plug XG4A-5039	
2-Row PCB Mount Header XJ8B-0241	2-Row PCB Mount Header XG8S-0241

NOTE: The entire XM3, XW4, XG2, XG4 and XJ8 series of Connectors are not being discontinued. Only the models listed are being discontinued.

Differences from discontinued product:

Suggested Replacement Model	Body Color	Dimensions	Wire connection	Mounting Dimensions	Characteristics	Operation ratings	Operation methods
XG8S-0241	**	*	**	**	-	**	**

** : Compatible
 * : The change is a little/Almost compatible
 -- : Not compatible
 - : No corresponding specification

Dimensions

Discontinued Product	Suggested Replacements																																														
XJ8B-0241	XG8S-0241																																														
<p>Dimensions</p> <table border="1"> <thead> <tr> <th rowspan="2">No. of contacts</th> <th colspan="2">Dimensions (mm)</th> </tr> <tr> <th>A</th> <th>B</th> </tr> </thead> <tbody> <tr> <td>2</td> <td>5.1</td> <td>2.54</td> </tr> <tr> <td>3</td> <td>7.6</td> <td>5.08</td> </tr> <tr> <td>4</td> <td>10.2</td> <td>7.62</td> </tr> <tr> <td>8</td> <td>20.3</td> <td>17.78</td> </tr> <tr> <td>16</td> <td>40.6</td> <td>38.10</td> </tr> </tbody> </table>	No. of contacts	Dimensions (mm)		A	B	2	5.1	2.54	3	7.6	5.08	4	10.2	7.62	8	20.3	17.78	16	40.6	38.10	<p>Dimensions</p> <table border="1"> <thead> <tr> <th rowspan="2">No. of contacts</th> <th colspan="2">Dimensions (mm)</th> </tr> <tr> <th>A</th> <th>B</th> </tr> </thead> <tbody> <tr> <td>2</td> <td>5.1</td> <td>2.54</td> </tr> <tr> <td>3</td> <td>7.6</td> <td>5.08</td> </tr> <tr> <td>4</td> <td>10.2</td> <td>7.62</td> </tr> <tr> <td>6</td> <td>15.2</td> <td>12.70</td> </tr> <tr> <td>8</td> <td>20.3</td> <td>17.78</td> </tr> <tr> <td>16</td> <td>40.6</td> <td>38.10</td> </tr> <tr> <td>18</td> <td>45.7</td> <td>43.18</td> </tr> </tbody> </table>	No. of contacts	Dimensions (mm)		A	B	2	5.1	2.54	3	7.6	5.08	4	10.2	7.62	6	15.2	12.70	8	20.3	17.78	16	40.6	38.10	18	45.7	43.18
No. of contacts		Dimensions (mm)																																													
	A	B																																													
2	5.1	2.54																																													
3	7.6	5.08																																													
4	10.2	7.62																																													
8	20.3	17.78																																													
16	40.6	38.10																																													
No. of contacts	Dimensions (mm)																																														
	A	B																																													
2	5.1	2.54																																													
3	7.6	5.08																																													
4	10.2	7.62																																													
6	15.2	12.70																																													
8	20.3	17.78																																													
16	40.6	38.10																																													
18	45.7	43.18																																													

Red frame: Housing dimensions are different.

Green frame: Pin lengths are different.

** Pin tip heights from the mounting surface (PCB) are different. For XG8S: Housing height 2.5 + pin height 4.3 = 6.8

* Sales teams should communicate this discontinuation with their OEM's and CEM's.
 For further technical support and any questions, please communicate with Product Marketing.

Specifications in this product news are as of the issue date and are subject to change without notice. Only main changes in specifications are described in this document. Please be sure to read the relevant catalogs, datasheets, product specifications, instructions, and manuals for precautions and necessary information when using products.
 This PCN is intended for use in the Americas
 Last time buy dates are subject to change based on availability

Last Time Buy = Last Working Day in February, 2027. (Feb 26, 2027)

NOTE: The entire XM3, XW4, XG2, XG4 and XJ8 series of Connectors are being discontinued
Only the models listed are being discontinued

Listed Items:

Highlighted cells exist with Omron Electronic Component's computer system
Models with non-highlighted cells do not currently exist within Omron Electronics

Discontinued JDE Part Number	Discontinued Part Number
XM3C0922231BYOMZ	XM3C-0922-231 BY OMZ
XM3F1520122BYOMZ	XM3F-1520-122 BY OMZ
XM3F1520506BYOMZ	XM3F-1520-506 BY OMZ
XM3F2520506BYOMZ	XM3F-2520-506 BY OMZ
XM3F3720506BYOMZ	XM3F-3720-506 BY OMZ
XW4Z00A	XW4Z-00A
XW4Z00B	XW4Z-00B
XG2A1401G	XG2A-1401-G
XG4A5039	XG4A-5039
XW4Z00C	XW4Z-00C
XJ8B0241	XJ8B-0241

NOTE : The entire XM3, XW4, XG2, XG4 and XJ8 series of Connectors are being discontinued
Only the models listed are being discontinued

Reference: PCN# CON-108; M

7)

not being discontinued.

tem.

ectronic Component's computer system.

Discontinued Marketing Part Number	Notes regarding Discontinued Items	Suggested Replacement JDE Part Number
XM3C0922231	Set up in the system - these will be discontinued.	None
XM3F1520122		
XM3F1520506		
XM3F2520506		
XM3F3720506		
XW4Z00A		
XW4Z00B		
XG2A-1401-G	These will likely not be in your system.	
XG4A-5039		
XW4Z-00C		
XJ8B-0241		XG8S0241

is **not** being discontinued.

Suggested Replacement Part Number	Suggested Replacement Marketing Part Number
None	None
XG8S-0241	XG8S-0241

