



Sensor Solutions for Aerospace, Defense, and Marine

RUGGED SENSORS TO TAME LAND, SEA, AND AIR

TE Connectivity offers a growing range of sensors for military and aerospace needs. We will work with you to understand the custom requirements of your application. Our goal is to design, manufacture, and deliver superior solutions with uncompromising accuracy, robustness, and reliability.



Your Sensing Need, Our Sensing Solution

Count on TE's advanced solutions for a wide range of sensing needs.


- | | |
|-------------------|-------------------|
| ■ Acoustic noise | ■ CO |
| ■ CO ₂ | ■ Other gases |
| ■ Flow | ■ Humidity |
| ■ Level | ■ Binary position |
| ■ Linear position | ■ Rotary position |
| ■ Load | ■ Motion |
| ■ Pressure | ■ Shock/vibration |
| ■ Speed | ■ Temperature |
| ■ Torque | |

Application-Specific Packaging

Building on our experience in the military, aerospace and marine markets and expertise in electronic packaging, TE can help you obtain the sensor that performs in the harshest environment. We can match sensing technology with rugged packages sealed from harsh electrical environments able to withstand vibration, shock, and other mechanical stresses, and offered in the appropriate form factor for easy integration into your system.



TE rotary position resolvers accurately measure the wing-flap position on the 'high-lift' systems on commercial aircraft—with a measuring accuracy of 4'. These resolvers can also be designed with high-quality gearboxes to measure multiple rotations.



Value-Added Custom Assemblies

For unique solutions to meet your specific needs, take advantage of our experience to design the product you want.

- Custom enclosures
- Sealing and shielding suitable for harsh environments
- Special cabling and connectors
- Wireless telemetry
- In-house prototyping
- Proof-of-concept models

- Compliance engineering
- Global agency certifications: UL, CSA, FCC, CE, CISPR, CTICK, VDE, TUV, and company-specific standards
- Private labeling if required

TE can also offer high-level assemblies integrating the sensor with other components for a plug-and-play solution that gives you an engineered product custom tailored to the application.

Comprehensive Solutions

From the basic sensor through signal processing and packaging to the I/O connector, we are able to provide professional solutions.

- High accuracy
- High reliability
- Low weight
- Low power
- Convenient, compact form factors
- Resilience to harsh environments
- High-speed telemetry
- Connectors and cabling



AEROSPACE — FLY HIGH WITH PRECISION SENSING

A custom steering feedback sensor makes use of titanium and carbon fiber to reduce weight and contactless design to withstand the temperature, shock, and vibration of flight.



Applications

- Cabin condition sensors
- Ground steering systems
- High lift flight system
- Ice detection
- Landing gear position
- Structural health monitoring
- Thrust levers in cockpit
- Wing flap position

To help manufacturers of large commercial aircraft locate ignition sources within the fuel tanks, we offer customized

sensors to comply with this FAA safety regulation on fuel pump safety. TE's ground fault interrupt (GFI) relays provide both the sensing and switching function in a single package.





DEFENSE — STAY MISSION READY

Our positional and rotary sensors and solid-state relays are widely used in the automotive industry and we have the expertise to package them for the rugged

needs of military ground equipment. We can custom design solutions based on specific application needs to yield a robust, reliable system.

Applications

- Cabin condition
- Driver pedal controls
- Gear position
- Speed sensing
- Steering controls
- Structural health monitoring
- Targeting systems
- Turret azimuth
- Kerosene leakage






MARINE — SMOOTH SAILING

Binary, linear and rotary contactless position sensors can be hermetically sealed to provide robust solutions in the harshest marine environments.

Applications

- Helm instrument and throttle controls
- Fuel tank level
- Secure door close confirmations



A large offshore oil rig is illuminated at night, with its complex steel structure and cranes glowing against a dark sky. The rig is situated in the ocean, and its lights reflect on the water's surface. The overall scene conveys a sense of industrial activity in a remote, high-pressure environment.

OFFSHORE — FROM TOPSIDE TO THE OCEAN FLOOR

From topsides to ROVs to subsea reservoirs, sensors find wide use in oil exploration and production. Precision sensing is fundamental to safety and economic feasibility in this demanding environment.

Applications

- Strain gauges for health of superstructure
- Strain on and position of undersea tether cables
- Valve position
- Strain gauges for weight on cranes
- Crane jib position
- Reservoir pressure and health monitoring



FOR MORE INFORMATION

Technical Support

Internet:	www.te.com/ADM
E-mail:	product.info@te.com
USA:	+1 (800) 522-6752
Canada:	+1 (905) 475-6222
Mexico:	+52 (0) 55-1106-0800
C. America:	+52 (0) 55-1106-0800
South America:	+54 (0) 11-4733-2200
Germany:	+49 (0) 6251-133-1999
Great Britain:	+44 (0) 0800-267666
France:	+33 (0) 1-34-20-8686
Netherlands:	+31 (0) 7362-46-999
China:	+86 (0) 400-820-6015

te.com

© 2011 Tyco Electronics Corporation. All Rights Reserved.

6-1773460-6 ADM 7.5M 04/2011

TE Connectivity, TE connectivity (logo) and TE (logo) are trademarks.

Images courtesy of the Department of Defense without endorsement of products.

While TE has made every reasonable effort to ensure the accuracy of the information herein, nothing herein constitutes any guarantee that such information is error-free, or any other representation, warranty or guarantee that the information is accurate, correct, reliable current. The TE entity issuing this publication reserves the right to make any adjustments to the information contained herein at any time without notice. All implied warranties regarding the information contained herein, including, but not limited to, any implied warranties of merchantability or fitness for a particular purpose are expressly disclaimed. The dimensions herein are for reference purposes only and are subject to change without notice. Specifications are subject to change without notice. Consult TE for the latest dimensions and design specifications.

